

Table 158: $b(E) \times 10^6$ [cm^2g^{-1}] for
 Ferroboride (FeB)
 $\langle Z/A \rangle = 0.46507$

E [GeV]	b_{brems}	b_{pair}	b_{nucl}	b_{tot}
2.	0.7272	0.3407	0.4215	1.4895
5.	0.9930	0.8529	0.4489	2.2949
10.	1.2091	1.2567	0.4382	2.9040
20.	1.4314	1.6692	0.4205	3.5211
50.	1.7259	2.2716	0.4008	4.3984
100.	1.9387	2.6829	0.3912	5.0129
200.	2.1364	3.0561	0.3866	5.5791
500.	2.3640	3.4119	0.3863	6.1622
1000.	2.5053	3.6071	0.3925	6.5049
2000.	2.6183	3.7501	0.4025	6.7710
5000.	2.7266	3.8715	0.4210	7.0192
10000.	2.7820	3.9285	0.4397	7.1501
20000.	2.8196	3.9654	0.4613	7.2463
50000.	2.8512	3.9937	0.4952	7.3400
100000.	2.8656	4.0055	0.5242	7.3952