

Table 188: $b(E) \times 10^6$ [cm^2g^{-1}] for
Lithium oxide Li_2O
 $\langle Z/A \rangle = 0.46952$

E [GeV]	b_{brems}	b_{pair}	b_{nucl}	b_{tot}
2.	0.2200	0.0958	0.4739	0.7898
5.	0.2986	0.2376	0.4999	1.0361
10.	0.3639	0.3608	0.4844	1.2091
20.	0.4330	0.4951	0.4618	1.3899
50.	0.5272	0.6837	0.4374	1.6484
100.	0.5976	0.8191	0.4256	1.8424
200.	0.6648	0.9418	0.4197	2.0263
500.	0.7442	1.0700	0.4188	2.2330
1000.	0.7952	1.1491	0.4258	2.3702
2000.	0.8376	1.2052	0.4374	2.4802
5000.	0.8799	1.2552	0.4590	2.5941
10000.	0.9024	1.2789	0.4807	2.6620
20000.	0.9182	1.2938	0.5062	2.7183
50000.	0.9317	1.3055	0.5463	2.7836
100000.	0.9380	1.3103	0.5806	2.8290