

**Table 228:**  $b(E) \times 10^6$  [ $\text{cm}^2\text{g}^{-1}$ ] for  
Polytrifluorochloroethylene [ $\text{C}_2\text{F}_3\text{Cl}$ ]<sub>n</sub>  
 $\langle Z/A \rangle = 0.48081$

E [GeV]	$b_{\text{brems}}$	$b_{\text{pair}}$	$b_{\text{nucl}}$	$b_{\text{tot}}$
2.	0.3889	0.1784	0.4492	1.0166
5.	0.5282	0.4372	0.4766	1.4419
10.	0.6419	0.6493	0.4636	1.7549
20.	0.7605	0.8768	0.4435	2.0807
50.	0.9193	1.1990	0.4213	2.5396
100.	1.0359	1.4242	0.4105	2.8707
200.	1.1457	1.6315	0.4052	3.1824
500.	1.2741	1.8368	0.4045	3.5155
1000.	1.3552	1.9567	0.4112	3.7231
2000.	1.4215	2.0422	0.4221	3.8858
5000.	1.4864	2.1164	0.4422	4.0450
10000.	1.5203	2.1514	0.4625	4.1341
20000.	1.5439	2.1735	0.4862	4.2036
50000.	1.5634	2.1912	0.5233	4.2779
100000.	1.5726	2.1985	0.5551	4.3262