

Table 301: $b(E) \times 10^6$ [cm^2g^{-1}] for
Lead tungstate (PbWO_4)
 $\langle Z/A \rangle = 0.41315$

| E [GeV] | b_{brems} | b_{pair} | b_{nucl} | b_{tot} |
|---------|--------------------|-------------------|-------------------|------------------|
| 2. | 1.6596 | 0.3990 | 0.3781 | 2.4368 |
| 5. | 2.2998 | 1.6801 | 0.4032 | 4.3831 |
| 10. | 2.8223 | 2.6764 | 0.3947 | 5.8935 |
| 20. | 3.3588 | 3.6078 | 0.3782 | 7.3448 |
| 50. | 4.0614 | 5.0222 | 0.3638 | 9.4474 |
| 100. | 4.5615 | 5.9583 | 0.3561 | 10.8758 |
| 200. | 5.0184 | 6.7894 | 0.3523 | 12.1600 |
| 500. | 5.5317 | 7.5532 | 0.3524 | 13.4373 |
| 1000. | 5.8413 | 7.9598 | 0.3579 | 14.1590 |
| 2000. | 6.0825 | 8.2525 | 0.3666 | 14.7017 |
| 5000. | 6.3067 | 8.4977 | 0.3827 | 15.1870 |
| 10000. | 6.4178 | 8.6110 | 0.3987 | 15.4275 |
| 20000. | 6.4915 | 8.6847 | 0.4174 | 15.5936 |
| 50000. | 6.5526 | 8.7399 | 0.4464 | 15.7389 |
| 100000. | 6.5797 | 8.7628 | 0.4713 | 15.8139 |