

Table 137: $b(E) \times 10^6$ [cm^2g^{-1}] for
 Cellulose acetate butyrate ($\text{C}_{15}\text{H}_{22}\text{O}_8$)_n
 $\langle Z/A \rangle = 0.53279$

| E [GeV] | b_{brems} | b_{pair} | b_{nucl} | b_{tot} |
|---------|--------------------|-------------------|-------------------|------------------|
| 2. | 0.2607 | 0.1136 | 0.4715 | 0.8458 |
| 5. | 0.3536 | 0.2811 | 0.4987 | 1.1333 |
| 10. | 0.4305 | 0.4258 | 0.4836 | 1.3400 |
| 20. | 0.5117 | 0.5838 | 0.4613 | 1.5567 |
| 50. | 0.6224 | 0.8058 | 0.4368 | 1.8651 |
| 100. | 0.7055 | 0.9632 | 0.4249 | 2.0935 |
| 200. | 0.7839 | 1.1084 | 0.4188 | 2.3111 |
| 500. | 0.8770 | 1.2582 | 0.4179 | 2.5532 |
| 1000. | 0.9369 | 1.3503 | 0.4247 | 2.7119 |
| 2000. | 0.9867 | 1.4152 | 0.4361 | 2.8380 |
| 5000. | 1.0365 | 1.4726 | 0.4574 | 2.9665 |
| 10000. | 1.0630 | 1.4997 | 0.4789 | 3.0417 |
| 20000. | 1.0817 | 1.5168 | 0.5043 | 3.1029 |
| 50000. | 1.0979 | 1.5303 | 0.5440 | 3.1722 |
| 100000. | 1.1052 | 1.5358 | 0.5781 | 3.2192 |