

**Table 128:**  $b(E) \times 10^6$  [ $\text{cm}^2\text{g}^{-1}$ ] for  
Cadmium tungstate ( $\text{CdWO}_4$ )  
 $\langle Z/A \rangle = 0.42747$

E [GeV]	$b_{\text{brems}}$	$b_{\text{pair}}$	$b_{\text{nucl}}$	$b_{\text{tot}}$
2.	1.3867	0.4351	0.3891	2.2109
5.	1.9159	1.4889	0.4149	3.8196
10.	2.3473	2.3086	0.4029	5.0588
20.	2.7903	3.0893	0.3864	6.2659
50.	3.3714	4.2639	0.3734	8.0088
100.	3.7861	5.0457	0.3653	9.1970
200.	4.1663	5.7429	0.3613	10.2705
500.	4.5955	6.3877	0.3612	11.3444
1000.	4.8557	6.7332	0.3670	11.9557
2000.	5.0594	6.9825	0.3760	12.4179
5000.	5.2500	7.1919	0.3927	12.8345
10000.	5.3449	7.2889	0.4094	13.0433
20000.	5.4083	7.3521	0.4287	13.1892
50000.	5.4608	7.3997	0.4590	13.3195
100000.	5.4844	7.4193	0.4849	13.3887