

Table 228: $b(E) \times 10^6$ [cm^2g^{-1}] for
Polytrifluorochloroethylene [$\text{C}_2\text{F}_3\text{Cl}$] $_n$
 $\langle Z/A \rangle = 0.48081$

| E [GeV] | b_{brems} | b_{pair} | b_{nucl} | b_{tot} |
|---------|--------------------|-------------------|-------------------|------------------|
| 2. | 0.3889 | 0.1784 | 0.4492 | 1.0166 |
| 5. | 0.5282 | 0.4372 | 0.4766 | 1.4419 |
| 10. | 0.6419 | 0.6493 | 0.4636 | 1.7549 |
| 20. | 0.7605 | 0.8768 | 0.4435 | 2.0807 |
| 50. | 0.9193 | 1.1990 | 0.4213 | 2.5396 |
| 100. | 1.0359 | 1.4242 | 0.4105 | 2.8707 |
| 200. | 1.1457 | 1.6315 | 0.4052 | 3.1824 |
| 500. | 1.2741 | 1.8368 | 0.4045 | 3.5155 |
| 1000. | 1.3552 | 1.9567 | 0.4112 | 3.7231 |
| 2000. | 1.4215 | 2.0422 | 0.4221 | 3.8858 |
| 5000. | 1.4864 | 2.1164 | 0.4422 | 4.0450 |
| 10000. | 1.5203 | 2.1514 | 0.4625 | 4.1341 |
| 20000. | 1.5439 | 2.1735 | 0.4862 | 4.2036 |
| 50000. | 1.5634 | 2.1912 | 0.5233 | 4.2779 |
| 100000. | 1.5726 | 2.1985 | 0.5551 | 4.3262 |