

$D_{sJ}(2460)^\pm$

$$I(J^P) = 0(1^+)$$

Zero spin excluded by the observation of the decay to $D_s^+ \gamma$, the decay angular distribution consistent with spin 1.

$D_{sJ}(2460)^\pm$ MASS

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2459.3±1.3 OUR FIT	Error includes scale factor of 1.3.			
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2456.5±1.3±1.3	126	^{1,2} MIKAMI	04 BELL	10.6 $e^+ e^-$
2459.5±1.3±2.0	152	^{3,4} MIKAMI	04 BELL	10.6 $e^+ e^-$
2459.9±0.9±1.6	60	^{3,4} MIKAMI	04 BELL	10.6 $e^+ e^-$
2459.2±1.6±2.0	57	KROKOVNY	03B BELL	10.6 $e^+ e^-$

¹ Not independent of the corresponding $m_{D_{sJ}(2460)^\pm} - m_{D_s^{*\pm}}$.

² Using $m_{D_s^{*+}} = 2112.4 \pm 0.7$ MeV.

³ Not independent of the corresponding $m_{D_{sJ}(2460)^\pm} - m_{D_s^\pm}$.


⁴ Using $m_{D_s^+} = 1968.5 \pm 0.6$ MeV.

$m_{D_{sJ}(2460)^\pm} - m_{D_s^{*\pm}}$

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
347.2±1.2 OUR FIT	Error includes scale factor of 1.3.			
347.1±2.2 OUR AVERAGE	Error includes scale factor of 1.9. See the ideogram below.			
344.1±1.3±1.1	126	MIKAMI	04 BELL	10.6 $e^+ e^-$
351.2±1.7±1.0	41	BESSION	03 CLE2	10.6 $e^+ e^-$
346.8±1.6±1.9	57	⁵ KROKOVNY	03B BELL	10.6 $e^+ e^-$

⁵ Recalculated by us using $m_{D_s^{*+}} = 2112.4 \pm 0.7$ MeV.

WEIGHTED AVERAGE
 347.1 ± 2.2 (Error scaled by 1.9)



$$m_{D_{sJ}^*(2460)^{\pm}} - m_{D_s^{*\pm}}$$

$m_{D_{sJ}(2460)^{\pm}} - m_{D_s^{\pm}}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
491.0 ± 1.2 OUR FIT	Error includes scale factor of 1.3.			
491.3 ± 1.4 OUR AVERAGE				
491.0 ± 1.3 ± 1.9	152	⁶ MIKAMI	04 BELL	10.6 $e^+ e^-$
491.4 ± 0.9 ± 1.5	60	⁷ MIKAMI	04 BELL	10.6 $e^+ e^-$

⁶ From the decay to $D_s^{\pm} \gamma$.

⁷ From the decay to $D_s^{\pm} \pi^+ \pi^-$.

$D_{sJ}(2460)^{\pm}$ WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<5.5	90	126	MIKAMI	04 BELL	10.6 $e^+ e^-$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<7	90	41	BESSON	03 CLE2	10.6 $e^+ e^-$

$D_{sJ}(2460)^+$ DECAY MODES

$D_{sJ}(2460)^-$ modes are charge conjugates of the modes below.

Mode
$\Gamma_1 \quad D_s^{*+} \pi^0$
$\Gamma_2 \quad D_s^+ \gamma$
$\Gamma_3 \quad D_s^+ \pi^+ \pi^-$
$\Gamma_4 \quad D_s^{*+} \gamma$
$\Gamma_5 \quad D_{sJ}^*(2317)^+ \gamma$

$D_{sJ}(2460)^\pm$ BRANCHING RATIOS

$\Gamma(D_s^{*+} \pi^0)/\Gamma_{\text{total}}$	Γ_1/Γ
<u>VALUE</u>	<u>EVTS</u> <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen	41	BESSON	03	CLE2	10.6 $e^+ e^-$
------	----	--------	----	------	----------------

$\Gamma(D_s^+ \gamma)/\Gamma(D_s^{*+} \pi^0)$	Γ_2/Γ_1
<u>VALUE</u>	<u>CL%</u> <u>EVTS</u> <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>

0.44 ± 0.09 OUR AVERAGE

0.55 ± 0.13 ± 0.08	152	MIKAMI	04	BELL	10.6 $e^+ e^-$
--------------------	-----	--------	----	------	----------------

0.38 ± 0.11 ± 0.04	38	KROKOVNY	03B	BELL	10.6 $e^+ e^-$
--------------------	----	----------	-----	------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.49	90	BESSON	03	CLE2	10.6 $e^+ e^-$
-------	----	--------	----	------	----------------

$\Gamma(D_s^+ \pi^+ \pi^-)/\Gamma(D_s^{*+} \pi^0)$	Γ_3/Γ_1
<u>VALUE</u>	<u>CL%</u> <u>EVTS</u> <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>

0.14 ± 0.04 ± 0.02

0.14 ± 0.04 ± 0.02	60	MIKAMI	04	BELL	10.6 $e^+ e^-$
--------------------	----	--------	----	------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.08	90	BESSON	03	CLE2	10.6 $e^+ e^-$
-------	----	--------	----	------	----------------

$\Gamma(D_s^{*+} \gamma)/\Gamma(D_s^{*+} \pi^0)$	Γ_4/Γ_1
<u>VALUE</u>	<u>CL%</u> <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>

<0.16	90	BESSON	03	CLE2	10.6 $e^+ e^-$
-------	----	--------	----	------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.31	90	MIKAMI	04	BELL	10.6 $e^+ e^-$
-------	----	--------	----	------	----------------

$\Gamma(D_{sJ}^*(2317)^+ \gamma)/\Gamma(D_s^{*+} \pi^0)$	Γ_5/Γ_1
<u>VALUE</u>	<u>CL%</u> <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.58	90	BESSON	03	CLE2	10.6 $e^+ e^-$
-------	----	--------	----	------	----------------

$D_s(2460)^\pm$ REFERENCES

MIKAMI	04	PRL 92 012002	Y. Mikami <i>et al.</i>	(BELLE Collab.)
BESSON	03	PR D68 032002	D. Besson <i>et al.</i>	(CLEO Collab.)
KROKOVNY	03B	PRL 91 262002	P. Krokovny <i>et al.</i>	(BELLE Collab.)

OTHER RELATED PAPERS

BROWDER	04	PL B578 365	T.E. Browder, S. Pakvasa, A.A. Petrov	
SADZIKOWSKI	04	PL B579 39	M. Sadzikowski	
AUBERT	03G	PRL 90 242001	B. Aubert <i>et al.</i>	(BaBar Collab.)
BARDEEN	03	PR D68 054024	W.A. Bardeen <i>et al.</i>	
BARNES	03	PR D68 054006	T. Barnes <i>et al.</i>	
CAHN	03	PR D68 037502	R.N. Cahn, J.D. Jackson	
COLANGELO	03B	PL B570 180	P. Colangelo, F. De Fazio	
DATTA	03C	PL B572 164	A. Datta, P.J. O'Donnell	
