



$$I(J^P) = 0(?^?)$$

J^P is natural, width and decay modes consistent with 1^- .

$D_s^{*\pm}$ MASS

The fit includes D^\pm , D^0 , D_s^\pm , $D^{*\pm}$, D^{*0} , and $D_s^{*\pm}$ mass and mass difference measurements.

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

2112.1 ± 0.7 OUR FIT Error includes scale factor of 1.1.

2106.6 ± 2.1 ± 2.7 ¹ BLAYLOCK 87 MRK3 $e^+e^- \rightarrow D_s^\pm \gamma X$

¹ Assuming D_s^\pm mass = 1968.7 ± 0.9 MeV.

$m_{D_s^{*\pm}} - m_{D_s^\pm}$

The fit includes D^\pm , D^0 , D_s^\pm , $D^{*\pm}$, D^{*0} , and $D_s^{*\pm}$ mass and mass difference measurements.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

143.8 ± 0.4 OUR FIT

143.9 ± 0.4 OUR AVERAGE

143.76 ± 0.39 ± 0.40

GRONBERG 95 CLE2 e^+e^-

144.22 ± 0.47 ± 0.37

BROWN 94 CLE2 e^+e^-

142.5 ± 0.8 ± 1.5

² ALBRECHT 88 ARG $e^+e^- \rightarrow D_s^\pm \gamma X$

139.5 ± 8.3 ± 9.7 60 AIHARA 84D TPC $e^+e^- \rightarrow$ hadrons

• • • We do not use the following data for averages, fits, limits, etc. • • •

143.0 ± 18.0 8 ASRATYAN 85 HLBC FNAL 15-ft, ν -²H

110 ± 46 BRANDELIK 79 DASP $e^+e^- \rightarrow D_s^\pm \gamma X$

² Result includes data of ALBRECHT 84B.

$D_s^{*\pm}$ WIDTH

VALUE (MeV)	CL%	DOCUMENT ID	TECN	COMMENT
-------------	-----	-------------	------	---------

< 1.9 90 GRONBERG 95 CLE2 e^+e^-

< 4.5 90 ALBRECHT 88 ARG $E_{cm}^{ee} = 10.2$ GeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 4.9 90 BROWN 94 CLE2 e^+e^-

< 22 90 BLAYLOCK 87 MRK3 $e^+e^- \rightarrow D_s^\pm \gamma X$

D_s^{*+} DECAY MODES

D_s^{*-} modes are charge conjugates of the modes below.

	Mode	Fraction (Γ_i/Γ)
Γ_1	$D_s^+ \gamma$	$(94.2 \pm 2.5) \%$
Γ_2	$D_s^+ \pi^0$	$(5.8 \pm 2.5) \%$

CONSTRAINED FIT INFORMATION

An overall fit to a branching ratio uses 1 measurements and one constraint to determine 2 parameters. The overall fit has a $\chi^2 = 0.0$ for 0 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

$$x_2 \begin{vmatrix} & -100 \\ & x_1 \end{vmatrix}$$

D_s^{*+} BRANCHING RATIOS

$\Gamma(D_s^+ \gamma) / \Gamma_{\text{total}}$	Γ_1 / Γ
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
0.942 ± 0.026 OUR FIT	
• • • We do not use the following data for averages, fits, limits, etc. • • •	
seen	ASRATYAN 91 HLBC $\bar{\nu}_\mu \text{Ne}$
seen	ALBRECHT 88 ARG $e^+ e^- \rightarrow D_s^\pm \gamma X$
seen	AIHARA 84D
seen	ALBRECHT 84B
seen	BRANDELIK 79
$\Gamma(D_s^+ \pi^0) / \Gamma(D_s^+ \gamma)$	Γ_2 / Γ_1
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
0.062 ± 0.029 OUR FIT	
$0.062^{+0.020}_{-0.018} \pm 0.022$	GRONBERG 95 CLE2 $e^+ e^-$

$D_s^{*\pm}$ REFERENCES

GRONBERG 95 PRL 75 3232	J. Gronberg <i>et al.</i>	(CLEO Collab.)
BROWN 94 PR D50 1884	D. Brown <i>et al.</i>	(CLEO Collab.)
ASRATYAN 91 PL B257 525	A.E. Asratyan <i>et al.</i>	(ITEP, BELG, SACL+)
ALBRECHT 88 PL B207 349	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
BLAYLOCK 87 PRL 58 2171	G.T. Blaylock <i>et al.</i>	(Mark III Collab.)
ASRATYAN 85 PL 156B 441	A.E. Asratyan <i>et al.</i>	(ITEP, SERP)
AIHARA 84D PRL 53 2465	H. Aihara <i>et al.</i>	(TPC Collab.)
ALBRECHT 84B PL 146B 111	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
BRANDELIK 79 PL 80B 412	R. Brandelik <i>et al.</i>	(DASP Collab.)

————— **OTHER RELATED PAPERS** —————

KAMAL	92	PL B284 421	A.N. Kamal, Q.P. Xu	(ALBE)
BRANDELIK	78C	PL 76B 361	R. Brandelik <i>et al.</i>	(DASP Collab.)
BRANDELIK	77B	PL 70B 132	R. Brandelik <i>et al.</i>	(DASP Collab.)
