$\phi(1020)$

$I^G(J^{PC}) = 0^-(1^{--})$

$\phi(1020)$ MASS

We average mass and width values only when the systematic errors have been evaluated.

VALUE (MeV)			*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
1019.413±0.008 OUR AVERAGE							
1019.42	±0.06		55600	AKHMETSHIN	95	CMD2	$e^+e^- \to$ hadrons
1019.7	±0.3		2012	DAVENPORT	86	MPSF	400 $pA \to 4KX$
1019.411	±0.008		642k	[1] DIJKSTRA	86	SPEC	100–200 $\pi^\pm$, $\overline{p}$, p, $K^\pm$, on Be
1019.7	±0.1	±0.1	5079	ALBRECHT	85D	ARG	10 $e^+e^- \to K^+K^-X$
1019.3	±0.1		1500	ARENTON	82	AEMS	11.8 polar. $pp \to KK$
1019.67	±0.17		25080	[2] PELLINEN	82	RVUE	
1019.54	±0.12		1100	BARKOV	79B	EMUL	$e^+e^- \to K^+K^-$
1019.52	±0.13		3681	BUKIN	78C	OLYA	$e^+e^- \to$ hadrons
• • • We do not use the following data for averages, fits, limits, etc. • • •							
1019.8	±0.7			ARMSTRONG	86	OMEG	85 $\pi^+/pp \to \pi^+/p4Kp$
1020.1	±0.11		5526	[3] ATKINSON	86	OMEG	20–70 γp
1019.7	±1.0			BEBEK	86	CLEO	$e^+e^- \to \Upsilon(4S)$
1020.9	±0.2			[3] FRAME	86	OMEG	13 $K^+p \to \phi K^+p$
1021.0	±0.2			[3] ARMSTRONG	83B	OMEG	18.5 $K^-p \to K^-K^+\Lambda$
1020.0	±0.5			[3] ARMSTRONG	83B	OMEG	18.5 $K^-p \to K^-K^+\Lambda$
1019.7	±0.3			[3] BARATE	83	GOLI	190 π^- Be $\to 2\mu X$
1019.8	±0.2	±0.5	766	IVANOV	81	OLYA	1–1.4 $e^+e^- \to K^+K^-$
1019.4	±0.5		337	COOPER	78B	HBC	0.7–0.8 $\overline{p}p \to K^0_S K^0_L \pi^+\pi^-$
1020	±1		383	[3] BALDI	77	CNTR	10 $\pi^-p \to \pi^-\phi p$
1018.9	±0.6		800	COHEN	77	ASPK	6 $\pi^\pm N \to K^+K^-N$
1019.7	±0.5		454	KALBFLEISCH	76	HBC	2.18 $K^-p \to \Lambda K\overline{K}$
1019.4	±0.8		984	BESCH	74	CNTR	2 $\gamma p \to pK^+K^-$
1020.3	±0.4		100	BALLAM	73	HBC	2.8–9.3 γp
1019.4	±0.7			BINNIE	73B	CNTR	$\pi^-p \to \phi n$
1019.6	±0.5		120	[4] AGUILAR-...	72B	HBC	3.9,4.6 $K^-p \to \Lambda K^+K^-$
1019.9	±0.5		100	[4] AGUILAR-...	72B	HBC	3.9,4.6 $K^-p \to K^-pK^+K^-$
1020.4	±0.5		131	COLLEY	72	HBC	10 $K^+p \to K^+p\phi$
1019.9	±0.3		410	STOTTLE...	71	HBC	2.9 $K^-p \to \Sigma/\Lambda K\overline{K}$

[1] Weighted and scaled average of 12 measurements of DIJKSTRA 86.
[2] PELLINEN 82 review includes AKERLOF 77, DAUM 81, BALDI 77, AYRES 74, DEGROOT 74.
[3] Systematic errors not evaluated.
[4] Mass errors enlarged by us to $\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

$\phi(1020)$ WIDTH

We average mass and width values only when the systematic errors have been evalutated.

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
4.43±0.05 OUR FIT					
4.43±0.05 OUR AVERAGE					
4.44±0.09	55600	AKHMETSHIN	95	CMD2	$e^+e^- \to$ hadrons
4.45±0.06	271k	DIJKSTRA	86	SPEC	100 π^- Be
4.5 ±0.7	1500	ARENTON	82	AEMS	11.8 polar. $pp \to KK$
4.2 ±0.6	766	[5] IVANOV	81	OLYA	1–1.4 $e^+e^- \to K^+K^-$
4.3 ±0.6		[5] CORDIER	80	WIRE	$e^+e^- \to \pi^+\pi^-\pi^0$
4.58±0.55	1100	[5] BARKOV	79B	EMUL	$e^+e^- \to K^+K^-$
4.36±0.29	3681	[5] BUKIN	78C	OLYA	$e^+e^- \to$ hadrons
4.4 ±0.6	984	[5] BESCH	74	CNTR	$2\gamma p \to pK^+K^-$
4.67±0.72	681	[5] BALAKIN	71	OSPK	$e^+e^- \to$ hadrons
4.09±0.29		BIZOT	70	OSPK	$e^+e^- \to$ hadrons
• • • We do not use the following data for averages, fits, limits, etc. • • •					
4.08±0.14	13714	KURDADZE	84	OLYA	$e^+e^- \to$ hadrons
3.6 ±0.8	337	[5] COOPER	78B	HBC	0.7–0.8 $\overline{p}p \to K^0_S K^0_L \pi^+\pi^-$
4.5 ±0.50	1300	[5,6] AKERLOF	77	SPEC	400 $pA \to K^+K^-X$
4.5 ±0.8	500	[5,6] AYRES	74	ASPK	3–6 $\pi^- p \to K^+K^-n$, $K^-p \to K^+K^-\Lambda/\Sigma^0$
3.81±0.37		COSME	74B	OSPK	$e^+e^- \to K^0_L K^0_S$
3.8 ±0.7	454	[5] BORENSTEIN	72	HBC	2.18 $K^-p \to K\overline{K}n$

[5] Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.
[6] Systematic errors not evaluated.

$\phi(1020)$ DECAY MODES

	Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1	K^+K^-	(49.1 ±0.6) %	S=1.2
Γ_2	$K^0_L K^0_S$	(34.1 ±0.5) %	S=1.1
Γ_3	$\rho\pi$	(12.9 ±0.7) %	
Γ_4	$\pi^+\pi^-\pi^0$	(2.7 ±0.9) %	S=1.1
Γ_5	$\eta\gamma$	(1.26±0.06) %	S=1.1
Γ_6	$\pi^0\gamma$	(1.31±0.13) $\times 10^{-3}$	
Γ_7	e^+e^-	(3.00±0.06) $\times 10^{-4}$	S=1.1
Γ_8	$\mu^+\mu^-$	(2.48±0.34) $\times 10^{-4}$	
Γ_9	ηe^+e^-	(1.3 $^{+0.8}_{-0.6}$) $\times 10^{-4}$	
Γ_{10}	$\pi^+\pi^-$	(8 $^{+5}_{-4}$) $\times 10^{-5}$	S=1.5
Γ_{11}	$\omega\gamma$	< 5 %	CL=84%
Γ_{12}	$\rho\gamma$	< 2 %	CL=84%
Γ_{13}	$\pi^+\pi^-\gamma$	< 7 $\times 10^{-3}$	CL=90%
Γ_{14}	$f_0(980)\gamma$		
Γ_{15}	$\pi^0\pi^0\gamma$	< 1 $\times 10^{-3}$	CL=90%
Γ_{16}	$\pi^+\pi^-\pi^+\pi^-$	< 8.7 $\times 10^{-4}$	CL=90%
Γ_{17}	$\eta'(958)\gamma$	< 4.1 $\times 10^{-4}$	CL=90%
Γ_{18}	$\pi^+\pi^+\pi^-\pi^-\pi^0$	< 1.5 $\times 10^{-4}$	CL=95%
Γ_{19}	$\pi^0 e^+e^-$	< 1.2 $\times 10^{-4}$	CL=90%
Γ_{20}	$\pi^0\eta\gamma$		
Γ_{21}	$a_0(980)\gamma$	< 5 $\times 10^{-3}$	CL=90%

CONSTRAINED FIT INFORMATION

An overall fit to the total width, a partial width, and 9 branching ratios uses 43 measurements and one constraint to determine 6 parameters. The overall fit has a $\chi^2 = 28.9$ for 38 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$, in percent, from the fit to parameters p_i, including the branching fractions, $x_i \equiv \Gamma_i/\Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

	x_1	x_2	x_3	x_4	x_5
x_2	−63				
x_3	0	0			
x_4	−34	−16	−81		
x_5	−5	−3	0	−1	
Γ	0	0	−20	16	0

	Mode	Rate (MeV)	Scale factor
Γ_1	$K^+ K^-$	2.18 ±0.04	1.1
Γ_2	$K^0_L K^0_S$	1.510 ±0.029	1.1
Γ_3	$\rho\pi$	0.570 ±0.030	
Γ_4	$\pi^+ \pi^- \pi^0$	0.12 ±0.04	1.1
Γ_5	$\eta\gamma$	0.0561 ±0.0025	1.1

$\phi(1020)$ PARTIAL WIDTHS

$\Gamma(\rho\pi)$ Γ_3

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
0.570±0.030 OUR FIT				
0.57 ±0.03	JULLIAN	76	OSPK	$e^+ e^-$

$\Gamma(e^+ e^-)$ Γ_7

VALUE (keV)	DOCUMENT ID
1.37±0.05 OUR EVALUATION	

$\phi(1020)$ BRANCHING RATIOS

$\Gamma(K^+ K^-)/\Gamma_{\text{total}}$ Γ_1/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.491±0.006 OUR FIT Error includes scale factor of 1.2.					
0.493±0.010 OUR AVERAGE					
0.492±0.012	2913	AKHMETSHIN	95	CMD2	$e^+ e^- \to K^+ K^-$
0.44 ±0.05	321	KALBFLEISCH	76	HBC	2.18 $K^- p \to \Lambda K^+ K^-$
0.49 ±0.06	270	DEGROOT	74	HBC	4.2 $K^- p \to \Lambda\phi$
0.540±0.034	565	BALAKIN	71	OSPK	$e^+ e^- \to K^+ K^-$
0.486±0.044		CHATELUS	71	OSPK	$e^+ e^-$
0.48 ±0.04	252	LINDSEY	66	HBC	2.1–2.7 $K^- p \to \Lambda K^+ K^-$

$\Gamma(K^0_L K^0_S)/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.341±0.005 OUR FIT Error includes scale factor of 1.1.					
0.334±0.007 OUR AVERAGE					
0.335±0.010	40644	AKHMETSHIN	95	CMD2	$e^+ e^- \to K^0_L K^0_S$
0.326±0.035		DOLINSKY	91	ND	$e^+ e^- \to K^0_L K^0_S$
0.310±0.024		DRUZHININ	84	ND	$e^+ e^- \to K^0_L K^0_S$
0.338±0.010		KURDADZE	84	OLYA	$e^+ e^- \to K^0_L K^0_S$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.27 ±0.03	133	KALBFLEISCH	76	HBC	2.18 $K^- p \to \Lambda K^0_L K^0_S$
0.257±0.030	95	BALAKIN	71	OSPK	$e^+ e^- \to K^0_L K^0_S$
0.40 ±0.04	167	LINDSEY	66	HBC	2.1–2.7 $K^- p \to \Lambda K^0_L K^0_S$

$[\Gamma(\rho\pi)+\Gamma(\pi^+\pi^-\pi^0)]/\Gamma_{total}$ $(\Gamma_3+\Gamma_4)/\Gamma$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.156±0.005 OUR FIT Error includes scale factor of 1.3.					
0.152±0.005 OUR AVERAGE Error includes scale factor of 1.2.					
0.161±0.008	11761	AKHMETSHIN	95	CMD2	$e^+e^-\to\pi^+\pi^-\pi^0$
0.143±0.007		DOLINSKY	91	ND	$e^+e^-\to\pi^+\pi^-\pi^0$
0.155±0.008		KURDADZE	84	OLYA	$e^+e^-\to\pi^+\pi^-\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.139±0.007		[7] PARROUR	76B	OSPK	e^+e^-

[7] Using total width 4.1 MeV. The $\rho\pi$ to 3π mode is more than 80%. at the 90% confidence level.

$\Gamma(K_L^0K_S^0)/\Gamma(K\overline{K})$ $\Gamma_2/(\Gamma_1+\Gamma_2)$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.409±0.006 OUR FIT Error includes scale factor of 1.1.					
0.45 ±0.04 OUR AVERAGE					
0.44 ±0.07		LONDON	66	HBC	2.24 $K^-p\to\Lambda K\overline{K}$
0.48 ±0.07	52	BADIER	65B	HBC	3 K^-p
0.40 ±0.10	34	SCHLEIN	63	HBC	1.95 $K^-p\to\Lambda K\overline{K}$

$[\Gamma(\rho\pi)+\Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K\overline{K})$ $(\Gamma_3+\Gamma_4)/(\Gamma_1+\Gamma_2)$

VALUE	DOCUMENT ID		TECN	COMMENT
0.187±0.007 OUR FIT Error includes scale factor of 1.3.				
0.24 ±0.04 OUR AVERAGE				
0.237±0.039	CERRADA	77B	HBC	4.2 $K^-p\to\Lambda 3\pi$
0.30 ±0.15	LONDON	66	HBC	2.24 $K^-p\to\Lambda\pi^+\pi^-\pi^0$

$[\Gamma(\rho\pi)+\Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K_L^0K_S^0)$ $(\Gamma_3+\Gamma_4)/\Gamma_2$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.457±0.018 OUR FIT Error includes scale factor of 1.3.					
0.51 ±0.05 OUR AVERAGE					
0.56 ±0.07	3681	BUKIN	78C	OLYA	$e^+e^-\to K_L^0K_S^0,\ \pi^+\pi^-\pi^0$
0.47 ±0.06	516	COSME	74	OSPK	$e^+e^-\to\pi^+\pi^-\pi^0$

$\Gamma(\mu^+\mu^-)/\Gamma_{total}$ Γ_8/Γ

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
2.48±0.34 OUR AVERAGE				
2.69±0.46	[8] HAYES	71	CNTR	8.3,9.8 γC $\to\mu^+\mu^-$X
2.17±0.60	[8] EARLES	70	CNTR	6.0 γC $\to\mu^+\mu^-$X
2.34±1.01	MOY	69	CNTR	5.0 γC $\to\mu^+\mu^-$X

[8] Neglecting interference between resonance and continuum.

$\Gamma(\eta\gamma)/\Gamma_{total}$ Γ_5/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.0126±0.0006 OUR FIT Error includes scale factor of 1.1.					
0.0126±0.0005 OUR AVERAGE Error includes scale factor of 1.1.					
0.0118±0.0011	279	AKHMETSHIN	95	CMD2	$e^+e^-\to\eta\gamma$
0.0130±0.0006		[9] DRUZHININ	84	ND	$e^+e^-\to 3\gamma$
0.014 ±0.002		[10] DRUZHININ	84	ND	$e^+e^-\to 6\gamma$
0.0088±0.0020	290	KURDADZE	83C	OLYA	$e^+e^-\to 3\gamma$
0.0135±0.0029		ANDREWS	77	CNTR	6.7–10 γCu
0.015 ±0.004	54	[9] COSME	76	OSPK	e^+e^-

[9] From 2γ decay mode of η.
[10] From $3\pi^0$ decay mode of η.

$\Gamma(\pi^+\pi^-\gamma)/\Gamma_{total}$ Γ_{13}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.007	90	COSME	74	OSPK	$e^+e^-\to\pi^+\pi^-\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.06	90	KALBFLEISCH	75	HBC	2.18 $K^-p\to\Lambda\pi^+\pi^-\gamma$
<0.04	99	LINDSEY	65	HBC	2.1–2.7 $K^-p\to\Lambda\pi^+\pi^-$ neutrals

$\Gamma(\omega\gamma)/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.05	84	LINDSEY	66	HBC	2.1–2.7 $K^- p \to$ $\Lambda\pi^+\pi^-$ neutrals

$\Gamma(\rho\gamma)/\Gamma_{\text{total}}$ Γ_{12}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.02	84	LINDSEY	66	HBC	2.1–2.7 $K^- p \to$ $\Lambda\pi^+\pi^-$ neutrals

$\Gamma(e^+e^-)/\Gamma_{\text{total}}$ Γ_7/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
3.00±0.06 OUR AVERAGE Error includes scale factor of 1.1.					
2.88±0.09	55600	AKHMETSHIN	95	CMD2	$e^+e^- \to$ hadrons
3.05±0.12	13714	KURDADZE	84	OLYA	$e^+e^- \to$ hadrons
3.00±0.21	3681	BUKIN	78C	OLYA	$e^+e^- \to$ hadrons
3.10±0.14		[11] PARROUR	76	OSPK	e^+e^-
3.3 ±0.3		COSME	74	OSPK	$e^+e^- \to$ hadrons
2.81±0.25	681	BALAKIN	71	OSPK	$e^+e^- \to$ hadrons
3.50±0.27		CHATELUS	71	OSPK	e^+e^-

[11] Using total width 4.2 MeV. They detect 3π mode and observe significant interference with ω tail. This is accounted for in the result quoted above.

$\Gamma(\pi^0\gamma)/\Gamma_{\text{total}}$ Γ_6/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
1.31±0.13 OUR AVERAGE					
1.30±0.13		DRUZHININ	84	ND	$e^+e^- \to 3\gamma$
1.4 ±0.5	32	COSME	76	OSPK	e^+e^-

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{10}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
0.8 $^{+0.5}_{-0.4}$ OUR AVERAGE Error includes scale factor of 1.5.					
$0.63^{+0.37}_{-0.28}$		[12] GOLUBEV	86	ND	$e^+e^- \to \pi^+\pi^-$
$1.94^{+1.03}_{-0.81}$		[12] VASSERMAN	81	OLYA	e^+e^-
<6.6	95	BUKIN	78B	OLYA	$e^+e^- \to \pi^+\pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<4.0	95	JULLIAN	76	OSPK	e^+e^-
<2.7	95	ALVENSLEB...	72	CNTR	6.7 γC $\to$ C $\pi^+\pi^-$

[12] Using $\Gamma(e^+e^-)/\Gamma_{\text{total}} = 3.1 \times 10^{-4}$.

$\Gamma(K_L^0 K_S^0)/\Gamma(K^+K^-)$ Γ_2/Γ_1

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.693±0.018 OUR FIT Error includes scale factor of 1.1.					
0.740±0.031 OUR AVERAGE					
0.70 ±0.06	2732	BUKIN	78C	OLYA	$e^+e^- \to K_L^0 K_S^0$
0.82 ±0.08		LOSTY	78	HBC	4.2 $K^- p \to \phi$ hyperon
0.71 ±0.05		LAVEN	77	HBC	10 $K^- p \to K^+K^-\Lambda$
0.71 ±0.08		LYONS	77	HBC	3–4 $K^- p \to \Lambda\phi$
0.89 ±0.10	144	AGUILAR-...	72B	HBC	3.9,4.6 $K^- p$

$[\Gamma(\rho\pi) + \Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K^+K^-)$ $(\Gamma_3+\Gamma_4)/\Gamma_1$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.317±0.013 OUR FIT Error includes scale factor of 1.3.					
0.28 ±0.09	34	AGUILAR-...	72B	HBC	3.9,4.6 $K^- p$

$\Gamma(\eta e^+e^-)/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID		TECN	COMMENT
$1.3^{+0.8}_{-0.6}$	7	GOLUBEV	85	ND	$e^+e^- \to \gamma\gamma e^+e^-$

$\Gamma(\eta'(958)\gamma)/\Gamma_{\text{total}}$ Γ_{17}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<4.1	90	DRUZHININ	87	ND	$e^+e^- \to \gamma\eta\pi^+\pi^-$

$\Gamma(\pi^0\pi^0\gamma)/\Gamma_{total}$ Γ_{15}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<1	90	DRUZHININ	87	ND	$e^+e^- \to 5\gamma$

$\Gamma(\pi^+\pi^+\pi^-\pi^-\pi^0)/\Gamma_{total}$ Γ_{18}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<1.5	95	BARKOV	88	CMD	$e^+e^- \to \pi^+\pi^-\pi^+\pi^-\pi^0$

$\Gamma(\pi^+\pi^-\pi^+\pi^-)/\Gamma_{total}$ Γ_{16}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<8.7	90	CORDIER	79	WIRE	$e^+e^- \to 4\pi$

$\Gamma(f_0(980)\gamma)/\Gamma_{total}$ Γ_{14}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<2	90	[13] DRUZHININ	87	ND	$e^+e^- \to \pi^0\pi^0\gamma$

[13] Uses narrow width approximation which is questioned by ACHASOV 95

$\Gamma(\pi^0 e^+ e^-)/\Gamma_{total}$ Γ_{19}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
$<1.2\times10^{-4}$	90	DOLINSKY	88	ND	$e^+e^- \to \pi^0 e^+e^-$

$\Gamma(\pi^0\eta\gamma)/\Gamma_{total}$ Γ_{20}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<2.5	90	DOLINSKY	91	ND	$e^+e^- \to \pi^0\eta\gamma$

$\Gamma(a_0(980)\gamma)/\Gamma_{total}$ Γ_{21}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<5	90	[14] DOLINSKY	91	ND	$e^+e^- \to \pi^0\eta\gamma$

[14] Uses narrow width approximation which is questioned by ACHASOV 95

$\phi(1020)$ REFERENCES

ACHASOV	95	PLB 363 106	+Gubin	(NOVM)
AKHMETSHIN	95	PL B364 199	+Akesnov+ (NOVO, BOST, PITT, MINN, YALE)	
DOLINSKY	91	PRPL 202 99	+Druzhinin, Dubrovin+	(NOVO)
BARKOV	88	SJNP 47 248	+Vasserman, Vorobyev, Ivanov+	(NOVO)
		Translated from YAF 47 393.		
DOLINSKY	88	SJNP 48 277	+Druzhinin, Dubrovin, Golubev+	(NOVO)
		Translated from YAF 48 442.		
DRUZHININ	87	ZPHY C37 1	+Dubrovin, Eidelman, Golubev+	(NOVO)
ARMSTRONG	86	PL 166B 245	+Bloodworth, Carney+ (ATHU, BARI, BIRM, CERN)	
ATKINSON	86	ZPHY C30 521	+ (BONN, CERN, GLAS, LANC, MCHS, CURIN+)	
BEBEK	86	PRL 56 1893	+Berkelman, Blucher, Cassel+	(CLEO Collab.)
DAVENPORT	86	PR 33 2519	(TUFTS, ARIZ, FNAL, FSU, NDAM, VAND)	
DIJKSTRA	86	ZPHY C31 375	+Bailey+ (ANIK, BRIS, CERN, CRAC, MPIM, RAL)	
FRAME	86	NP B276 667	+Hughes, Lynch, Minto, McFadzean+	(GLAS)
GOLUBEV	86	SJNP 44 409	+Druzhinin, Ivanchenko, Perevedentsev+	(NOVO)
		Translated from YAF 44 633.		
ALBRECHT	85D	PL 153B 343	+Drescher, Binder, Drews+	(ARGUS Collab.)
GOLUBEV	85	SJNP 41 756	+Druzhinin, Ivanchenko, Peryshkin+	(NOVO)
		Translated from YAF 41 1183.		
DRUZHININ	84	PL 144B 136	+Golubev, Ivanchenko, Peryshkin+	(NOVO)
KURDADZE	84	IYF 84-7 Preprint	+Leltchouk, Pakhtusova, Sidorov+	(NOVO)
ARMSTRONG	83B	NP B224 193	+ (BARI, BIRM, CERN, MILA, CURIN+)	
BARATE	83	PL 121B 449	+Bareyre, Bonamy+ (SACL, LOIC, SHMP, IND)	
KURDADZE	83C	JETPL 38 366	+Lelchuk, Root+	(NOVO)
		Translated from ZETFP 38 306.		
ARENTON	82	PR D25 2241	+Ayres, Diebold, May, Swallow+	(ANL, ILL)
PELLINEN	82	PS 25 599	+Roos	(HELS)
DAUM	81	PL 100B 439	+Bardsley+ (AMST, BRIS, CERN, CRAC, MPIM+)	
IVANOV	81	PL 107B 297	+Kurdadze, Lelchuk, Sidorov, Skrinsky+	(NOVO)
Also	82	Private Comm.	Eidelman	(NOVO)
VASSERMAN	81	PL 99B 62	+Kurdadze, Sidorov, Skrinsky+	(NOVO)
CORDIER	80	NP B172 13	+Delcourt, Eschstruth, Fulda+	(LALO)
BARKOV	79B	IYF 79-93 Preprint	+Zolotorev, Makarina, Mishakova+	(NOVO)
CORDIER	79	PL 81B 389	+Delcourt, Eschstruth, Fulda+	(LALO)
BUKIN	78B	SJNP 27 521	+Kurdadze, Sidorov, Skrinsky+	(NOVO)
		Translated from YAF 27 985.		
BUKIN	78C	SJNP 27 516	+Kurdadze, Serednyakov, Sidorov+	(NOVO)
		Translated from YAF 27 976.		

COOPER	78B	NP B146 1	+Ganguli+	(TATA, CERN, CDEF, MADR)	
LOSTY	78	NP B133 38	+Holmgren, Blokzijl+	(CERN, AMST, NIJM, OXF)	
AKERLOF	77	PRL 39 861	+Alley, Bintinger, Ditzler+	(FNAL, MICH, PURD)	
ANDREWS	77	PRL 38 198	+Fukushima, Harvey, Lobkowicz, May+	(ROCH)	
BALDI	77	PL 68B 381	+Bohringer, Dorsaz, Hungerbuhler+	(GEVA)	
CERRADA	77B	NP B126 241	+Blockzijl, Heinen+	(AMST, CERN, NIJM, OXF)	
COHEN	77	PRL 38 269	+Ayres, Diebold, Kramer, Pawlicki, Wicklund	(ANL)	
LAVEN	77	NP B127 43	+Otter, Klein+	(AACH3, BERL, CERN, LOIC, WIEN)	
LYONS	77	NP B125 207	+Cooper, Clark	(OXF)	
COSME	76	PL 63B 352	+Courau, Dudelzak, Grelaud, Jean-Marie+	(ORSAY)	
JULLIAN	76	Tbilisi 2 B19		(ORSAY)	
KALBFLEISCH	76	PR D13 22	+Strand, Chapman	(BNL, MICH)	
PARROUR	76	PL 63B 357	+Grelaud, Cosme, Courau, Dudelzak+	(ORSAY)	
PARROUR	76B	PL 63B 362	+Grelaud, Cosme, Courau, Dudelzak+	(ORSAY)	
KALBFLEISCH	75	PR D11 987	+Strand, Chapman	(BNL, MICH)	
AYRES	74	PRL 32 1463	+Diebold, Greene, Kramer, Levine+	(ANL)	
BESCH	74	NP B70 257	+Hartmann, Kose, Krautschneider, Paul+	(BONN)	
COSME	74	PL 48B 155	+Jean-Marie, Jullian, Laplanche+	(ORSAY)	
COSME	74B	PL 48B 159	+Jean-Marie, Jullian, Laplanche+	(ORSAY)	
DEGROOT	74	NP B74 77	+Hoogland, Jongejans, Metzger+	(AMST, NIJM)	
BALLAM	73	PR D7 3150	+Chadwick, Eisenberg, Bingham+	(SLAC, LBL)	
BINNIE	73B	PR D8 2789	+Carr, Debenham, Duane+	(LOIC, SHMP)	
AGUILAR-...	72B	PR D6 29	Aguilar-Benitez, Chung, Eisner, Samios	(BNL)	
ALVENSLEB...	72	PRL 28 66	Alvensleben, Becker, Biggs, Binkley+	(MIT, DESY)	
BORENSTEIN	72	PR D5 1559	+Danburg, Kalbfleisch+	(BNL, MICH)	
COLLEY	72	NP B50 1	+Jobes, Riddiford, Griffiths+	(BIRM, GLAS)	
BALAKIN	71	PL 34B 328	+Budker, Pakhtusova, Sidorov, Skrinsky+	(NOVO)	
CHATELUS	71	Thesis LAL 1247		(STRB)	
Also	70	PL 32 416	Bizot, Buon, Chatelus, Jeanjean+	(ORSAY)	
HAYES	71	PR D4 899	+Imlay, Joseph, Keizer, Stein	(CORN)	
STOTTLE...	71	Thesis ORO 2504 170	Stottlemyer	(UMD)	
BIZOT	70	PL 32 416	+Buon, Chatelus, Jeanjean+	(ORSAY)	
Also	69	Liverpool Sym. 69	Perez-y-Jorba		
EARLES	70	PRL 25 1312	+Faissler, Gettner, Lutz, Moy, Tang+	(NEAS)	
MOY	69	Thesis		(NEAS)	
LINDSEY	66	PR 147 913	+Smith	(LRL)	
LONDON	66	PR 143 1034	+Rau, Goldberg, Lichtman+	(BNL, SYRA)	IGJPC
BADIER	65B	PL 17 337	+Demoulin, Barloutaud+	(EPOL, SACL, AMST)	
LINDSEY	65	PRL 15 221	+Smith	(LRL)	
LINDSEY 65 data included in LINDSEY 66.					
SCHLEIN	63	PRL 10 368	+Slater, Smith, Stork, Ticho	(UCLA)	IGJP

OTHER RELATED PAPERS

KAMAL	92	PL B284 421	+Xu	(ALBE)
GEORGIO...	85	PL 152B 428	Georgiopoulos+	(TUFTS, ARIZ, FNAL, FSU, NDAM+)
ARMENTEROS	63B	Siena Conf. 2 70	+Edwards, Astier+	(CERN, CDEF)
GELFAND	63B	PRL 11 438	+Miller, Nussbaum, Kirsch+	(COLU, RUTG)
BERTANZA	62	PRL 9 180	+Brisson, Connolly, Hart+	(BNL, SYRA)