Ξ_c^0

$I(J^P) = \frac{1}{2}(\frac{1}{2}^+)$ Status: ***

According to the quark model, the Ξ_c^0 (quark content dsc) and Ξ_c^+ form an isospin doublet, and the spin-parity ought to be $J^P = 1/2^+$. None of I, J, or P has actually been measured.

Ξ_c^0 MASS

The fit uses the Ξ_c^0 and Ξ_c^+ mass and mass-difference measurements.

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
2470.3±1.8 OUR FIT	Error includes scale factor of 1.3.				
2470.4±2.0 OUR AVERAGE	Error includes scale factor of 1.4. See the ideogram below.				
2462.1±3.1±1.4	42	[1] FRABETTI	93C	E687	γ Be, $\overline{E}_\gamma$ = 220 GeV
2469 ±2 ±3	9	HENDERSON	92B	CLEO	$\Omega^- K^+$
2472.1±2.7±1.6	54	ALBRECHT	90F	ARG	$e^+ e^-$ at $\Upsilon(4S)$
2473.3±1.9±1.2	4	BARLAG	90	ACCM	π^- (K^-) Cu 230 GeV
2472 ±3 ±4	19	ALAM	89	CLEO	$e^+ e^-$ 10.6 GeV
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2471 ±3 ±4	14	AVERY	89	CLEO	See ALAM 89

[1] The FRABETTI 93C mass is well below the other measurements.



$m_{\Xi_c^0} - m_{\Xi_c^+}$

VALUE (MeV)	*DOCUMENT ID*		*TECN*	*COMMENT*
4.7±2.1 OUR FIT Error includes scale factor of 1.2.				
6.3±2.3 OUR AVERAGE				
$+7.0\pm4.5\pm2.2$	ALBRECHT	90F	ARG	e^+e^- at $\Upsilon(4S)$
$+6.8\pm3.3\pm0.5$	BARLAG	90	ACCM	π^- (K^-) Cu 230 GeV
$+5\ \ \pm4\ \ \pm1$	ALAM	89	CLEO	$\Xi_c^0 \to \Xi^-\pi^+$, $\Xi_c^+ \to \Xi^-\pi^+\pi^+$

Ξ_c^0 MEAN LIFE

VALUE (10^{-12} s)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
$\mathbf{0.098^{+0.023}_{-0.015}}$ **OUR AVERAGE**					
$0.101^{+0.025}_{-0.017}\pm0.005$	42	FRABETTI	93C	E687	γ Be, $\overline{E}_\gamma$= 220 GeV
$0.082^{+0.059}_{-0.030}$	4	BARLAG	90	ACCM	π^- (K^-) Cu 230 GeV

Ξ_c^0 DECAY MODES

	Mode	Fraction (Γ_i/Γ)
Γ_1	$\Lambda\overline{K}^0$	seen
Γ_2	$\Xi^-\pi^+$	seen
Γ_3	$\Xi^-\pi^+\pi^+\pi^-$	seen
Γ_4	$pK^-\overline{K}^*(892)^0$	seen
Γ_5	Ω^-K^+	seen
Γ_6	$\Xi^-e^+\nu_e$	seen
Γ_7	$\Xi^-\ell^+$ anything	seen

Ξ_c^0 BRANCHING RATIOS

$\Gamma(\Lambda\overline{K}^0)/\Gamma_{total}$ Γ_1/Γ

VALUE	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
seen	7	ALBRECHT	95B	ARG	$e^+e^-\approx$ 10.4 GeV

$\Gamma(\Xi^-\pi^+)/\Gamma(\Xi^-\pi^+\pi^+\pi^-)$ Γ_2/Γ_3

VALUE	*DOCUMENT ID*		*TECN*	*COMMENT*
0.30±0.12±0.05	ALBRECHT	90F	ARG	e^+e^- at $\Upsilon(4S)$

$\Gamma(pK^-\overline{K}^*(892)^0)/\Gamma_{total}$ Γ_4/Γ

VALUE	*DOCUMENT ID*		*TECN*	*COMMENT*
seen	BARLAG	90	ACCM	π^- (K^-) Cu 230 GeV

$\Gamma(\Omega^-K^+)/\Gamma(\Xi^-\pi^+)$ Γ_5/Γ_2

VALUE	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
0.50±0.21±0.05	9	HENDERSON	92B	CLEO	$e^+e^-\approx$ 10.6 GeV

$\Gamma(\Xi^- e^+ \nu_e)/\Gamma(\Xi^- \pi^+)$ Γ_6/Γ_2

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
$3.1 \pm 1.0^{+0.3}_{-0.5}$	54	ALEXANDER	95B	CLEO	$e^+ e^- \approx \Upsilon(4S)$

$\Gamma(\Xi^- \ell^+ \text{anything})/\Gamma(\Xi^- \pi^+)$ Γ_7/Γ_2

The ratio is for the *average* (not the sum) of the $\Xi^- e^+$ anything and $\Xi^- \mu^+$ anything modes.

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
$0.96 \pm 0.43 \pm 0.18$	18	ALBRECHT	93B	ARG	$e^+ e^- \approx 10.4$ GeV

$\Gamma(\Xi^- \ell^+ \text{anything})/\Gamma(\Xi^- \pi^+ \pi^+ \pi^-)$ Γ_7/Γ_3

The ratio is for the *average* (not the sum) of the $\Xi^- e^+$ anything and $\Xi^- \mu^+$ anything modes.

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
$0.29 \pm 0.12 \pm 0.04$	18	ALBRECHT	93B	ARG	$e^+ e^- \approx 10.4$ GeV

Ξ_c^0 REFERENCES

ALBRECHT	95B	PL B342 397	+Hamacher, Hofmann+	(ARGUS Collab.)
ALEXANDER	95B	PRL 74 3113	+Bebek, Berkelman+	(CLEO Collab.)
Also	95E	PRL 75 4155 (erratum)		
ALBRECHT	93B	PL B303 368	+Cronstroem, Ehrlichmann+	(ARGUS Collab.)
FRABETTI	93C	PRL 70 2058	+Cheung, Cumalat+	(FNAL E687 Collab.)
HENDERSON	92B	PL B283 161	+Kinoshita, Pipkin, Saulnier+	(CLEO Collab.)
ALBRECHT	90F	PL B247 121	+Ehrlichmann, Harder, Kruger, Nau+	(ARGUS Collab.)
BARLAG	90	PL B236 495	+Becker, Boehringer, Bosman+	(ACCMOR Collab.)
ALAM	89	PL B226 401	+Katayama, Kim, Li, Lou, Sun+	(CLEO Collab.)
AVERY	89	PRL 62 863	+Besson, Garren, Yelton, Bowcock+	(CLEO Collab.)