$\eta'(958)$

$I^G(J^{PC}) = 0^+(0^{-+})$

$\eta'(958)$ MASS

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
957.78±0.14 OUR AVERAGE					
957.9 ±0.2 ±0.6	4800	WURZINGER	96	SPEC	1.68 $pd \rightarrow {}^3\mathrm{He}\,\eta'$
959 ±1	630	BELADIDZE	92C	VES	36 $\pi^-\,\mathrm{Be} \rightarrow \pi^-\,\eta'\,\eta\,\mathrm{Be}$
958 ±1	340	ARMSTRONG	91B	OMEG	300 $pp \rightarrow pp\,\eta\,\pi^+\,\pi^-$
958.2 ±0.4	622	AUGUSTIN	90	DM2	$J/\psi \rightarrow \gamma\,\eta\,\pi^+\,\pi^-$
957.8 ±0.2	2420	AUGUSTIN	90	DM2	$J/\psi \rightarrow \gamma\,\gamma\,\pi^+\,\pi^-$
956.3 ±1.0	143	GIDAL	87	MRK2	$e^+e^- \rightarrow e^+e^-\,\eta\,\pi^+\,\pi^-$
957.46±0.33		DUANE	74	MMS	$\pi^-\,p \rightarrow n\,\mathrm{MM}$
958.2 ±0.5	1414	DANBURG	73	HBC	2.2 $K^-\,p \rightarrow \Lambda X^0$
958 ±1	400	JACOBS	73	HBC	2.9 $K^-\,p \rightarrow \Lambda X^0$
956.1 ±1.1	3415	BASILE	71	CNTR	1.6 $\pi^-\,p \rightarrow n\,X^0$
957.4 ±1.4	535	BASILE	71	CNTR	1.6 $\pi^-\,p \rightarrow n\,X^0$
957 ±1		RITTENBERG	69	HBC	1.7–2.7 $K^-\,p$

$\eta'(958)$ WIDTH

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*CHG*	*COMMENT*
0.203±0.016 OUR FIT Error includes scale factor of 1.3.						
0.30 ±0.09 OUR AVERAGE						
0.40 ±0.22	4800	WURZINGER	96	SPEC		1.68 $pd \rightarrow {}^3\mathrm{He}\,\eta'$
0.28 ±0.10	1000	BINNIE	79	MMS	0	$\pi^-\,p \rightarrow n\,\mathrm{MM}$

$\eta'(958)$ DECAY MODES

	Mode		Fraction (Γ_i/Γ)		Scale factor/ Confidence level
Γ_1	$\pi^+\pi^-\eta$		(43.8 ±1.5)	%	S=1.1
Γ_2	$\rho^0\gamma$(including non-resonant $\pi^+\pi^-\gamma$)		(30.2 ±1.3)	%	S=1.1
Γ_3	$\pi^0\pi^0\eta$		(20.7 ±1.3)	%	S=1.2
Γ_4	$\omega\gamma$		(3.01±0.30)	%	
Γ_5	$\gamma\gamma$		(2.11±0.13)	%	S=1.2
Γ_6	$3\pi^0$		(1.54±0.26)	$\times 10^{-3}$	
Γ_7	$\mu^+\mu^-\gamma$		(1.03±0.26)	$\times 10^{-4}$	
Γ_8	$\pi^+\pi^-\pi^0$		< 5	%	CL=90%
Γ_9	$\pi^0\rho^0$		< 4	%	CL=90%
Γ_{10}	$\pi^+\pi^+\pi^-\pi^-$		< 1	%	CL=90%
Γ_{11}	$\pi^+\pi^+\pi^-\pi^-$ neutrals		< 1	%	CL=95%
Γ_{12}	$\pi^+\pi^+\pi^-\pi^-\pi^0$		< 1	%	CL=90%
Γ_{13}	6π		< 1	%	CL=90%
Γ_{14}	$\pi^+\pi^- e^+ e^-$		< 6	$\times 10^{-3}$	CL=90%
Γ_{15}	$\pi^0\gamma\gamma$		< 8	$\times 10^{-4}$	CL=90%
Γ_{16}	$4\pi^0$		< 5	$\times 10^{-4}$	CL=90%
Γ_{17}	e^+e^-		< 2.1	$\times 10^{-7}$	CL=90%
	Charge conjugation (C) or Parity (P) violating modes				
Γ_{18}	$\pi^+\pi^-$	P,CP	< 2	%	CL=90%
Γ_{19}	$\pi^0\pi^0$	P,CP	< 9	$\times 10^{-4}$	CL=90%
Γ_{20}	$\pi^0 e^+ e^-$	C	[a] < 1.3	%	CL=90%
Γ_{21}	$\eta e^+ e^-$	C	[a] < 1.1	%	CL=90%
Γ_{22}	3γ	C	< 1.0	$\times 10^{-4}$	CL=90%
Γ_{23}	$\mu^+\mu^-\pi^0$	C	[a] < 6.0	$\times 10^{-5}$	CL=90%
Γ_{24}	$\mu^+\mu^-\eta$	C	[a] < 1.5	$\times 10^{-5}$	CL=90%

[a] C parity forbids this to occur as a single-photon process.

CONSTRAINED FIT INFORMATION

An overall fit to the total width, a partial width, 2 combinations of partial widths obtained from integrated cross section, and 16 branching ratios uses 46 measurements and one constraint to determine 7 parameters. The overall fit has a $\chi^2 = 34.4$ for 40 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$, in percent, from the fit to parameters p_i, including the branching fractions, $x_i \equiv \Gamma_i/\Gamma_{\rm total}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	−49					
x_3	−62	−35				
x_4	−27	−25	34			
x_5	−22	−13	27	8		
x_6	−23	−13	36	12	10	
Γ	34	−11	−21	−3	−83	−7
	x_1	x_2	x_3	x_4	x_5	x_6

	Mode	Rate (MeV)	Scale factor
Γ_1	$\pi^+\pi^-\eta$	0.089 ±0.009	1.2
Γ_2	$\rho^0\gamma$(including non-resonant $\pi^+\pi^-\gamma$)	0.061 ±0.005	1.3
Γ_3	$\pi^0\pi^0\eta$	0.042 ±0.004	1.5
Γ_4	$\omega\gamma$	0.0061 ±0.0008	1.2
Γ_5	$\gamma\gamma$	0.00427±0.00019	1.1
Γ_6	$3\pi^0$	$(3.1 \pm 0.6) \times 10^{-4}$	1.1

$\eta'(958)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$ Γ_5

VALUE (keV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
4.27±0.19 OUR FIT Error includes scale factor of 1.1.					
4.37±0.25 OUR AVERAGE					
4.53±0.29±0.51	266	KARCH	92	CBAL	$e^+e^- \to e^+e^-\eta\pi^0\pi^0$
3.61±0.13±0.48		[1] BEHREND	91	CELL	$e^+e^- \to e^+e^-\eta'(958)$
4.6 ±1.1 ±0.6	23	BARU	90	MD1	$e^+e^- \to e^+e^-\pi^+\pi^-\gamma$
4.57±0.25±0.44		BUTLER	90	MRK2	$e^+e^- \to e^+e^-\eta'(958)$
5.08±0.24±0.71	547	[2] ROE	90	ASP	$e^+e^- \to e^+e^-2\gamma$
3.8 ±0.7 ±0.6	34	AIHARA	88C	TPC	$e^+e^- \to e^+e^-\eta\pi^+\pi^-$
4.9 ±0.5 ±0.5	136	[3] WILLIAMS	88	CBAL	$e^+e^- \to e^+e^-2\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.7 ±0.6 ±0.9	143	[4] GIDAL	87	MRK2	$e^+e^- \to e^+e^-\eta\pi^+\pi^-$
4.0 ±0.9		[5] BARTEL	85E	JADE	$e^+e^- \to e^+e^-2\gamma$

[1] Revaluated by us using $B(\eta' \to \rho(770)\gamma) = (30.2 \pm 1.3)\%$.
[2] Revaluated by us using $B(\eta' \to \gamma\gamma) = (2.11 \pm 0.13)\%$.
[3] Revaluated by us using $B(\eta' \to \gamma\gamma) = (2.11 \pm 0.13)\%$.
[4] Superseded by BUTLER 90.
[5] Systematic error not evaluated.

$\eta'(958)$ Γ(i)Γ($\gamma\gamma$)/Γ(total)

This combination of a partial width with the partial width into $\gamma\gamma$ and with the total width is obtained from the integrated cross section into channel(i) in the $\gamma\gamma$ annihilation.

$\Gamma(\gamma\gamma) \times \Gamma(\rho^0\gamma(\text{including non-resonant}\,\pi^+\pi^-\gamma))/\Gamma_{\text{total}}$ $\Gamma_5\Gamma_2/\Gamma$

VALUE (keV)	EVTS	DOCUMENT ID		TECN	COMMENT
1.29±0.06 OUR FIT Error includes scale factor of 1.2.					
1.26±0.07 OUR AVERAGE Error includes scale factor of 1.2.					
1.09±0.04±0.13		BEHREND	91	CELL	$e^+e^- \to e^+e^-\rho(770)^0\gamma$
1.35±0.09±0.21		AIHARA	87	TPC	$e^+e^- \to e^+e^-\rho\gamma$
1.13±0.04±0.13	867	ALBRECHT	87B	ARG	$e^+e^- \to e^+e^-\rho\gamma$
1.53±0.09±0.21		ALTHOFF	84E	TASS	$e^+e^- \to e^+e^-\rho\gamma$
1.14±0.08±0.11	243	BERGER	84B	PLUT	$e^+e^- \to e^+e^-\rho\gamma$
1.73±0.34±0.35	95	JENNI	83	MRK2	$e^+e^- \to e^+e^-\rho\gamma$
1.49±0.13±0.027	213	BARTEL	82B	JADE	$e^+e^- \to e^+e^-\rho\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.85±0.31±0.24	43	BEHREND	83B	CELL	$e^+e^- \to e^+e^-\rho\gamma$

$\Gamma(\gamma\gamma) \times \Gamma(\pi^0\pi^0\eta)/\Gamma_{\text{total}}$ $\Gamma_5\Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
0.88±0.07 OUR FIT Error includes scale factor of 1.1.				
0.92±0.06±0.11	[6] KARCH	92	CBAL	$e^+e^- \to e^+e^-\eta\pi^0\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.95±0.05±0.08	[7] KARCH	90	CBAL	$e^+e^- \to e^+e^-\eta\pi^0\pi^0$
1.00±0.08±0.10	[7,8] ANTREASYAN	87	CBAL	$e^+e^- \to e^+e^-\eta\pi^0\pi^0$

[6] Revaluated by us using $B(\eta \to \gamma\gamma) = (39.21 \pm 0.34)\%$. Supersedes ANTREASYAN 87 and KARCH 90.
[7] Superseded by KARCH 92.
[8] Using $BR(\eta \to 2\gamma) = (38.9 \pm 0.5)\%$.

$\eta'(958)$ α PARAMETER

$|\text{MATRIX ELEMENT}|^2 = (1 + \alpha y)^2 + cx^2$

VALUE	DOCUMENT ID		TECN	COMMENT
−0.058±0.013	[9] ALDE	86	GAM2	38 $\pi^- p \to n\eta 2\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
−0.08 ±0.03	[9] KALBFLEISCH	74	RVUE	$\eta' \to \eta\pi^+\pi^-$

[9] May not necessarily be the same for $\eta' \to \eta\pi^+\pi^-$ and $\eta' \to \eta\pi^0\pi^0$.

$\eta'(958)$ BRANCHING RATIOS

$\Gamma(\pi^+\pi^-\eta(\text{neutral decay}))/\Gamma_{\text{total}}$ $0.714\Gamma_1/\Gamma$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.313±0.011 OUR FIT	Error includes scale factor of 1.1.				
0.314±0.026	281	RITTENBERG	69	HBC	1.7–2.7 K^-p

$\Gamma(\pi^+\pi^-\text{neutrals})/\Gamma_{\text{total}}$ $(0.714\Gamma_1+0.286\Gamma_3+0.89\Gamma_4)/\Gamma$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.399±0.009 OUR FIT	Error includes scale factor of 1.1.				
0.36 ±0.05 OUR AVERAGE					
0.4 ±0.1	39	LONDON	66	HBC	2.24 $K^-p \rightarrow$ $\Lambda\pi^+\pi^-$ neutrals
0.35 ±0.06	33	BADIER	65B	HBC	3 K^-p

$\Gamma(\pi^+\pi^-\eta(\text{charged decay}))/\Gamma_{\text{total}}$ $0.286\Gamma_1/\Gamma$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.125±0.004 OUR FIT	Error includes scale factor of 1.1.				
0.116±0.013 OUR AVERAGE					
0.123±0.014	107	RITTENBERG	69	HBC	1.7–2.7 K^-p
0.10 ±0.04	10	LONDON	66	HBC	2.24 $K^-p \rightarrow$ $\Lambda\pi^+\pi^-\pi^+\pi^-\pi^0$
0.07 ±0.04	7	BADIER	65B	HBC	3 K^-p

$[\Gamma(\pi^0\pi^0\eta(\text{charged decay})) + \Gamma(\omega(\text{charged decay})\gamma)]/\Gamma_{\text{total}}$ $(0.286\Gamma_3+0.89\Gamma_4)/\Gamma$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.086±0.005 OUR FIT	Error includes scale factor of 1.2.				
0.045±0.029	42	RITTENBERG	69	HBC	1.7–2.7 K^-p

$\Gamma(\text{neutrals})/\Gamma_{\text{total}}$ $(0.714\Gamma_3+0.09\Gamma_4+\Gamma_5)/\Gamma$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.172±0.009 OUR FIT	Error includes scale factor of 1.1.				
0.187±0.017 OUR AVERAGE					
0.185±0.022	535	BASILE	71	CNTR	1.6 $\pi^-p \rightarrow nX^0$
0.189±0.026	123	RITTENBERG	69	HBC	1.7–2.7 K^-p

$\Gamma(\rho^0\gamma(\text{including non-resonant}\pi^+\pi^-\gamma))/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.302±0.013 OUR FIT	Error includes scale factor of 1.1.				
0.319±0.030 OUR AVERAGE					
0.329±0.033	298	RITTENBERG	69	HBC	1.7–2.7 K^-p
0.2 ±0.1	20	LONDON	66	HBC	2.24 $K^-p \rightarrow$ $\Lambda\pi^+\pi^-\gamma$
0.34 ±0.09	35	BADIER	65B	HBC	3 K^-p

$\Gamma(\rho^0\gamma(\text{including non-resonant}\pi^+\pi^-\gamma))/\Gamma(\pi\pi\eta)$ $\Gamma_2/(\Gamma_1+\Gamma_3)$

VALUE	DOCUMENT ID		TECN	COMMENT
0.469±0.029 OUR FIT	Error includes scale factor of 1.1.			
0.31 ±0.15	DAVIS	68	HBC	5.5 K^-p

$\Gamma(\pi^0 e^+ e^-)/\Gamma_{total}$ Γ_{20}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.013	90	RITTENBERG	65	HBC	2.7 $K^- p$

$\Gamma(\eta e^+ e^-)/\Gamma_{total}$ Γ_{21}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.011	90	RITTENBERG	65	HBC	2.7 $K^- p$

$\Gamma(\pi^0 \rho^0)/\Gamma_{total}$ Γ_9/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.04	90	RITTENBERG	65	HBC	2.7 $K^- p$

$\Gamma(\pi^+ \pi^- e^+ e^-)/\Gamma_{total}$ Γ_{14}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.006	90	RITTENBERG	65	HBC	2.7 $K^- p$

$\Gamma(6\pi)/\Gamma_{total}$ Γ_{13}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.01	90	LONDON	66	HBC	Compilation

$\Gamma(\omega\gamma)/\Gamma(\pi^+ \pi^- \eta)$ Γ_4/Γ_1

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.069±0.008 OUR FIT	Error includes scale factor of 1.1.				
0.068±0.013	68	ZANFINO	77	ASPK	8.4 $\pi^- p$

$\Gamma(\rho^0\gamma$(including non-resonant $\pi^+\pi^-\gamma))/[\Gamma(\pi^+\pi^-\eta)+\Gamma(\pi^0\pi^0\eta)+\Gamma(\omega\gamma)]$ $\Gamma_2/(\Gamma_1+\Gamma_3+\Gamma_4)$

VALUE	DOCUMENT ID		TECN	COMMENT
0.448±0.028 OUR FIT	Error includes scale factor of 1.1.			
0.25 ±0.14	DAUBER	64	HBC	1.95 $K^- p$

$\Gamma(\gamma\gamma)/\Gamma_{total}$ Γ_5/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.0211±0.0013 OUR FIT	Error includes scale factor of 1.2.				
0.0196±0.0015 OUR AVERAGE					
0.0200±0.0018		[10] STANTON	80	SPEC	8.45 $\pi^- p \rightarrow n\pi^+\pi^- 2\gamma$
0.025 ±0.007		DUANE	74	MMS	$\pi^- p \rightarrow n$MM
0.0171±0.0033	68	DALPIAZ	72	CNTR	1.6 $\pi^- p \rightarrow n X^0$
$0.020\ ^{+0.008}_{-0.006}$	31	HARVEY	71	OSPK	3.65 $\pi^- p \rightarrow n X^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.018 ±0.002	6000	[11] APEL	79	NICE	15–40 $\pi^- p \rightarrow n 2\gamma$

[10] Includes APEL 79 result.
[11] Data is included in STANTON 80 evaluation.

$\Gamma(e^+ e^-)/\Gamma_{total}$ Γ_{17}/Γ

VALUE (units 10^{-7})	CL%	DOCUMENT ID		TECN	COMMENT
<2.1	90	VOROBYEV	88	ND	$e^+ e^- \rightarrow \pi^+ \pi^- \eta$

$\Gamma(\pi^+\pi^-)/\Gamma_{total}$ Γ_{18}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.02	90	RITTENBERG	69	HBC	1.7–2.7 K^-p
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.08	95	DANBURG	73	HBC	2.2 $K^-p \rightarrow \Lambda X^0$

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{total}$ Γ_8/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.05	90	RITTENBERG	69	HBC	1.7–2.7 K^-p
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.09	95	DANBURG	73	HBC	2.2 $K^-p \rightarrow \Lambda X^0$

$\Gamma(\pi^+\pi^+\pi^-\pi^-\text{neutrals})/\Gamma_{total}$ Γ_{11}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.01	95	DANBURG	73	HBC	2.2 $K^-p \rightarrow \Lambda X^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.01	90	RITTENBERG	69	HBC	1.7–2.7 K^-p

$\Gamma(\pi^+\pi^+\pi^-\pi^-\pi^0)/\Gamma_{total}$ Γ_{12}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.01	90	RITTENBERG	69	HBC	1.7–2.7 K^-p

$\Gamma(\pi^+\pi^+\pi^-\pi^-)/\Gamma_{total}$ Γ_{10}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.01	90	RITTENBERG	69	HBC	1.7–2.7 K^-p

$\Gamma(\pi^0\pi^0\eta(3\pi^0\text{decay}))/\Gamma_{total}$ $0.321\Gamma_3/\Gamma$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.066±0.004 OUR FIT	Error includes scale factor of 1.2.				
0.11 ±0.06	4	BENSINGER	70	DBC	2.2 $\pi^+ d$

$\Gamma(\rho^0\gamma(\text{including non-resonant}\pi^+\pi^-\gamma))/\Gamma(\pi^+\pi^-\eta(\text{neutral decay}))$ $\Gamma_2/0.714\Gamma_1$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.97±0.07 OUR FIT	Error includes scale factor of 1.1.				
1.01±0.09 OUR AVERAGE					
1.07±0.17		BELADIDZE	92C	VES	36 π^- Be $\rightarrow \pi^-\eta'\eta$ Be
0.92±0.14	473	DANBURG	73	HBC	2.2 $K^-p \rightarrow \Lambda X^0$
1.11±0.18	192	JACOBS	73	HBC	2.9 $K^-p \rightarrow \Lambda X^0$

$\Gamma(\gamma\gamma)/\Gamma(\pi^0\pi^0\eta(\text{neutral decay}))$ $\Gamma_5/0.714\Gamma_3$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.143±0.010 OUR FIT	Error includes scale factor of 1.6.				
0.188±0.058	16	APEL	72	OSPK	3.8 $\pi^-p \rightarrow nX^0$

$\Gamma(\mu^+\mu^-\gamma)/\Gamma(\gamma\gamma)$ Γ_7/Γ_5

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
4.9±1.2	33	VIKTOROV	80	CNTR	25,33 $\pi^-p \rightarrow 2\mu\gamma$

$\Gamma(\mu^+\mu^-\eta)/\Gamma_{total}$ Γ_{24}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID		TECN	COMMENT
<1.5	90	DZHELYADIN	81	CNTR	30 $\pi^- p \rightarrow \eta' n$

$\Gamma(\mu^+\mu^-\pi^0)/\Gamma_{total}$ Γ_{23}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID		TECN	COMMENT
<6.0	90	DZHELYADIN	81	CNTR	30 $\pi^- p \rightarrow \eta' n$

$\Gamma(3\pi^0)/\Gamma(\pi^0\pi^0\eta)$ Γ_6/Γ_3

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
74±12 OUR FIT				
74±12 OUR AVERAGE				
74±15	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n6\gamma$
75±18	BINON	84	GAM2	30–40 $\pi^- p \rightarrow n6\gamma$

$\Gamma(\gamma\gamma)/\Gamma(\pi^0\pi^0\eta)$ Γ_5/Γ_3

VALUE	DOCUMENT ID		TECN	COMMENT
0.102±0.007 OUR FIT Error includes scale factor of 1.6.				
0.105±0.010 OUR AVERAGE Error includes scale factor of 1.9.				
0.091±0.009	AMSLER	93	CBAR	0.0 $\bar{p}p$
0.112±0.002±0.006	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n2\gamma$

$\Gamma(\omega\gamma)/\Gamma(\pi^0\pi^0\eta)$ Γ_4/Γ_3

VALUE	DOCUMENT ID		TECN	COMMENT
0.146±0.014 OUR FIT				
0.147±0.016	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n4\gamma$

$\Gamma(3\gamma)/\Gamma(\pi^0\pi^0\eta)$ Γ_{22}/Γ_3

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<4.6	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n3\gamma$

$\Gamma(\pi^0\gamma\gamma)/\Gamma(\pi^0\pi^0\eta)$ Γ_{15}/Γ_3

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<37	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n4\gamma$

$\Gamma(\pi^0\pi^0)/\Gamma(\pi^0\pi^0\eta)$ Γ_{19}/Γ_3

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<45	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n4\gamma$

$\Gamma(4\pi^0)/\Gamma(\pi^0\pi^0\eta)$ Γ_{16}/Γ_3

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<23	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n8\gamma$

$\eta'(958)$ *C*-NONCONSERVING DECAY PARAMETER

See the note on η decay parameters in the Stable Particle Particle Listings for definition of this parameter.

DECAY ASYMMETRY PARAMETER FOR $\pi^+\pi^-\gamma$

VALUE	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
−0.01 ±0.04 OUR AVERAGE					
−0.019 ±0.056		AIHARA	87	TPC	$2\gamma \rightarrow \pi^+\pi^-\gamma$
−0.069 ±0.078	295	GRIGORIAN	75	STRC	2.1 $\pi^- p$
0.00 ±0.10	103	KALBFLEISCH	75	HBC	2.18 $K^- p \rightarrow \Lambda\pi^+\pi^-\gamma$
0.07 ±0.08	152	RITTENBERG	65	HBC	2.1–2.7 $K^- p$

$\eta'(958)$ REFERENCES

WURZINGER	96	PL B374 283	+Siebert+	(BONN, ORSAY, SACL, CRAC)
AMSLER	93	ZPHY C58 175	+Armstrong, Merkel+	(Crystal Barrel Collab.)
BELADIDZE	92C	SJNP 55 1535	+Bityukov, Borisov	(SERP, TBIL)
		Translated from YAF 55 2748.		
KARCH	92	ZPHY C54 33	+Antreasyan, Bartels+	(Crystal Ball Collab.)
ARMSTRONG	91B	ZPHY C52 389	+Barnes+	(ATHU, BARI, BIRM, CERN, CDEF)
BEHREND	91	ZPHY C49 401	+Criegee, Field, Franke+	(CELLO Collab.)
AUGUSTIN	90	PR D42 10	+Cosme+	(DM2 Collab.)
BARU	90	ZPHY C48 581	+Blinov, Blinov+	(MD-1 Collab.)
BUTLER	90	PR D42 1368	+Boyer+	(Mark II Collab.)
KARCH	90	PL B249 353	+Antreasyan, Bartels+	(Crystal Ball Collab.)
ROE	90	PR D41 17	+Bartha, Burke, Garbincius+	(ASP Collab.)
AIHARA	88C	PR D38 1	+Alston-Garnjost+	(TPC-2γ Collab.)
VOROBYEV	88	SJNP 48 273	+Golubev, Dolinsky, Druzhinin+	(NOVO)
		Translated from YAF 48 436.		
WILLIAMS	88	PR D38 1365	+Antreasyan, Bartels, Besset+	(Crystal Ball Collab.)
AIHARA	87	PR D35 2650	+Alston-Garnjost+	(TPC-2γ Collab.) JP
ALBRECHT	87B	PL B199 457	+Andam, Binder+	(ARGUS Collab.)
ALDE	87B	ZPHY C36 603	+Binon, Bricman+	(LANL, BELG, SERP, LAPP)
ANTREASYAN	87	PR D36 2633	+Bartels, Besset+	(Crystal Ball Collab.)
GIDAL	87	PRL 59 2012	+Boyer, Butler, Cords, Abrams+	(LBL, SLAC, HARV)
ALDE	86	PL B177 115	+Binon, Bricman+	(SERP, BELG, LANL, LAPP)
BARTEL	85E	PL 160B 421	+Becker, Cords, Felst+	(JADE Collab.)
ALTHOFF	84E	PL 147B 487	+Braunschweig, Kirschfink, Luebelsmeyer+	(TASSO Collab.)
BERGER	84B	PL 142B 125		(PLUTO Collab.)
BINON	84	PL 140B 264	+Donskov, Duteil+	(SERP, BELG, LAPP, CERN)
BEHREND	83B	PL 125B 518	+D'Agostini+	(CELLO Collab.)
Also	82C	PL 114B 378	Behrend, Chen, Fenner, Field+	(CELLO Collab.)
JENNI	83	PR D27 1031	+Burke, Telnov, Abrams, Blocker+	(SLAC, LBL)
BARTEL	82B	PL 113B 190	+Cords+	(JADE Collab.)
DZHELYADIN	81	PL 105B 239	+Golovkin, Konstantinov, Kubarovski+	(SERP)
STANTON	80	PL 92 B 353	+Edwards, Legacey+	(OSU, CARL, MCGI, TNTO)
VIKTOROV	80	SJNP 32 520	+Golovkin, Dzhelyadin, Zaitsev, Mukhin+	(SERP)
		Translated from YAF 32 1005.		
APEL	79	PL 83B 131	Augenstein, Bertolucci	(KARLK, KARLE, PISA, SERP, WIEN)
BINNIE	79	PL 83B 141	+Carr, Debenham, Jones, Karami, Keyne+	(LOIC)
ZANFINO	77	PRL 38 930	+Brockman+	(CARL, MCGI, OHIO, TNTO)
GRIGORIAN	75	NP B91 232	+Ladage, Mellema, Rudnick+	(+)
KALBFLEISCH	75	PR D11 987	+Strand, Chapman	(BNL, MICH)
DUANE	74	PRL 32 425	+Binnie, Camilleri, Carr+	(LOIC, SHMP)
KALBFLEISCH	74	PR D10 916		(BNL)
DANBURG	73	PR D8 3744	+Kalbfleisch, Borenstein, Chapman+	(BNL, MICH) JP
JACOBS	73	PR D8 18	+Chang, Gauthier+	(BRAN, UMD, SYRA, TUFTS) JP

APEL	72	PL 40B 680	+Auslander, Muller, Bertolucci+	(KARLK, KARLE, PISA)	
DALPIAZ	72	PL 42B 377	+Frabetti, Massam, Navarria, Zichichi	(CERN)	
BASILE	71	NC 3A 371	+Bollini, Dalpiaz, Frabetti+	(CERN, BGNA, STRB)	
HARVEY	71	PRL 27 885	+Marquit, Peterson, Rhoades+	(MINN, MICH)	
BENSINGER	70	PL 33B 505	+Erwin, Thompson, Walker	(WISC)	
RITTENBERG	69	Thesis UCRL 18863		(LRL)	I
DAVIS	68	PL 27B 532	+Ammar, Mott, Dagan, Derrick+	(NWES, ANL)	
LONDON	66	PR 143 1034	+Rau, Goldberg, Lichtman+	(BNL, SYRA)	IJP
BADIER	65B	PL 17 337	+Demoulin, Barloutaud+	(EPOL, SACL, AMST)	
RITTENBERG	65	PRL 15 556	+Kalbfleisch	(LRL, BNL)	
DAUBER	64	PRL 13 449	+Slater, Smith, Stork, Ticho	(UCLA)	JP

OTHER RELATED PAPERS

GRONBERG	98	PR D57 33	J. Gronberg, Hill, Kutschke+	(CLEO Collab.)	
ABELE	97B	PL B402 195	A. Abele, Adomeit, Amsler+	(Crystal Barrel Collab.)	
GENOVESE	94	ZPHY C61 425	+Lichtenberg, Pedrazzi	(TORI, IND)	
BENAYOUN	93	ZPHY 58 31	+Feindt, Girone+	(CDEF, CERN, BARI)	
KAMAL	92	PL B284 421	+Xu	(ALBE)	
BICKERSTAFF	82	ZPHY C16 171	+McKellar	(MELB)	
KIENZLE	65	PL 19 438	+Maglich, Levrat, Lefebvres+	(CERN)	
TRILLING	65	PL 19 427	+Brown, Goldhaber, Kadyk, Scanio	(LRL)	
GOLDBERG	64	PRL 12 546	+Gundzik, Lichtman, Connolly, Hart+	(SYRA, BNL)	
GOLDBERG	64B	PRL 13 249	+Gundzik, Leitner, Connolly, Hart+	(SYRA, BNL)	
KALBFLEISCH	64	PRL 12 527	+Alvarez, Barbaro-Galtieri+	(LRL)	JP
KALBFLEISCH	64B	PRL 13 349	+Dahl, Rittenberg	(LRL)	JP