

$f_4(2050)$

$$I^G(J^{PC}) = 0^+(4^{++})$$

 $f_4(2050)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
2044 ± 11 OUR AVERAGE	Error	includes scale factor of 1.4. See the ideogram below.		
1970 ± 30		BELADIDZE	92B VES	36 $\pi^- p \rightarrow \omega \omega n$
2060 ± 20		ALDE	90 GAM2	38 $\pi^- p \rightarrow \omega \omega n$
2038 ± 30		AUGUSTIN	87 DM2	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
2086 ± 15		BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
2000 ± 60		ALDE	86D GAM4	100 $\pi^- p \rightarrow n 2 \eta$
2020 ± 20	40k	¹ BINON	84B GAM2	38 $\pi^- p \rightarrow n 2 \pi^0$
2015 ± 28		² CASON	82 STRC	8 $\pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$
2031 ⁺²⁵ ₋₃₆		ETKIN	82B MPS	23 $\pi^- p \rightarrow n 2 K_S^0$
2020 ± 30	700	APEL	75 NICE	40 $\pi^- p \rightarrow n 2 \pi^0$
2050 ± 25		BLUM	75 ASPK	18.4 $\pi^- p \rightarrow n K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

~ 2010		MARTIN	97 RVUE	$\bar{N} N \rightarrow \pi \pi$
~ 2040		³ OAKDEN	94 RVUE	0.36–1.55 $\bar{p} p \rightarrow \pi \pi$
~ 1990		⁴ OAKDEN	94 RVUE	0.36–1.55 $\bar{p} p \rightarrow \pi \pi$
1978 ± 5		⁵ ALPER	80 CNTR	62 $\pi^- p \rightarrow K^+ K^- n$
2040 ± 10		⁵ ROZANSKA	80 SPRK	18 $\pi^- p \rightarrow p \bar{p} n$
1935 ± 13		⁵ CORDEN	79 OMEG	12–15 $\pi^- p \rightarrow n 2 \pi$
1988 ± 7		EVANGELISTA	79B OMEG	10 $\pi^- p \rightarrow K^+ K^- n$
1922 ± 14		⁶ ANTIPOV	77 CIBS	25 $\pi^- p \rightarrow p 3 \pi$

¹ From a partial-wave analysis of the data.


² From an amplitude analysis of the reaction $\pi^+ \pi^- \rightarrow 2 \pi^0$.

³ From solution A of amplitude analysis of data on $\bar{p} p \rightarrow \pi \pi$. See however KLOET 96 who fit $\pi^+ \pi^-$ only and find waves only up to $J = 3$ to be important but not significantly resonant.

⁴ From solution B of amplitude analysis of data on $\bar{p} p \rightarrow \pi \pi$. See however KLOET 96 who fit $\pi^+ \pi^-$ only and find waves only up to $J = 3$ to be important but not significantly resonant.

⁵ $I(J^P) = 0(4^+)$ from amplitude analysis assuming one-pion exchange.

⁶ Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.



$f_4(2050)$ mass (MeV)

$f_4(2050)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
208 ± 13 OUR AVERAGE	Error	includes scale factor of 1.2.		
300 ± 50		BELADIDZE	92B VES	$36 \pi^- p \rightarrow \omega \omega n$
170 ± 60		ALDE	90 GAM2	$38 \pi^- p \rightarrow \omega \omega n$
304 ± 60		AUGUSTIN	87 DM2	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
210 ± 63		BALTRUSAIT..	87 MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
400 ± 100		ALDE	86D GAM4	$100 \pi^- p \rightarrow n 2 \eta$
240 ± 40	40k	7 BINON	84B GAM2	$38 \pi^- p \rightarrow n 2 \pi^0$
190 ± 14		DENNEY	83 LASS	$10 \pi^+ n / \pi^+ p$
186^{+103}_{-58}		8 CASON	82 STRC	$8 \pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$
305^{+36}_{-119}		ETKIN	82B MPS	$23 \pi^- p \rightarrow n 2 K_S^0$
180 ± 60	700	APEL	75 NICE	$40 \pi^- p \rightarrow n 2 \pi^0$
225^{+120}_{-70}		BLUM	75 ASPK	$18.4 \pi^- p \rightarrow n K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

~ 200	MARTIN	97 RVUE	$\bar{N} N \rightarrow \pi \pi$
~ 60	9 OAKDEN	94 RVUE	$0.36-1.55 \bar{p} p \rightarrow \pi \pi$
~ 80	10 OAKDEN	94 RVUE	$0.36-1.55 \bar{p} p \rightarrow \pi \pi$
243 ± 16	11 ALPER	80 CNTR	$62 \pi^- p \rightarrow K^+ K^- n$
140 ± 15	11 ROZANSKA	80 SPRK	$18 \pi^- p \rightarrow p \bar{p} n$
263 ± 57	11 CORDEN	79 OMEG	$12-15 \pi^- p \rightarrow n 2 \pi$
100 ± 28	EVANGELISTA	79B OMEG	$10 \pi^- p \rightarrow K^+ K^- n$
107 ± 56	12 ANTIPOV	77 CIBS	$25 \pi^- p \rightarrow p 3 \pi$

⁷ From a partial-wave analysis of the data.

⁸ From an amplitude analysis of the reaction $\pi^+\pi^-\rightarrow 2\pi^0$.

⁹ From solution A of amplitude analysis of data on $\bar{p}p\rightarrow\pi\pi$. See however KLOET 96 who fit $\pi^+\pi^-$ only and find waves only up to $J=3$ to be important but not significantly resonant.

¹⁰ From solution B of amplitude analysis of data on $\bar{p}p\rightarrow\pi\pi$. See however KLOET 96 who fit $\pi^+\pi^-$ only and find waves only up to $J=3$ to be important but not significantly resonant.

¹¹ $I(J^P)=0(4^+)$ from amplitude analysis assuming one-pion exchange.

¹² Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

$f_4(2050)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $\omega\omega$	(26 ± 6) %
Γ_2 $\pi\pi$	(17.0±1.5) %
Γ_3 $K\bar{K}$	(6.8 ^{+3.4} _{-1.8}) × 10 ⁻³
Γ_4 $\eta\eta$	(2.1±0.8) × 10 ⁻³
Γ_5 $4\pi^0$	< 1.2 %
Γ_6 $\gamma\gamma$	

$f_4(2050)$ $\Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$					$\Gamma_3\Gamma_6/\Gamma$
VALUE (keV)	CL%	DOCUMENT ID	TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.29	95	ALTHOFF	85B TASS	$\gamma\gamma \rightarrow K\bar{K}\pi$	
$\Gamma(\pi\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$					$\Gamma_2\Gamma_6/\Gamma$
VALUE (keV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<1.1	95	13 ± 4	OEST	90 JADE	$e^+e^- \rightarrow e^+e^-\pi^0\pi^0$

$f_4(2050)$ BRANCHING RATIOS

$\Gamma(\omega\omega)/\Gamma(\pi\pi)$				Γ_1/Γ_2
VALUE	DOCUMENT ID	TECN	COMMENT	
1.5 ± 0.3	ALDE	90	GAM2	38 $\pi^-p \rightarrow \omega\omega n$
$\Gamma(\pi\pi)/\Gamma_{\text{total}}$				Γ_2/Γ
VALUE	DOCUMENT ID	TECN	COMMENT	
0.170±0.015 OUR AVERAGE				
0.18 ± 0.03	¹³ BINON	83C	GAM2	38 $\pi^-p \rightarrow n4\gamma$
0.16 ± 0.03	¹³ CASON	82	STRC	8 $\pi^+p \rightarrow \Delta^{++}\pi^0\pi^0$
0.17 ± 0.02	¹³ CORDEN	79	OMEG	12–15 $\pi^-p \rightarrow n2\pi$

¹³ Assuming one pion exchange.

$\Gamma(K\bar{K})/\Gamma(\pi\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT	Γ_3/Γ_2
0.04 $\begin{smallmatrix} +0.02 \\ -0.01 \end{smallmatrix}$	ETKIN	82B MPS	23 $\pi^- p \rightarrow n 2K_S^0$	

 $\Gamma(\eta\eta)/\Gamma_{\text{total}}$

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT	Γ_4/Γ
2.1 \pm 0.8	ALDE	86D GAM4	100 $\pi^- p \rightarrow n 4\gamma$	

 $\Gamma(4\pi^0)/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT	Γ_5/Γ
<0.012	ALDE	87 GAM4	100 $\pi^- p \rightarrow 4\pi^0 n$	

$f_4(2050)$ REFERENCES

MARTIN	97	PR C56 1114	B.R. Martin, Oades	(LOUC, AARH)
KLOET	96	PR D53 6120	+Myhrer	(RUTG, NORD)
OAKDEN	94	NPA 574 731	+Pennington	(DURH)
BELADIDZE	92B	ZPHY C54 367	+Bityukov, Borisov+	(VES Collab.)
ALDE	90	PL B241 600	+Binon+ (SERP, BELG, LANL, LAPP, PISA, KEK)	
OEST	90	ZPHY C47 343	+Olsson+	(JADE Collab.)
ALDE	87	PL B198 286	+Binon, Bricman+	(LANL, BRUX, SERP, LAPP)
AUGUSTIN	87	ZPHY C36 369	+Cosme+	(LALO, CLER, FRAS, PADO)
BALTRUSAIT...	87	PR D35 2077	Baltrusaitis, Coffman, Dubois+	(Mark III Collab.)
ALDE	86D	NP B269 485	+Binon, Bricman+	(BELG, LAPP, SERP, CERN, LANL)
ALTHOFF	85B	ZPHY C29 189	+Braunschweig, Kirschfink+	(TASSO Collab.)
BINON	84B	LNC 39 41	+Donskov, Duteil, Gouanere+	(SERP, BELG, LAPP)
BINON	83C	SJNP 38 723	+Gouanere, Donskov, Duteil+	(SERP, BRUX+)
		Translated from YAF 38 1199.		
DENNEY	83	PR D28 2726	+Cranley, Firestone, Chapman+	(IOWA, MICH)
CASON	82	PRL 48 1316	+Biswas, Baumbaugh, Bishop+	(NDAM, ANL)
ETKIN	82B	PR D25 1786	+Foley, Lai+	(BNL, CUNY, TUFTS, VAND)
ALPER	80	PL 94B 422	+Becker+	(AMST, CERN, CRAC, MPIM, OXF+)
ROZANSKA	80	NP B162 505	+Blum, Dietl, Grayer, Lorenz+	(MPIM, CERN)
CORDEN	79	NP B157 250	+Dowell, Garvey+	(BIRM, RHEL, TELA, LOWC) JP
EVANGELISTA	79B	NP B154 381	+ (BARI, BONN, CERN, DARE, GLAS, LIVP+)	
ANTIPOV	77	NP B119 45	+Busnello, Damgaard, Kienzle+	(SERP, GEVA)
APEL	75	PL 57B 398	+Augenstein+(KARLK, KARLE, PISA, SERP, WIEN, CERN)JP	
BLUM	75	PL 57B 403	+Chabaud, Dietl, Garelick, Grayer+	(CERN, MPIM) JP

OTHER RELATED PAPERS

PROKOSHKIN	97	SPD 42 117	+Kondashov, Sadovsky+	(SERP)
		Translated from DANS 353 323.		
CASON	83	PR D28 1586	+Cannata, Baumbaugh, Bishop+	(NDAM, ANL)
GOTTESMAN	80	PR D22 1503	+Jacobs+	(SYRA, BRAN, BNL, CINC)
WAGNER	74	London Conf. 2 27		(MPIM)