


$\eta_c(1S)$

$$I^{G(J^{PC})} = 0^+(0^{-+})$$

 $\eta_c(1S)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
2979.8 ± 2.1 OUR AVERAGE		Error includes scale factor of 2.1. See the ideogram below.		
2988.3 ^{+3.3} _{-3.1}		ARMSTRONG	95F E760	$\bar{p}p \rightarrow \gamma\gamma$
2974.4 ± 1.9		¹ BISELLO	91 DM2	$J/\psi \rightarrow \eta_c \gamma$
2969 ± 4 ± 4	80	BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
2982.6 ^{+2.7} _{-2.3}	12	BAGLIN	87B SPEC	$\bar{p}p \rightarrow \gamma\gamma$
2980.2 ± 1.6		¹ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$
2984 ± 2.3 ± 4.0		GAISER	86 CBAL	$J/\psi \rightarrow \gamma X, \psi(2S) \rightarrow \gamma X$
2982 ± 8	18	² HIMEL	80B MRK2	$e^+ e^-$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2956 ± 12 ± 12		BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$
2976 ± 8		³ BALTRUSAIT..84	MRK3	$J/\psi \rightarrow 2\phi\gamma$
2980 ± 9		² PARTRIDGE	80B CBAL	$e^+ e^-$

¹ Average of several decay modes.² Mass adjusted by us to correspond to $J/\psi(1S)$ mass = 3097 MeV.³ $\eta_c \rightarrow \phi\phi$.



$\eta_c(1S)$ mass (MeV)

$\eta_c(1S)$ WIDTH

VALUE (MeV)	CL%	EVTs	DOCUMENT ID	TECN	COMMENT
13.2^{+3.8}_{-3.2}					OUR AVERAGE
23.9 ^{+12.6} _{-7.1}			ARMSTRONG 95F E760	E760	$\bar{p}p \rightarrow \gamma\gamma$
7.0 ^{+7.5} _{-7.0}		12	BAGLIN 87B SPEC	SPEC	$\bar{p}p \rightarrow \gamma\gamma$
10.1 ^{+33.0} _{-8.2}		23	⁴ BALTRUSAIT...86	MRK3	$J/\psi \rightarrow \gamma p\bar{p}$
11.5 ± 4.5			GAISER 86 CBAL	CBAL	$J/\psi \rightarrow \gamma X, \psi(2S) \rightarrow \gamma X$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<40	90	18	HIMEL 80B MRK2	MRK2	e^+e^-
<20	90		PARTRIDGE 80B CBAL	CBAL	e^+e^-

⁴Positive and negative errors correspond to 90% confidence level.

$\eta_c(1S)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Confidence level
------	--------------------------------	------------------

Decays involving hadronic resonances

Γ_1	$\eta'(958)\pi\pi$	$(4.1 \pm 1.7) \%$	
Γ_2	$\rho\rho$	$(2.6 \pm 0.9) \%$	
Γ_3	$K^*(892)^0 K^- \pi^+ + \text{c.c.}$	$(2.0 \pm 0.7) \%$	
Γ_4	$K^*(892)\bar{K}^*(892)$	$(8.5 \pm 3.1) \times 10^{-3}$	
Γ_5	$\phi\phi$	$(7.1 \pm 2.8) \times 10^{-3}$	
Γ_6	$a_0(980)\pi$	< 2	90%
Γ_7	$a_2(1320)\pi$	< 2	90%
Γ_8	$K^*(892)\bar{K} + \text{c.c.}$	< 1.28	90%
Γ_9	$f_2(1270)\eta$	< 1.1	90%
Γ_{10}	$\omega\omega$	$< 3.1 \times 10^{-3}$	90%

Decays into stable hadrons

Γ_{11}	$K\bar{K}\pi$	$(5.5 \pm 1.7) \%$	
Γ_{12}	$\eta\pi\pi$	$(4.9 \pm 1.8) \%$	
Γ_{13}	$\pi^+\pi^-K^+K^-$	$(2.0^{+0.7}_{-0.6}) \%$	
Γ_{14}	$2(K^+K^-)$	$(2.1 \pm 1.2) \%$	
Γ_{15}	$2(\pi^+\pi^-)$	$(1.2 \pm 0.4) \%$	
Γ_{16}	$p\bar{p}$	$(1.2 \pm 0.4) \times 10^{-3}$	
Γ_{17}	$K\bar{K}\eta$	< 3.1	90%
Γ_{18}	$\pi^+\pi^-p\bar{p}$	< 1.2	90%
Γ_{19}	$\Lambda\bar{\Lambda}$	$< 2 \times 10^{-3}$	90%

Radiative decays

Γ_{20}	$\gamma\gamma$	$(3.0 \pm 1.2) \times 10^{-4}$	
---------------	----------------	--------------------------------	--

 $\eta_c(1S)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$					Γ_{20}
VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT	
$7.5^{+1.6}_{-1.4}$ OUR AVERAGE					
$6.7^{+2.4}_{-1.7} \pm 2.3$		ARMSTRONG 95F	E760	$\bar{p}p \rightarrow \gamma\gamma$	
11.3 ± 4.2		ALBRECHT 94H	ARG	$\gamma\gamma$	
$8.0 \pm 2.3 \pm 2.4$	17	ADRIANI 93N	L3	$e^+e^- \rightarrow e^+e^-\eta_c$	
$5.9^{+2.1}_{-1.8} \pm 1.9$		CHEN 90B	CLEO	$e^+e^- \rightarrow e^+e^-\eta_c$	
$6.4^{+5.0}_{-3.4}$		AIHARA 88D	TPC	$e^+e^- \rightarrow e^+e^-X$	
28 ± 15		⁵ BERGER 86	PLUT	$\gamma\gamma \rightarrow K\bar{K}\pi$	

⁵ Re-evaluated by AIHARA 88D.

$\eta_c(1S) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K\bar{K}\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$			$\Gamma_{11}\Gamma_{20}/\Gamma$		
VALUE (keV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.94 ± 0.18 OUR AVERAGE					
0.84 ± 0.21			⁶ ALBRECHT	94H ARG	$\gamma\gamma \rightarrow K^\pm K_S^0 \pi^\mp$
1.06 ± 0.41 ± 0.27		11	BRAUNSCH...	89 TASS	$\gamma\gamma \rightarrow K\bar{K}\pi$
1.5 $\begin{smallmatrix} +0.60 \\ -0.45 \end{smallmatrix} \pm 0.3$		7	⁶ BERGER	86 PLUT	$\gamma\gamma \rightarrow K\bar{K}\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.63	95		⁶ BEHREND	89 CELL	$\gamma\gamma \rightarrow K_S^0 K^\pm \pi^\mp$
<4.4	95		ALTHOFF	85B TASS	$\gamma\gamma \rightarrow K\bar{K}\pi$
⁶ $K^\pm K_S^0 \pi^\mp$ corrected to $K\bar{K}\pi$ by factor 3.					

 $\eta_c(1S)$ BRANCHING RATIOS

HADRONIC DECAYS

$\Gamma(\eta'(958)\pi\pi)/\Gamma_{\text{total}}$			Γ_1/Γ		
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
0.041 ± 0.017	14	⁷ BALTRUSAIT...86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	

$\Gamma(\rho\rho)/\Gamma_{\text{total}}$			Γ_2/Γ		
VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
26 ± 9 OUR EVALUATION (Treating systematic errors as correlated.)					
25 ± 8 OUR AVERAGE					
26.0 ± 2.4 ± 8.8		113	⁷ BISELLO	91 DM2	$J/\psi \rightarrow \gamma \rho^0 \rho^0$
23.6 ± 10.6 ± 8.2		32	⁷ BISELLO	91 DM2	$J/\psi \rightarrow \gamma \rho^+ \rho^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<140	90		⁷ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(K^*(892)^0 K^- \pi^+ + \text{c.c.})/\Gamma_{\text{total}}$			Γ_3/Γ		
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
0.02 ± 0.007	63	⁷ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	

$\Gamma(K^*(892)\bar{K}^*(892))/\Gamma_{\text{total}}$			Γ_4/Γ		
VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT	
85 ± 31 OUR AVERAGE					
82 ± 28 ± 27		14	⁷ BISELLO	91 DM2	$e^+ e^- \rightarrow \gamma K^+ K^- \pi^+ \pi^-$
90 ± 50		9	⁷ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(K^*(892)\bar{K} + \text{c.c.})/\Gamma_{\text{total}}$			Γ_8/Γ		
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<0.0128	90	BISELLO	91 DM2	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$	
<0.0132	90	⁷ BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- \pi^0$	

$\Gamma(\phi\phi)/\Gamma_{\text{total}}$					Γ_5/Γ
VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT	
71±28 OUR EVALUATION (Treating systematic errors as correlated.)					
71±22 OUR AVERAGE					
74±18±24	80	⁷ BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$	
67±21±24		⁷ BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
31± 7±10	19	⁷ BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$	
30 ⁺¹⁸ ₋₁₂ ±10	5	⁷ BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$	
$\Gamma(a_0(980)\pi)/\Gamma_{\text{total}}$					Γ_6/Γ
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<0.02	90	^{7,8} BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
$\Gamma(a_2(1320)\pi)/\Gamma_{\text{total}}$					Γ_7/Γ
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<0.02	90	⁷ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
$\Gamma(f_2(1270)\eta)/\Gamma_{\text{total}}$					Γ_9/Γ
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<0.011	90	⁷ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
$\Gamma(\omega\omega)/\Gamma_{\text{total}}$					Γ_{10}/Γ
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<0.0031	90	⁷ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.0063		⁷ BISELLO	91 DM2	$J/\psi \rightarrow \gamma\omega\omega$	
$\Gamma(K\bar{K}\pi)/\Gamma_{\text{total}}$					Γ_{11}/Γ
VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.055 ±0.017 OUR EVALUATION (Treating systematic errors as correlated.)					
0.055 ±0.008 OUR AVERAGE					
0.0690±0.0142±0.0132		33	⁷ BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- \pi^0$
0.0543±0.0094±0.0094		68	⁷ BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^\pm \pi^\mp K_S^0$
0.048 ±0.011		95	^{7,9} BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$
0.161 ^{+0.092} _{-0.073}			¹⁰ HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.107	90		⁷ PARTRIDGE	80B CBAL	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(\eta\pi\pi)/\Gamma_{\text{total}}$			Γ_{12}/Γ		
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.049±0.018 OUR EVALUATION					
0.047±0.015 OUR AVERAGE					
0.054±0.020	75	⁷ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
0.037±0.013±0.020	18	⁷ PARTRIDGE	80B CBAL	$J/\psi \rightarrow \eta\pi^+\pi^-\gamma$	
$\Gamma(\pi^+\pi^-K^+K^-)/\Gamma_{\text{total}}$			Γ_{13}/Γ		
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.020^{+0.007}_{-0.006} OUR AVERAGE					
0.021±0.007	110	⁷ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
0.014 ^{+0.022} _{-0.009}		¹⁰ HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$	
$\Gamma(2(\pi^+\pi^-))/\Gamma_{\text{total}}$			Γ_{15}/Γ		
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.012 ±0.004 OUR EVALUATION					
0.0120±0.0031 OUR AVERAGE					
0.0105±0.0017±0.0034	137	⁷ BISELLO	91 DM2	$J/\psi \rightarrow \gamma 2\pi^+ 2\pi^-$	
0.013 ±0.006	25	⁷ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
0.020 ^{+0.015} _{-0.010}		¹⁰ HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$	
$\Gamma(2(K^+K^-))/\Gamma_{\text{total}}$			Γ_{14}/Γ		
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.021±0.010±0.006					
		ALBRECHT	94H ARG	$\gamma\gamma \rightarrow K^+K^-K^+K^-$	
$\Gamma(p\bar{p})/\Gamma_{\text{total}}$			Γ_{16}/Γ		
<u>VALUE (units 10⁻⁴)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
12± 4 OUR AVERAGE					
10± 3±4	18	⁷ BISELLO	91 DM2	$J/\psi \rightarrow \gamma p\bar{p}$	
11± 6	23	⁷ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
29 ⁺²⁹ ₋₁₅		¹⁰ HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$	
$\Gamma(K\bar{K}\eta)/\Gamma_{\text{total}}$			Γ_{17}/Γ		
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.031					
	90	⁷ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
$\Gamma(\pi^+\pi^-p\bar{p})/\Gamma_{\text{total}}$			Γ_{18}/Γ		
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.012					
	90	HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$	
$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$			Γ_{19}/Γ		
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.002					
	90	⁷ BISELLO	91 DM2	$e^+e^- \rightarrow \gamma\Lambda\bar{\Lambda}$	

$\Gamma_i \Gamma_f / \Gamma_{\text{total}}^2$ in $p\bar{p} \rightarrow \eta_c(1S) \rightarrow \phi\phi$ $\Gamma_{16} \Gamma_5 / \Gamma^2$

VALUE (units 10^{-5})	DOCUMENT ID	TECN	COMMENT
$4.0^{+3.5}_{-3.2}$	BAGLIN	89	SPEC $\bar{p}p \rightarrow K^+ K^- K^+ K^-$

⁷ The quoted branching ratios use $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$. Where relevant, the error in this branching ratio is treated as a common systematic in computing averages.

⁸ We are assuming $B(a_0(980) \rightarrow \eta\pi) > 0.5$.

⁹ Average from $K^+ K^- \pi^0$ and $K^\pm K^0 s\pi^\mp$ decay channels.

¹⁰ Estimated using $B(\psi(2S) \rightarrow \gamma\eta_c(1S)) = 0.0028 \pm 0.0006$.

RADIATIVE DECAYS

 $\Gamma(\gamma\gamma) / \Gamma_{\text{total}}$ Γ_{20} / Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
3.0 ± 1.2	OUR AVERAGE			
$2.80^{+0.67}_{-0.58} \pm 1.0$		ARMSTRONG	95F E760	$\bar{p}p \rightarrow \gamma\gamma$
$6^{+4}_{-3} \pm 4$		BAGLIN	87B SPEC	$\bar{p}p \rightarrow \gamma\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 9	90	⁷ BISELLO	91	DM2	$J/\psi \rightarrow \gamma\gamma\gamma$
< 18	90	¹¹ BLOOM	83	CBAL	$J/\psi \rightarrow \eta_c\gamma$

¹¹ Using $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$.

 $\Gamma_i \Gamma_f / \Gamma_{\text{total}}^2$ in $p\bar{p} \rightarrow \eta_c(1S) \rightarrow \gamma\gamma$ $\Gamma_{16} \Gamma_{20} / \Gamma^2$

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	TECN	COMMENT
$0.36^{+0.08}_{-0.07}$	OUR AVERAGE			Error includes scale factor of 1.1.
$0.336^{+0.080}_{-0.070}$		ARMSTRONG	95F E760	$\bar{p}p \rightarrow \gamma\gamma$
$0.68^{+0.42}_{-0.31}$	12	BAGLIN	87B SPEC	$\bar{p}p \rightarrow \gamma\gamma$

$\eta_c(1S)$ REFERENCES

ARMSTRONG	95F	PR D52 4839	+Bettoni+	(FNAL, FERR, GENO, UCI, NWES+)
ALBRECHT	94H	PL B338 390	+Hamacher, Hofmann+	(ARGUS Collab.)
ADRIANI	93N	PL B318 575	+Aguilar-Benitez, Ahlen+	(L3 Collab.)
BISELLO	91	NP B350 1	+Busetto+	(DM2 Collab.)
BAI	90B	PRL 65 1309	+Blaylock+	(Mark III Collab.)
CHEN	90B	PL B243 169	+McIlwain+	(CLEO Collab.)
BAGLIN	89	PL B231 557	+Baird, Bassompierre	(R704 Collab.)
BEHREND	89	ZPHY C42 367	+Criegree+	(CELLO Collab.)
BRAUNSCH...	89	ZPHY C41 533	Braunschweig, Bock+	(TASSO Collab.)
AIHARA	88D	PRL 60 2355	+Alston-Garnjost+	(TPC Collab.)
BAGLIN	87B	PL B187 191	+Baird, Bassompierre, Borreani+	(R704 Collab.)
BALTRUSAIT...	86	PR D33 629	Baltrusaitis, Coffman, Hauser+	(Mark III Collab.)
BERGER	86	PL 167B 120	+Genzel, Lackas, Pielorz+	(PLUTO Collab.)
GAISER	86	PR D34 711	+Bloom, Bulos, Godfrey+	(Crystal Ball Collab.)
ALTHOFF	85B	ZPHY C29 189	+Braunschweig, Kirschfink+	(TASSO Collab.)
BALTRUSAIT...	84	PRL 52 2126	Baltrusaitis+	(CIT, UCSC, ILL, SLAC, WASH) JP
BLOOM	83	ARNS 33 143	+Peck	(SLAC, CIT)
HIMEL	80B	PRL 45 1146	+Trilling, Abrams, Alam+	(SLAC, LBL, UCB)
PARTRIDGE	80B	PRL 45 1150	+Peck+	(CIT, HARV, PRIN, STAN, SLAC)

———— **OTHER RELATED PAPERS** ————

ARMSTRONG 89 PL B221 216 +Benayoun+(CERN, CDEF, BIRM, BARI, ATHU, CURIN+)
