

$J/\psi(1S)$ – THIS IS PART 2 OF 2

To reduce the size of this section's PostScript file, we have divided it into two PostScript files. We present the following index:


PART 1

Page #	Section name
1	Mass
1	Width
1	Decay modes
5	Partial widths
6	Branching ratios
7	Decays involving hadronic resonances

PART 2

Page #	Section name
	Branching ratios (continued)
15	Decays involving hadronic resonances (cont.)
15	Decays into stable hadrons
20	Radiative decays
27	References

<0.068	90	COFFMAN	88	MRK3	$e^+e^- \rightarrow K^+K^-\pi^0$
$\Gamma(2(\pi^+\pi^-\pi^0))/\Gamma_{\text{total}}$					
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.0337±0.0026	OUR AVERAGE				
0.0325±0.0049	46055	AUGUSTIN	89	DM2	$J/\psi \rightarrow 2(\pi^+\pi^-\pi^0)$
0.0317±0.0042	147	FRANKLIN	83	MRK2	$e^+e^- \rightarrow \text{hadrons}$
0.0364±0.0052	1500	BURMESTER	77D	PLUT	e^+e^-
0.04 ±0.01	675	JEAN-MARIE	76	MRK1	e^+e^-
$\Gamma(3(\pi^+\pi^-\pi^0))/\Gamma_{\text{total}}$					
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.029±0.006	OUR AVERAGE				
0.028±0.009	11	FRANKLIN	83	MRK2	$e^+e^- \rightarrow \text{hadrons}$
0.029±0.007	181	JEAN-MARIE	76	MRK1	e^+e^-
$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$					
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.015 ±0.002	168	FRANKLIN	83	MRK2	e^+e^-
$\Gamma(\pi^+\pi^-\pi^0K^+K^-)/\Gamma_{\text{total}}$					
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.012 ±0.003	309	VANNUCCI	77	MRK1	e^+e^-
$\Gamma(4(\pi^+\pi^-\pi^0))/\Gamma_{\text{total}}$					
<u>VALUE (units 10⁻⁴)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
90±30	13	JEAN-MARIE	76	MRK1	e^+e^-
$\Gamma(\pi^+\pi^-K^+K^-)/\Gamma_{\text{total}}$					
<u>VALUE (units 10⁻⁴)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
72±23	205	VANNUCCI	77	MRK1	e^+e^-
$\Gamma(K\bar{K}\pi)/\Gamma_{\text{total}}$					
<u>VALUE (units 10⁻⁴)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
61 ±10	OUR AVERAGE				
55.2±12.0	25	FRANKLIN	83	MRK2	$e^+e^- \rightarrow K^+K^-\pi^0$
78.0±21.0	126	VANNUCCI	77	MRK1	$e^+e^- \rightarrow K_S^0K^\pm\pi^\mp$
$\Gamma(p\bar{p}\pi^+\pi^-)/\Gamma_{\text{total}}$					
<u>VALUE (units 10⁻³)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
6.0 ±0.5	OUR AVERAGE	Error includes scale factor of 1.3. See the ideogram below.			
6.46±0.17±0.43	1435	EATON	84	MRK2	e^+e^-
3.8 ±1.6	48	BESCH	81	BONA	e^+e^-
5.5 ±0.6	533	PERUZZI	78	MRK1	e^+e^-



$$\Gamma(p\bar{p}\pi^+\pi^-)/\Gamma_{\text{total}} \text{ (units } 10^{-3}\text{)}$$

$$\Gamma(2(\pi^+\pi^-))/\Gamma_{\text{total}} \quad \Gamma_{69}/\Gamma$$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.004 ± 0.001	76	JEAN-MARIE	76	MRK1 e^+e^-

$$\Gamma(3(\pi^+\pi^-))/\Gamma_{\text{total}} \quad \Gamma_{70}/\Gamma$$

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
40 ± 20	32	JEAN-MARIE	76	MRK1 e^+e^-

$$\Gamma(n\bar{n}\pi^+\pi^-)/\Gamma_{\text{total}} \quad \Gamma_{71}/\Gamma$$

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
3.8 ± 3.6	5	BESCH	81	BONA e^+e^-

$$\Gamma(\Sigma^0\bar{\Sigma}^0)/\Gamma_{\text{total}} \quad \Gamma_{72}/\Gamma$$

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.27 ± 0.17 OUR AVERAGE				
1.06 ± 0.04 ± 0.23	884 ± 30	PALLIN	87	DM2 $e^+e^- \rightarrow \Sigma^0\bar{\Sigma}^0$
1.58 ± 0.16 ± 0.25	90	EATON	84	MRK2 $e^+e^- \rightarrow \Sigma^0\bar{\Sigma}^0$
1.3 ± 0.4	52	PERUZZI	78	MRK1 $e^+e^- \rightarrow \Sigma^0\bar{\Sigma}^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2.4 ± 2.6	3	BESCH	81	BONA $e^+e^- \rightarrow \Sigma^+\bar{\Sigma}^-$

$$\Gamma(2(\pi^+\pi^-)K^+K^-)/\Gamma_{\text{total}} \quad \Gamma_{73}/\Gamma$$

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
31 ± 13	30	VANNUCCI	77	MRK1 e^+e^-

$\Gamma(\rho\bar{p}\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$ Γ_{74}/Γ

 Including $\rho\bar{p}\pi^+\pi^-\gamma$ and excluding ω, η, η'

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.3 ± 0.9 OUR AVERAGE		Error includes scale factor of 1.9.		
3.36 ± 0.65 ± 0.28	364	EATON	84 MRK2	e^+e^-
1.6 ± 0.6	39	PERUZZI	78 MRK1	e^+e^-

 $\Gamma(\rho\bar{p})/\Gamma_{\text{total}}$ Γ_{75}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.14 ± 0.10 OUR AVERAGE				
2.0 ± 0.3	48	ANTONELLI	93 SPEC	e^+e^-
1.91 ± 0.04 ± 0.30		PALLIN	87 DM2	e^+e^-
2.16 ± 0.07 ± 0.15	1420	EATON	84 MRK2	e^+e^-
2.5 ± 0.4	133	BRANDELIK	79C DASP	e^+e^-
2.0 ± 0.5		BESCH	78 BONA	e^+e^-
2.2 ± 0.2	331	²³ PERUZZI	78 MRK1	e^+e^-

²³ Assuming angular distribution $(1+\cos^2\theta)$.

 $\Gamma(\rho\bar{p}\eta)/\Gamma_{\text{total}}$ Γ_{76}/Γ


<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.09 ± 0.18 OUR AVERAGE				
2.03 ± 0.13 ± 0.15	826	EATON	84 MRK2	e^+e^-
2.5 ± 1.2		BRANDELIK	79C DASP	e^+e^-
2.3 ± 0.4	197	PERUZZI	78 MRK1	e^+e^-

 $\Gamma(\rho\bar{n}\pi^-)/\Gamma_{\text{total}}$ Γ_{77}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2.00 ± 0.10 OUR AVERAGE				
2.02 ± 0.07 ± 0.16	1288	EATON	84 MRK2	$e^+e^- \rightarrow p\pi^-$
1.93 ± 0.07 ± 0.16	1191	EATON	84 MRK2	$e^+e^- \rightarrow \bar{p}\pi^+$
1.7 ± 0.7	32	BESCH	81 BONA	$e^+e^- \rightarrow p\pi^-$
1.6 ± 1.2	5	BESCH	81 BONA	$e^+e^- \rightarrow \bar{p}\pi^+$
2.16 ± 0.29	194	PERUZZI	78 MRK1	$e^+e^- \rightarrow p\pi^-$
2.04 ± 0.27	204	PERUZZI	78 MRK1	$e^+e^- \rightarrow \bar{p}\pi^+$

 $\Gamma(\Xi\Xi)/\Gamma_{\text{total}}$ Γ_{79}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.8 ± 0.4 OUR AVERAGE		Error includes scale factor of 1.8. See the ideogram below.		
1.40 ± 0.12 ± 0.24	132 ± 11	HENRARD	87 DM2	$e^+e^- \rightarrow \Xi^-\Xi^+$
2.28 ± 0.16 ± 0.40	194	EATON	84 MRK2	$e^+e^- \rightarrow \Xi^-\Xi^+$
3.2 ± 0.8	71	PERUZZI	78 MRK1	e^+e^-



$$\Gamma(\Xi\Xi)/\Gamma_{\text{total}} \text{ (units } 10^{-3}\text{)}$$

$\Gamma(n\bar{n})/\Gamma_{\text{total}}$					Γ_{78}/Γ
VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT	
0.19 ± 0.05	OUR AVERAGE				
0.190 ± 0.055	40	ANTONELLI	93	SPEC	e^+e^-
0.18 ± 0.09		BESCH	78	BONA	e^+e^-

$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$					Γ_{80}/Γ
VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT	
1.35 ± 0.14	OUR AVERAGE				
		Error includes scale factor of 1.2.			
1.38 ± 0.05 ± 0.20	1847	PALLIN	87	DM2	e^+e^-
1.58 ± 0.08 ± 0.19	365	EATON	84	MRK2	e^+e^-
2.6 ± 1.6	5	BESCH	81	BONA	e^+e^-
1.1 ± 0.2	196	PERUZZI	78	MRK1	e^+e^-

$\Gamma(\rho\bar{\rho}\pi^0)/\Gamma_{\text{total}}$					Γ_{81}/Γ
VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT	
1.09 ± 0.09	OUR AVERAGE				
1.13 ± 0.09 ± 0.09	685	EATON	84	MRK2	e^+e^-
1.4 ± 0.4		BRANDELIK	79C	DASP	e^+e^-
1.00 ± 0.15	109	PERUZZI	78	MRK1	e^+e^-

$\Gamma(\Lambda\bar{\Sigma}^- \pi^+ \text{ (or c.c.)})/\Gamma_{\text{total}}$			Γ_{82}/Γ		
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
1.06 ± 0.12 OUR AVERAGE					
0.90 ± 0.06 ± 0.16	225 ± 15	HENRARD	87 DM2	$e^+ e^- \rightarrow \Lambda\bar{\Sigma}^+ \pi^-$	
1.11 ± 0.06 ± 0.20	342 ± 18	HENRARD	87 DM2	$e^+ e^- \rightarrow \Lambda\bar{\Sigma}^- \pi^+$	
1.53 ± 0.17 ± 0.38	135	EATON	84 MRK2	$e^+ e^- \rightarrow \Lambda\bar{\Sigma}^+ \pi^-$	
1.38 ± 0.21 ± 0.35	118	EATON	84 MRK2	$e^+ e^- \rightarrow \Lambda\bar{\Sigma}^- \pi^+$	
$\Gamma(pK^-\bar{\Lambda})/\Gamma_{\text{total}}$			Γ_{83}/Γ		
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.89 ± 0.07 ± 0.14			EATON	84 MRK2	$e^+ e^-$
$\Gamma(2(K^+ K^-))/\Gamma_{\text{total}}$			Γ_{84}/Γ		
<u>VALUE (units 10^{-4})</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
7 ± 3			VANNUCCI	77 MRK1	$e^+ e^-$
$\Gamma(pK^-\bar{\Sigma}^0)/\Gamma_{\text{total}}$			Γ_{85}/Γ		
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.29 ± 0.06 ± 0.05			EATON	84 MRK2	$e^+ e^-$
$\Gamma(K^+ K^-)/\Gamma_{\text{total}}$			Γ_{86}/Γ		
<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
2.37 ± 0.31 OUR AVERAGE					
2.39 ± 0.24 ± 0.22	107	BALTRUSAIT..85D	MRK3	$e^+ e^-$	
2.2 ± 0.9	6	BRANDELIK	79c DASP	$e^+ e^-$	
$\Gamma(\Lambda\bar{\Lambda}\pi^0)/\Gamma_{\text{total}}$			Γ_{87}/Γ		
<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.22 ± 0.05 ± 0.05			HENRARD	87 DM2	$e^+ e^-$
$\Gamma(\pi^+ \pi^-)/\Gamma_{\text{total}}$			Γ_{88}/Γ		
<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
1.47 ± 0.23 OUR AVERAGE					
1.58 ± 0.20 ± 0.15	84	BALTRUSAIT..85D	MRK3	$e^+ e^-$	
1.0 ± 0.5	5	BRANDELIK	78B DASP	$e^+ e^-$	
1.6 ± 1.6	1	VANNUCCI	77 MRK1	$e^+ e^-$	
$\Gamma(K_S^0 K_L^0)/\Gamma_{\text{total}}$			Γ_{89}/Γ		
<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
1.08 ± 0.14 OUR AVERAGE					
1.18 ± 0.12 ± 0.18		JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$	
1.01 ± 0.16 ± 0.09	74	BALTRUSAIT..85D	MRK3	$e^+ e^-$	
$\Gamma(\Lambda\bar{\Sigma}^+ \text{ c.c.})/\Gamma_{\text{total}}$			Γ_{90}/Γ		
<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.15			PERUZZI	78 MRK1	$e^+ e^- \rightarrow \Lambda X$

$\Gamma(K_S^0 K_S^0)/\Gamma_{\text{total}}$					Γ_{91}/Γ
VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT	
<0.052	90	²⁴ BALTRUSAIT...85C	MRK3	$e^+ e^-$	
²⁴ Forbidden by CP.					

————— RADIATIVE DECAYS —————

$\Gamma(\gamma\eta_c(1S))/\Gamma_{\text{total}}$					Γ_{92}/Γ
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
0.0127 ± 0.0036		GAISER	86	CBAL	$J/\psi \rightarrow \gamma X$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
seen	16	BALTRUSAIT..84	MRK3		$J/\psi \rightarrow 2\phi\gamma$

$\Gamma(\gamma\pi^+\pi^-2\pi^0)/\Gamma_{\text{total}}$					Γ_{93}/Γ
VALUE (units 10^{-3})		DOCUMENT ID	TECN	COMMENT	
8.3 ± 0.2 ± 3.1		²⁵ BALTRUSAIT..86B	MRK3		$J/\psi \rightarrow 4\pi\gamma$
²⁵ 4π mass less than 2.0 GeV.					

$\Gamma(\gamma\eta\pi\pi)/\Gamma_{\text{total}}$					Γ_{94}/Γ
VALUE (units 10^{-3})		DOCUMENT ID	TECN	COMMENT	
6.1 ± 1.0 OUR AVERAGE					
5.85 ± 0.3 ± 1.05		²⁶ EDWARDS	83B	CBAL	$J/\psi \rightarrow \eta\pi^+\pi^-$
7.8 ± 1.2 ± 2.4		²⁶ EDWARDS	83B	CBAL	$J/\psi \rightarrow \eta 2\pi^0$
²⁶ Broad enhancement at 1700 MeV.					

$\Gamma(\gamma\eta(1440) \rightarrow \gamma K\bar{K}\pi)/\Gamma_{\text{total}}$					Γ_{95}/Γ
VALUE (units 10^{-3})		DOCUMENT ID	TECN	COMMENT	
0.91 ± 0.18 OUR AVERAGE					
0.83 ± 0.13 ± 0.18		^{27,28} AUGUSTIN	92	DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$
1.03 ^{+0.21+0.26} _{-0.18-0.19}		^{27,29} BAI	90C	MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.78 ± 0.21 ± 0.33		^{27,30} AUGUSTIN	92	DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$
3.8 ± 0.3 ± 0.6		²⁷ AUGUSTIN	90	DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$
0.66 ^{+0.17+0.24} _{-0.16-0.15}		^{27,31} BAI	90C	MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$
4.0 ± 0.7 ± 1.0		²⁷ EDWARDS	82E	CBAL	$J/\psi \rightarrow K^+ K^- \pi^0 \gamma$
4.3 ± 1.7		^{27,32} SCHARRE	80	MRK2	$e^+ e^-$
²⁷ Includes unknown branching fraction $\eta(1440) \rightarrow K\bar{K}\pi$.					
²⁸ From fit to the $K^*(892) K 0^- +$ partial wave.					
²⁹ From $K^*(890) K$ final state.					
³⁰ From fit to the $a_0(980) \pi 0^- +$ partial wave.					
³¹ From $a_0(980) \pi$ final state.					
³² Corrected for spin-zero hypothesis for $\eta(1440)$.					

$\Gamma(\gamma\eta(1440) \rightarrow \gamma\gamma\rho^0)/\Gamma_{\text{total}}$					Γ_{96}/Γ
VALUE (units 10^{-5})		DOCUMENT ID	TECN	COMMENT	
6.4 ± 1.2 ± 0.7		³³ COFFMAN	90	MRK3	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
³³ Includes unknown branching fraction $\eta(1440) \rightarrow \gamma\rho^0$.					

$$\Gamma(\gamma\eta(1440) \rightarrow \gamma\eta\pi^+\pi^-)/\Gamma_{\text{total}} \quad \Gamma_{97}/\Gamma$$

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

3.38 ± 0.33 ± 0.64		³⁴ BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
---------------------------	--	----------------------	----------	---

• • • We do not use the following data for averages, fits, limits, etc. • • •

7.0 ± 0.6 ± 1.1	261	³⁵ AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
-----------------	-----	------------------------	--------	---

³⁴ Via $a_0(980)\pi$.

³⁵ Includes unknown branching fraction to $\eta\pi^+\pi^-$.

$$\Gamma(\gamma\rho\rho)/\Gamma_{\text{total}} \quad \Gamma_{98}/\Gamma$$

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

4.5 ± 0.8 OUR AVERAGE

4.7 ± 0.3 ± 0.9		³⁶ BALTRUSAIT..86B	MRK3	$J/\psi \rightarrow 4\pi\gamma$
-----------------	--	-------------------------------	------	---------------------------------

3.75 ± 1.05 ± 1.20		³⁷ BURKE	82 MRK2	$J/\psi \rightarrow 4\pi\gamma$
--------------------	--	---------------------	---------	---------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 0.09	90	³⁸ BISELLO	89B	$J/\psi \rightarrow 4\pi\gamma$
--------	----	-----------------------	-----	---------------------------------

³⁶ 4π mass less than 2.0 GeV.

³⁷ 4π mass less than 2.0 GeV, $2\rho^0$ corrected to 2ρ by factor of 3.

³⁸ 4π mass in the range 2.0–25 GeV.

$$\Gamma(\gamma\eta'(958))/\Gamma_{\text{total}} \quad \Gamma_{99}/\Gamma$$

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

4.31 ± 0.30 OUR AVERAGE

4.50 ± 0.14 ± 0.53		BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-\eta, \eta \rightarrow \gamma\gamma$
--------------------	--	--------	----------	--

4.30 ± 0.31 ± 0.71		BOLTON	92B MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-\eta, \eta \rightarrow \pi^+\pi^-\pi^0$
--------------------	--	--------	----------	---

4.04 ± 0.16 ± 0.85	622	AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma\eta\pi^+\pi^-$
--------------------	-----	----------	--------	---

4.39 ± 0.09 ± 0.66	2420	AUGUSTIN	90 DM2	$J/\psi \rightarrow \gamma\gamma\pi^+\pi^-$
--------------------	------	----------	--------	---

4.1 ± 0.3 ± 0.6		BLOOM	83 CBAL	$e^+e^- \rightarrow 3\gamma + \text{hadrons}\gamma$
-----------------	--	-------	---------	---

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.9 ± 1.1	6	BRANDELIK	79C DASP	$e^+e^- \rightarrow 3\gamma$
-----------	---	-----------	----------	------------------------------

2.4 ± 0.7	57	BARTEL	76 CNTR	$e^+e^- \rightarrow 2\gamma\rho$
-----------	----	--------	---------	----------------------------------

$$\Gamma(\gamma 2\pi^+ 2\pi^-)/\Gamma_{\text{total}} \quad \Gamma_{100}/\Gamma$$

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

2.8 ± 0.5 OUR AVERAGE Error includes scale factor of 1.9. See the ideogram below.

4.32 ± 0.14 ± 0.73	³⁹ BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$
--------------------	-----------------------	---------	---------------------------------

2.08 ± 0.13 ± 0.35	⁴⁰ BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$
--------------------	-----------------------	---------	---------------------------------


3.05 ± 0.08 ± 0.45	⁴⁰ BALTRUSAIT..86B	MRK3	$J/\psi \rightarrow 4\pi\gamma$
--------------------	-------------------------------	------	---------------------------------

4.85 ± 0.45 ± 1.20	⁴¹ BURKE	82 MRK2	e^+e^-
--------------------	---------------------	---------	----------

³⁹ 4π mass less than 3.0 GeV.

⁴⁰ 4π mass less than 2.0 GeV.

⁴¹ 4π mass less than 2.5 GeV.



$$\Gamma(\gamma 2\pi^+ 2\pi^-) / \Gamma_{\text{total}} \text{ (units } 10^{-3}\text{)}$$

$\Gamma(\gamma f_4(2050)) / \Gamma_{\text{total}}$				Γ_{101} / Γ
VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT	
2.7 ± 0.5 ± 0.5	⁴² BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^-$	

⁴² Assuming branching fraction $f_4(2050) \rightarrow \pi\pi / \text{total} = 0.167$.

$\Gamma(\gamma \omega) / \Gamma_{\text{total}}$				Γ_{102} / Γ
VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
1.59 ± 0.33 OUR AVERAGE				
1.41 ± 0.2 ± 0.42	120 ± 17	BISELLO	87 SPEC	$e^+ e^-$, hadrons γ
1.76 ± 0.09 ± 0.45		BALTRUSAIT..85C	MRK3	$e^+ e^- \rightarrow \text{hadrons } \gamma$

$\Gamma(\gamma \eta(1440) \rightarrow \gamma \rho^0 \rho^0) / \Gamma_{\text{total}}$				Γ_{103} / Γ
VALUE (units 10^{-3})		DOCUMENT ID	TECN	COMMENT
1.7 ± 0.4 OUR AVERAGE	Error includes scale factor of 1.3.			
2.1 ± 0.4		BUGG	95 MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^- \pi^+ \pi^-$
1.36 ± 0.38	43,44	BISELLO	89B DM2	$J/\psi \rightarrow 4\pi \gamma$

⁴³ Estimated by us from various fits.
⁴⁴ Includes unknown branching fraction to $\rho^0 \rho^0$.

$\Gamma(\gamma f_2(1270))/\Gamma_{\text{total}}$				Γ_{104}/Γ	
VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
1.38±0.14 OUR AVERAGE					
1.33±0.05±0.20		45 AUGUSTIN	87 DM2		$J/\psi \rightarrow \gamma \pi^+ \pi^-$
1.36±0.09±0.23		45 BALTRUSAIT..87	MRK3		$J/\psi \rightarrow \gamma \pi^+ \pi^-$
1.48±0.25±0.30	178	EDWARDS	82B CBAL		$e^+ e^- \rightarrow 2\pi^0 \gamma$
2.0 ±0.7	35	ALEXANDER	78 PLUT	0	$e^+ e^-$
1.2 ±0.6	30	46 BRANDELIK	78B DASP		$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$

⁴⁵ Estimated using $B(f_2(1270) \rightarrow \pi\pi)=0.843 \pm 0.012$. The errors do not contain the uncertainty in the $f_2(1270)$ decay.

⁴⁶ Restated by us to take account of spread of E1, M2, E3 transitions.

$\Gamma(\gamma f_J(1710) \rightarrow \gamma K \bar{K})/\Gamma_{\text{total}}$				Γ_{105}/Γ	
VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT	
8.5^{+1.2}_{-0.9} OUR AVERAGE Error includes scale factor of 1.2.					
5.0±0.8 ^{+1.8} _{-0.4}		47,48 BAI	96C BES	$J/\psi \rightarrow \gamma K^+ K^-$	
9.2±1.4±1.4		48 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K^+ K^-$	
10.4±1.2±1.6		48 AUGUSTIN	88 DM2	$J/\psi \rightarrow \gamma K_S^0 K_S^0$	
9.6±1.2±1.8		48 BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma K^+ K^-$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
1.6±0.2 ^{+0.6} _{-0.2}		48,49 BAI	96C BES	$J/\psi \rightarrow \gamma K^+ K^-$	
< 0.8	90	50 BISELLO	89B	$J/\psi \rightarrow 4\pi \gamma$	
1.6±0.4±0.3		51 BALTRUSAIT..87	MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^-$	
3.8±1.6		52 EDWARDS	82D CBAL	$e^+ e^- \rightarrow \eta \eta \gamma$	

⁴⁷ Assuming $J^P = 2^+$ for $f_J(1710)$.

⁴⁸ Includes unknown branching fraction to $K^+ K^-$ or $K_S^0 K_S^0$. We have multiplied $K^+ K^-$ measurement by 2, and $K_S^0 K_S^0$ by 4 to obtain $K \bar{K}$ result.

⁴⁹ Assuming $J^P = 0^+$ for $f_J(1710)$.

⁵⁰ Includes unknown branching fraction to $\rho^0 \rho^0$.

⁵¹ Includes unknown branching fraction to $\pi^+ \pi^-$.

⁵² Includes unknown branching fraction to $\eta \eta$.

$\Gamma(\gamma \eta)/\Gamma_{\text{total}}$				Γ_{106}/Γ	
VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT	
0.86±0.08 OUR AVERAGE					
0.88±0.08±0.11		BLOOM	83 CBAL	$e^+ e^-$	
0.82±0.10		BRANDELIK	79C DASP	$e^+ e^-$	
1.3 ±0.4	21	BARTEL	77 CNTR	$e^+ e^-$	

$\Gamma(\gamma f_1(1420) \rightarrow \gamma K \bar{K} \pi)/\Gamma_{\text{total}}$				Γ_{107}/Γ	
VALUE (units 10^{-3})		DOCUMENT ID	TECN	COMMENT	
0.83±0.15 OUR AVERAGE					
0.76±0.15±0.21		53,54 AUGUSTIN	92 DM2	$J/\psi \rightarrow \gamma K \bar{K} \pi$	
0.87±0.14 ^{+0.14} _{-0.11}		53 BAI	90C MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$	

⁵³ Included unknown branching fraction $f_1(1420) \rightarrow K \bar{K} \pi$.

⁵⁴ From fit to the $K^*(892) K 1^+ 1^+$ partial wave.

$\Gamma(\gamma f_1(1285))/\Gamma_{\text{total}}$ Γ_{108}/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

0.65 ± 0.10 OUR AVERAGE

0.625 ± 0.063 ± 0.103	55 BOLTON	92 MRK3	J/ψ → γ f ₁ (1285)
0.70 ± 0.08 ± 0.16	56 BOLTON	92B MRK3	J/ψ → γ η π ⁺ π ⁻

⁵⁵ Obtained summing the sequential decay channels

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \pi\pi\pi\pi) = (1.44 \pm 0.39 \pm 0.27) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \delta\pi, \delta \rightarrow \eta\pi) = (3.90 \pm 0.42 \pm 0.87) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \delta\pi, \delta \rightarrow K\bar{K}) = (0.66 \pm 0.26 \pm 0.29) \times 10^{-4};$$

$$B(J/\psi \rightarrow \gamma f_1(1285), f_1(1285) \rightarrow \gamma\rho^0) = (0.25 \pm 0.07 \pm 0.03) \times 10^{-4}.$$

⁵⁶ Using $B(f_1(1285) \rightarrow a_0(980)\pi) = 0.37$, and including unknown branching ratio for $a_0(980) \rightarrow \eta\pi$.

 $\Gamma(\gamma f'_2(1525))/\Gamma_{\text{total}}$ Γ_{109}/Γ

VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

0.47^{+0.07}_{-0.05} OUR AVERAGE

0.36 ± 0.04 ^{+0.14} _{-0.04}			57 BAI	96C BES	J/ψ → γ K ⁺ K ⁻
0.56 ± 0.14 ± 0.09			57 AUGUSTIN	88 DM2	J/ψ → γ K ⁺ K ⁻
0.45 ± 0.04 ± 0.09			57 AUGUSTIN	88 DM2	J/ψ → γ K ⁰ _S K ⁰ _S
0.68 ± 0.16 ± 0.14			57 BALTRUSAIT..87	MRK3	J/ψ → γ K ⁺ K ⁻

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.34	90	4	58 BRANDELIK	79C DASP	e ⁺ e ⁻ → π ⁺ π ⁻ γ
<0.23	90	3	ALEXANDER	78 PLUT	e ⁺ e ⁻ → K ⁺ K ⁻ γ

⁵⁷ Using $B(f'_2(1525) \rightarrow K\bar{K}) = 0.888$.

⁵⁸ Assuming isotropic production and decay of the $f'_2(1525)$ and isospin.


 $\Gamma(\gamma\phi\phi)/\Gamma_{\text{total}}$ Γ_{110}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

4.0 ± 1.2 OUR AVERAGE Error includes scale factor of 2.1. See the ideogram below.

7.5 ± 0.6 ± 1.2	168	BAI	90B MRK3	J/ψ → γ 4K
3.4 ± 0.8 ± 0.6	33 ± 7	59 BISELLO	90 DM2	J/ψ → γ K ⁺ K ⁻ K ⁰ _S K ⁰ _L
3.1 ± 0.7 ± 0.4		59 BISELLO	86B DM2	J/ψ → γ K ⁺ K ⁻ K ⁺ K ⁻

⁵⁹ φφ mass less than 2.9 GeV, η_C excluded.



$$\Gamma(\gamma\phi\phi)/\Gamma_{\text{total}} \text{ (units } 10^{-4}\text{)}$$

$\Gamma(\gamma\rho\bar{\rho})/\Gamma_{\text{total}}$					Γ_{111}/Γ
VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.38±0.07±0.07		49	EATON	84 MRK2	e^+e^-
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<0.11	90		PERUZZI	78 MRK1	e^+e^-

$\Gamma(\gamma\eta(2225))/\Gamma_{\text{total}}$					Γ_{112}/Γ
VALUE (units 10^{-3})			DOCUMENT ID	TECN	COMMENT
0.29±0.06 OUR AVERAGE					
0.33±0.08±0.05	60	BAI	90B MRK3	$J/\psi \rightarrow$ $\gamma K^+ K^- K^+ K^-$	
0.27±0.06±0.06	60	BAI	90B MRK3	$J/\psi \rightarrow$ $\gamma K^+ K^- K_S^0 K_L^0$	
0.24 ^{+0.15} _{-0.10}	61,62	BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$	
60 Includes unknown branching fraction to $\phi\phi$. 61 Estimated by us from various fits. 62 Includes unknown branching fraction to $\rho^0\rho^0$.					

$\Gamma(\gamma\eta(1760) \rightarrow \gamma\rho^0\rho^0)/\Gamma_{\text{total}}$					Γ_{113}/Γ
VALUE (units 10^{-3})			DOCUMENT ID	TECN	COMMENT
0.13±0.09	63,64	BISELLO	89B DM2	$J/\psi \rightarrow 4\pi\gamma$	
63 Estimated by us from various fits. 64 Includes unknown branching fraction to $\rho^0\rho^0$.					

$\Gamma(\gamma\pi^0)/\Gamma_{\text{total}}$ Γ_{114}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.039±0.013 OUR AVERAGE				
0.036±0.011±0.007		BLOOM	83 CBAL	e^+e^-
0.073±0.047	10	BRANDELIK	79C DASP	e^+e^-

 $\Gamma(\gamma\rho\bar{p}\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{115}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.79	90	EATON	84 MRK2	e^+e^-

 $\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ Γ_{116}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.5	90	BARTEL	77 CNTR	e^+e^-

 $\Gamma(\gamma\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$ Γ_{117}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.13	90	HENRARD	87 DM2	e^+e^-

 $\Gamma(3\gamma)/\Gamma_{\text{total}}$ Γ_{118}/Γ

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.055	90	PARTRIDGE	80 CBAL	e^+e^-

 $\Gamma(\gamma f_0(2200))/\Gamma_{\text{total}}$ Γ_{119}/Γ

<u>VALUE (units 10^{-4})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---	--------------------	-------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.5 ⁶⁵ AUGUSTIN 88 DM2 $J/\psi \rightarrow \gamma K_S^0 K_S^0$

⁶⁵ Includes unknown branching fraction to $K_S^0 K_S^0$.

 $\Gamma(\gamma f_J(2220))/\Gamma_{\text{total}}$ Γ_{120}/Γ

<u>VALUE (units 10^{-5})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
>250	99.9		⁶⁶ HASAN	96 SPEC	$\bar{p}p \rightarrow \pi^+\pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

>300 ⁶⁷ BAI 96B BES $e^+e^- \rightarrow \gamma\bar{p}p, K\bar{K}$

< 2.3 ⁶⁸ AUGUSTIN 88 DM2 $J/\psi \rightarrow \gamma K^+ K^-$

< 1.6 ⁶⁸ AUGUSTIN 88 DM2 $J/\psi \rightarrow \gamma K_S^0 K_S^0$

$12.4^{+6.4}_{-5.2} \pm 2.8$ 23 ⁶⁸ BALTRUSAIT...86D MRK3 $J/\psi \rightarrow \gamma K_S^0 K_S^0$

$8.4^{+3.4}_{-2.8} \pm 1.6$ 93 ⁶⁸ BALTRUSAIT...86D MRK3 $J/\psi \rightarrow \gamma K^+ K^-$

⁶⁶ Using BAI 96B.

⁶⁷ Using BARNES 93.

⁶⁸ Includes unknown branching fraction to $K^+ K^-$ or $K_S^0 K_S^0$.

$$\frac{\Gamma(\gamma f_0(1500))/\Gamma_{\text{total}}}{\Gamma_{121}/\Gamma}$$

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
5.7±0.8	69,70 BUGG	95 MRK3	$J/\psi \rightarrow \gamma \pi^+ \pi^- \pi^+ \pi^-$

⁶⁹ Including unknown branching ratio for $f_0(1500) \rightarrow \pi^+ \pi^- \pi^+ \pi^-$.

⁷⁰ Assuming that $f_0(1500)$ decays only to two *S*-wave dipions.

$$\frac{\Gamma(\gamma e^+ e^-)/\Gamma_{\text{total}}}{\Gamma_{122}/\Gamma}$$

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
8.8±1.3±0.4	⁷¹ ARMSTRONG	96 E760	$\bar{p}p \rightarrow e^+ e^- \gamma$

⁷¹ For $E_\gamma > 100$ MeV.

J/ψ(1S) REFERENCES

ARMSTRONG	96	PR D54 7067	+Bettoni+(FNAL, FERR, GENO, UCI, NEAS, PENN, TORI)
BAI	96B	PRL 76 3502	+Chen, Chen+ (BES Collab.)
BAI	96C	PRL 77 3959	J.Z. Bai+ (BES Collab.)
BAI	96D	PR D54 1221	J.Z. Bai, Bardon+ (BES Collab.)
GRIBUSHIN	96	PR D53 4723	+Abramov, Antipov+ (E672 Collab., E706 Collab.)
HASAN	96	PL B388 376	+Bugg (BRUN, LOQM)
BAI	95B	PL B355 374	+Chen, Chen+ (BES Collab.)
BUGG	95	PL B353 378	+Scott, Zoli+ (LOQM, PNPI, WASH)
ANTONELLI	93	PL B301 317	+Baldini+ (FENICE Collab.)
ARMSTRONG	93B	PR D47 772	+Bettoni, Bharadwaj+ (FNAL E760 Collab.)
BARNES	93	PL B309 469	+Birien, Breunlich (PS185 Collab.)
AUGUSTIN	92	PR D46 1951	+Cosme (DM2 Collab.)
BOLTON	92	PL B278 495	+Brown, Bunnell+ (Mark III Collab.)
BOLTON	92B	PRL 69 1328	+Brown, Bunnell+ (Mark III Collab.)
COFFMAN	92	PRL 68 282	+DeJongh, Dubois, Hitlin+ (Mark III Collab.)
HSUEH	92	PR D45 R2181	+Palestini (FNAL, TORI)
AUGUSTIN	90	PR D42 10	+Cosme+ (DM2 Collab.)
BAI	90B	PRL 65 1309	+Blaylock+ (Mark III Collab.)
BAI	90C	PRL 65 2507	+Blaylock+ (Mark III Collab.)
BISELLO	90	PL B241 617	+Busetto+ (DM2 Collab.)
COFFMAN	90	PR D41 1410	+De Jongh+ (Mark III Collab.)
JOUSSET	90	PR D41 1389	+Ajaltouni+ (DM2 Collab.)
ALEXANDER	89	NP B320 45	+Bonvicini, Drell, Frey, Luth (LBL, MICH, SLAC)
AUGUSTIN	89	NP B320 1	+Cosme (DM2 Collab.)
BISELLO	89B	PR D39 701	Busetto+ (DM2 Collab.)
AUGUSTIN	88	PRL 60 2238	+Calcaterra+ (DM2 Collab.)
COFFMAN	88	PR D38 2695	+Dubois, Eigen, Hauser+ (Mark III Collab.)
FALVARD	88	PR D38 2706	+Ajaltouni+ (CLER, FRAS, LALO, PADO)
AUGUSTIN	87	ZPHY C36 369	+Cosme+ (LALO, CLER, FRAS, PADO)
BAGLIN	87	NP B286 592	+ (LAPP, CERN, GENO, LYON, OSLO, ROMA+)
BALTRUSAIT...	87	PR D35 2077	Baltrusaitis, Coffman, Dubois+ (Mark III Collab.)
BECKER	87	PRL 59 186	+Blaylock, Bolton, Brown+ (Mark III Collab.)
BISELLO	87	PL B192 239	+Ajaltouni, Baldini+ (PADO, CLER, FRAS, LALO)
HENRARD	87	NP B292 670	+Ajaltouni+ (CLER, FRAS, LALO, PADO)
PALLIN	87	NP B292 653	+Ajaltouni+ (CLER, FRAS, LALO, PADO)
BALTRUSAIT...	86B	PR D33 1222	Baltrusaitis, Coffman, Hauser+ (Mark III Collab.)
BALTRUSAIT...	86D	PRL 56 107	Baltrusaitis (CIT, UCSC, ILL, SLAC, WASH)
BISELLO	86B	PL B179 294	+Busetto, Castro, Limentani+ (DM2 Collab.)
GAISER	86	PR D34 711	+Bloom, Bulos, Godfrey+ (Crystal Ball Collab.)
BALTRUSAIT...	85C	PRL 55 1723	Baltrusaitis+ (CIT, UCSC, ILL, SLAC, WASH)
BALTRUSAIT...	85D	PR D32 566	Baltrusaitis, Coffman+ (CIT, UCSC, ILL, SLAC, WASH)
BALTRUSAIT...	84	PRL 52 2126	Baltrusaitis+ (CIT, UCSC, ILL, SLAC, WASH)
EATON	84	PR D29 804	+Goldhaber, Abrams, Alam, Boyarski+ (LBL, SLAC)
BLOOM	83	ARNS 33 143	+Peck (SLAC, CIT)
EDWARDS	83B	PRL 51 859	+Partridge, Peck+ (CIT, HARV, PRIN, STAN, SLAC)

FRANKLIN	83	PRL 51 963	+Franklin, Feldman, Abrams, Alam+	(LBL, SLAC)
BURKE	82	PRL 49 632	+Trilling, Abrams, Alam, Blocker+	(LBL, SLAC)
EDWARDS	82B	PR D25 3065	+Partridge, Peck+	(CIT, HARV, PRIN, STAN, SLAC)
EDWARDS	82D	PRL 48 458	+Partridge, Peck+	(CIT, HARV, PRIN, STAN, SLAC)
Also	83	ARNS 33 143	Bloom, Peck	(SLAC, CIT)
EDWARDS	82E	PRL 49 259	+Partridge, Peck+	(CIT, HARV, PRIN, STAN, SLAC)
LEMOIGNE	82	PL 113B 509	+Barate, Astbury+	(SACL, LOIC, SHMP, IND)
BESCH	81	ZPHY C8 1	+Eisermann, Lohr, Kowalski+	(BONN, DESY, MANZ)
GIDAL	81	PL 107B 153	+Goldhaber, Guy, Millikan, Abrams+	(SLAC, LBL)
PARTRIDGE	80	PRL 44 712	+Peck+	(CIT, HARV, PRIN, STAN, SLAC)
SCHARRE	80	PL 97B 329	+Trilling, Abrams, Alam, Blocker+	(SLAC, LBL)
ZHOLENTZ	80	PL 96B 214	+Kurdadze, Lelchuk, Mishnev+	(NOVO)
Also	81	SJNP 34 814	Zholentz, Kurdadze, Lelchuk+	(NOVO)
		Translated from YAF 34 1471.		
BRANDELIK	79C	ZPHY C1 233	+Cords+	(DASP Collab.)
ALEXANDER	78	PL 72B 493	+Criegee+	(DESY, HAMB, SIEG, WUPP)
BESCH	78	PL 78B 347	+Eisermann, Kowalski, Eyss+	(BONN, DESY, MANZ)
BRANDELIK	78B	PL 74B 292	+Cords+	(DASP Collab.)
PERUZZI	78	PR D17 2901	+Piccolo, Alam, Boyarski, Goldhaber+	(SLAC, LBL)
BARTEL	77	PL 66B 489	+Duinker, Olsson, Heintze+	(DESY, HEIDP)
BURMESTER	77D	PL 72B 135	+Criegee+	(DESY, HAMB, SIEG, WUPP)
FELDMAN	77	PRPL 33C 285	+Perl	(LBL, SLAC)
VANNUCCI	77	PR D15 1814	+Abrams, Alam, Boyarski+	(SLAC, LBL)
BARTEL	76	PL 64B 483	+Duinker, Olsson, Steffen, Heintze+	(DESY, HEIDP)
BRAUNSCH...	76	PL 63B 487	Braunschweig+	(DASP Collab.)
JEAN-MARIE	76	PRL 36 291	+Abrams, Boyarski, Breidenbach+	(SLAC, LBL) IG
BALDINI-...	75	PL 58B 471	Baldini-Celio, Bozzo, Capon+	(FRAS, ROMA)
BOYARSKI	75	PRL 34 1357	+Breidenbach, Bulos, Feldman+	(SLAC, LBL) JPC
DASP	75	PL 56B 491	Braunschweig, Konigs+	(DASP Collab.)
ESPOSITO	75B	LNC 14 73	+Bartoli, Bisello+	(FRAS, NAPL, PADO, ROMA)
FORD	75	PRL 34 604	+Beron, Hilger, Hofstadter+	(SLAC, PENN)

OTHER RELATED PAPERS

HOU	97	PR D55 6952	Wei-Shu Hou	
BARATE	83	PL 121B 449	+Bareyre, Bonamy+	(SACL, LOIC, SHMP, IND)
ABRAMS	74	PRL 33 1453	+Briggs, Augustin, Boyarski+	(LBL, SLAC)
ASH	74	LNC 11 705	+Zorn, Bartoli+	(FRAS, UMD, NAPL, PADO, ROMA)
AUBERT	74	PRL 33 1404	+Becker, Biggs, Burger, Chen, Everhart	(MIT, BNL)
AUGUSTIN	74	PRL 33 1406	+Boyarski, Abrams, Briggs+	(SLAC, LBL)
BACCI	74	PRL 33 1408	+Bartoli, Barbarino, Barbiellini+	(FRAS)
Also	74B	PRL 33 1649	Bacci	
BALDINI-...	74	LNC 11 711	Baldini-Celio, Bacci+	(FRAS, ROMA)
BARBIELLINI	74	LNC 11 718	+Bemporad+	(FRAS, NAPL, PISA, ROMA)
BRAUNSCH...	74	PL 53B 393	Braunschweig+	(DASP Collab.)
CHRISTENS...	70	PRL 25 1523	Christenson, Hicks, Lederman+	(COLU, BNL, CERN)