

X(3250) $I^G(J^{PC}) = ??(???)$

OMITTED FROM SUMMARY TABLE

Narrow peak observed in several final states with hidden strangeness
 $(\Lambda \bar{p} K^+, \Lambda \bar{p} K^+ \pi^\pm, K^0_S p \bar{p} K^\pm)$. Needs confirmation.

X(3250) MASS**3-BODY DECAYS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
3250 $\pm 8 \pm 20$	ALEEV	93 BIS2	$X(3250) \rightarrow \Lambda \bar{p} K^+$
3265 $\pm 7 \pm 20$	ALEEV	93 BIS2	$X(3250) \rightarrow \bar{\Lambda} p K^-$

4-BODY DECAYS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
3245 $\pm 8 \pm 20$	ALEEV	93 BIS2	$X(3250) \rightarrow \Lambda \bar{p} K^+ \pi^\pm$
3250 $\pm 9 \pm 20$	ALEEV	93 BIS2	$X(3250) \rightarrow \bar{\Lambda} p K^- \pi^\mp$
3270 $\pm 8 \pm 20$	ALEEV	93 BIS2	$X(3250) \rightarrow K^0_S p \bar{p} K^\pm$

X(3250) WIDTH**3-BODY DECAYS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
45 ± 18	ALEEV	93 BIS2	$X(3250) \rightarrow \Lambda \bar{p} K^+$
40 ± 18	ALEEV	93 BIS2	$X(3250) \rightarrow \bar{\Lambda} p K^-$

4-BODY DECAYS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
25 ± 11	ALEEV	93 BIS2	$X(3250) \rightarrow \Lambda \bar{p} K^+ \pi^\pm$
50 ± 20	ALEEV	93 BIS2	$X(3250) \rightarrow \bar{\Lambda} p K^- \pi^\mp$
25 ± 11	ALEEV	93 BIS2	$X(3250) \rightarrow K^0_S p \bar{p} K^\pm$

X(3250) DECAY MODES

Mode

Γ_1	$\Lambda \bar{p} K^+$
Γ_2	$\Lambda \bar{p} K^+ \pi^\pm$
Γ_3	$K^0_S p \bar{p} K^\pm$

X(3250) REFERENCES

ALEEV 93 PAN 56 1358 Translated from YAF 56 100. ^{+Balandin+} (BIS-2 Collab.)