

$$I(J^P) = 1(\frac{1}{2}^+) \text{ Status: } ****$$

We have omitted some results that have been superseded by later experiments. See our earlier editions.


### $\Sigma^+$ MASS

The fit uses  $\Sigma^+$ ,  $\Sigma^0$ ,  $\Sigma^-$ , and  $\Lambda$  mass and mass-difference measurements.

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	COMMENT
<b>1189.37±0.07 OUR FIT</b>		Error includes scale factor of 2.2.		
<b>1189.37±0.06 OUR AVERAGE</b>		Error includes scale factor of 1.8. See the ideogram below.		
1189.33±0.04	607	<sup>1</sup> BOHM	72	EMUL
1189.16±0.12		HYMAN	67	HEBC
1189.61±0.08	4205	SCHMIDT	65	HBC See note with $\Lambda$ mass
1189.48±0.22	58	<sup>2</sup> BHOWMIK	64	EMUL
1189.38±0.15	144	<sup>2</sup> BARKAS	63	EMUL

<sup>1</sup> BOHM 72 is updated with our 1973  $K^-$ ,  $\pi^-$ , and  $\pi^0$  masses (Reviews of Modern Physics **45** No. 2 Pt. II (1973)).

<sup>2</sup> These masses have been raised 30 keV to take into account a 46 keV increase in the proton mass and a 21 keV decrease in the  $\pi^0$  mass (note added 1967 edition, Reviews of Modern Physics **39** 1 (1967)).



$\Sigma^+$  mass (MeV)

**$\Sigma^+$  MEAN LIFE**

Measurements with an error  $\geq 0.1 \times 10^{-10}$  s have been omitted.

<u>VALUE (<math>10^{-10}</math> s)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.799±0.004 OUR AVERAGE</b>				
0.798±0.005	30k	MARRAFFINO 80	HBC	$K^- p$ 0.42–0.5 GeV/c
0.807±0.013	5719	CONFORTO 76	HBC	$K^- p$ 1–1.4 GeV/c
0.83 ±0.04	526	BAKKER 71	DBC	$K^- n \rightarrow \Sigma^+ \pi^- \pi^-$
0.795±0.010	20k	EISELE 70	HBC	$K^- p$ at rest
0.803±0.008	10664	BARLOUTAUD 69	HBC	$K^- p$ 0.4–1.2 GeV/c
0.83 ±0.032	1300	<sup>3</sup> CHANG 66	HBC	
0.80 ±0.07	381	COOK 66	OSPK	
0.84 ±0.09	181	BALTAY 65	HBC	
0.76 ±0.03	900	CARAYAN... 65	HBC	
0.749 <sup>+0.056</sup> <sub>-0.052</sub>	192	GRARD 62	HBC	
0.765±0.04	456	HUMPHREY 62	HBC	

<sup>3</sup>We have increased the CHANG 66 error of 0.018; see our 1970 edition, Reviews of Modern Physics **42** No. 1 (1970).


 **$\Sigma^+$  MAGNETIC MOMENT**

See the "Note on Baryon Magnetic Moments" in the  $\Lambda$  Listings. Measurements with an error  $\geq 0.1 \mu_N$  have been omitted.

<u>VALUE (<math>\mu_N</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2.458 ±0.010 OUR AVERAGE</b>				Error includes scale factor of 2.1. See the ideogram below.
2.4613±0.0034±0.0040	250k	MORELOS 93	SPEC	$p$ Cu 800 GeV
2.428 ±0.036 ±0.007	12k	<sup>4</sup> MORELOS 93	SPEC	$p$ Cu 800 GeV
2.479 ±0.012 ±0.022	137k	WILKINSON 87	SPEC	$p$ Be 400 GeV
2.4040±0.0198	44k	<sup>5</sup> ANKENBRA... 83	CNTR	$p$ Cu 400 GeV

<sup>4</sup>We assume *CPT* invariance: this is (minus) the  $\bar{\Sigma}^-$  magnetic moment as measured by MORELOS 93. See below for the moment difference testing *CPT*.

<sup>5</sup>ANKENBRANDT 83 gives the value  $2.38 \pm 0.02 \mu_N$ . MORELOS 93 uses the same hyperon magnet and channel and claims to determine the field integral better, leading to the revised value given here.



$$(\mu_{\Sigma^+} + \mu_{\Sigma^-}) / |\mu|_{\text{average}}$$

A test of *CPT* invariance.

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.014±0.015</b>	<sup>6</sup> MORELOS	93 SPEC	$p\text{Cu}$ 800 GeV

<sup>6</sup>This is our calculation from the MORELOS 93 measurements of the  $\Sigma^+$  and  $\Sigma^-$  magnetic moments given above. The statistical error on  $\mu_{\Sigma^-}$  dominates the error here.

### $\Sigma^+$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level
$\Gamma_1$ $p\pi^0$	(51.57±0.30) %	
$\Gamma_2$ $n\pi^+$	(48.31±0.30) %	
$\Gamma_3$ $p\gamma$	( 1.23±0.05 ) × 10 <sup>-3</sup>	
$\Gamma_4$ $n\pi^+\gamma$	[a] ( 4.5 ±0.5 ) × 10 <sup>-4</sup>	
$\Gamma_5$ $\Lambda e^+\nu_e$	( 2.0 ±0.5 ) × 10 <sup>-5</sup>	

### $\Delta S = \Delta Q$ (SQ) violating modes or $\Delta S = 1$ weak neutral current (S1) modes

$\Gamma_6$ $ne^+\nu_e$	SQ	< 5	× 10 <sup>-6</sup>	90%
$\Gamma_7$ $n\mu^+\nu_\mu$	SQ	< 3.0	× 10 <sup>-5</sup>	90%
$\Gamma_8$ $pe^+e^-$	S1	< 7	× 10 <sup>-6</sup>	

[a] See the Particle Listings below for the pion momentum range used in this measurement.

**CONSTRAINED FIT INFORMATION**

An overall fit to 2 branching ratios uses 14 measurements and one constraint to determine 3 parameters. The overall fit has a  $\chi^2 = 7.7$  for 12 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_2$	-100	
$x_3$	12	-14
	$x_1$	$x_2$

 **$\Sigma^+$  BRANCHING RATIOS**

$\Gamma(n\pi^+)/\Gamma(N\pi)$   $\Gamma_2/(\Gamma_1+\Gamma_2)$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.4836 ± 0.0030 OUR FIT</b>				
<b>0.4836 ± 0.0030 OUR AVERAGE</b>				
0.4828 ± 0.0036	10k	<sup>7</sup> MARRAFFINO 80	HBC	$K^- p$ 0.42–0.5 GeV/c
0.488 ± 0.008	1861	NOWAK 78	HBC	
0.484 ± 0.015	537	TOVEE 71	EMUL	
0.488 ± 0.010	1331	BARLOUTAUD 69	HBC	$K^- p$ 0.4–1.2 GeV/c
0.46 ± 0.02	534	CHANG 66	HBC	
0.490 ± 0.024	308	HUMPHREY 62	HBC	

<sup>7</sup> MARRAFFINO 80 actually gives  $\Gamma(p\pi^0)/\Gamma(\text{total}) = 0.5172 \pm 0.0036$ .

$\Gamma(p\gamma)/\Gamma(p\pi^0)$   $\Gamma_3/\Gamma_1$

<u>VALUE (units <math>10^{-3}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2.38 ± 0.10 OUR FIT</b>				
<b>2.38 ± 0.10 OUR AVERAGE</b>				
2.32 ± 0.11 ± 0.10	32k	TIMM 95	E761	$\Sigma^+$ 375 GeV
2.81 ± 0.39 <sup>+0.21</sup> <sub>-0.43</sub>	408	HESSEY 89	CNTR	$K^- p \rightarrow \Sigma^+ \pi^-$ at rest
2.52 ± 0.28	190	<sup>8</sup> KOBAYASHI 87	CNTR	$\pi^+ p \rightarrow \Sigma^+ K^+$
2.46 <sup>+0.30</sup> <sub>-0.35</sub>	155	BIAGI 85	CNTR	CERN hyperon beam
2.11 ± 0.38	46	MANZ 80	HBC	$K^- p \rightarrow \Sigma^+ \pi^-$
2.1 ± 0.3	45	ANG 69B	HBC	$K^- p$ at rest
2.76 ± 0.51	31	GERSHWIN 69B	HBC	$K^- p \rightarrow \Sigma^+ \pi^-$
3.7 ± 0.8	24	BAZIN 65	HBC	$K^- p$ at rest

<sup>8</sup> KOBAYASHI 87 actually gives  $\Gamma(p\gamma)/\Gamma(\text{total}) = (1.30 \pm 0.15) \times 10^{-3}$ .

$\Gamma(n\pi^+\gamma)/\Gamma(n\pi^+)$ 
 $\Gamma_4/\Gamma_2$ 

The  $\pi^+$  momentum cuts differ, so we do not average the results but simply use the latest value in the Summary Table.

<u>VALUE (units <math>10^{-3}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.93±0.10</b>	180	EBENHOH	73 HBC	$\pi^+ < 150$ MeV/c
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.27±0.05	29	ANG	69B HBC	$\pi^+ < 110$ MeV/c
~ 1.8		BAZIN	65B HBC	$\pi^+ < 116$ MeV/c

 $\Gamma(\Lambda e^+\nu_e)/\Gamma_{\text{total}}$ 
 $\Gamma_5/\Gamma$ 

<u>VALUE (units <math>10^{-5}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2.0±0.5 OUR AVERAGE</b>				
1.6±0.7	5	BALTAY	69 HBC	$K^- p$ at rest
2.9±1.0	10	EISELE	69 HBC	$K^- p$ at rest
2.0±0.8	6	BARASH	67 HBC	$K^- p$ at rest

 $\Gamma(ne^+\nu_e)/\Gamma(n\pi^+)$ 
 $\Gamma_6/\Gamma_2$ 

Test of  $\Delta S = \Delta Q$  rule. Experiments with an effective denominator less than 100,000 have been omitted.

<u>EFFECTIVE DENOM.</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt; 1.1 × 10<sup>-5</sup> OUR LIMIT</b> Our 90% CL limit = (2.3 events)/(effective denominator sum). [Number of events increased to 2.3 for a 90% confidence level.]				
111000	0	<sup>9</sup> EBENHOH	74 HBC	$K^- p$ at rest
105000	0	<sup>9</sup> SECHI-ZORN	73 HBC	$K^- p$ at rest

<sup>9</sup> Effective denominator calculated by us.

 $\Gamma(n\mu^+\nu_\mu)/\Gamma(n\pi^+)$ 
 $\Gamma_7/\Gamma_2$ 

Test of  $\Delta S = \Delta Q$  rule.

<u>EFFECTIVE DENOM.</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
<b>&lt; 6.2 × 10<sup>-5</sup> OUR LIMIT</b> Our 90% CL limit = (6.7 events)/(effective denominator sum). [Number of events increased to 6.7 for a 90% confidence level.]			
33800	0	BAGGETT	69B HBC
62000	2	<sup>10</sup> EISELE	69B HBC
10150	0	<sup>11</sup> COURANT	64 HBC
1710	0	<sup>11</sup> NAUENBERG	64 HBC
120	1	GALTIERI	62 EMUL

<sup>10</sup> Effective denominator calculated by us.

<sup>11</sup> Effective denominator taken from EISELE 67.

 $\Gamma(pe^+e^-)/\Gamma_{\text{total}}$ 
 $\Gamma_8/\Gamma$ 

<u>VALUE (units <math>10^{-6}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt; 7</b>	<sup>12</sup> ANG	69B HBC	$K^- p$ at rest

<sup>12</sup> ANG 69B found three  $pe^+e^-$  events in agreement with  $\gamma \rightarrow e^+e^-$  conversion from  $\Sigma^+ \rightarrow p\gamma$ . The limit given here is for neutral currents.

$$\Gamma(\Sigma^+ \rightarrow ne^+\nu_e)/\Gamma(\Sigma^- \rightarrow ne^-\bar{\nu}_e)$$

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
-------	-----	------	-------------	------	---------

**<0.009 OUR LIMIT** Our 90% CL limit, using  $\Gamma(ne^+\nu_e)/\Gamma(n\pi^+)$  above.

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.019	90	0	EBENHOH	74 HBC	$K^- p$ at rest
<0.018	90	0	SECHI-ZORN	73 HBC	$K^- p$ at rest
<0.12	95	0	COLE	71 HBC	$K^- p$ at rest
<0.03	90	0	EISELE	69B HBC	See EBENHOH 74

$$\Gamma(\Sigma^+ \rightarrow n\mu^+\nu_\mu)/\Gamma(\Sigma^- \rightarrow n\mu^-\bar{\nu}_\mu)$$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

**<0.12 OUR LIMIT** Our 90% CL limit, using  $\Gamma(n\mu^+\nu_\mu)/\Gamma(n\pi^+)$  above.

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.06^{+0.045}_{-0.03}$	2	EISELE	69B HBC	$K^- p$ at rest
-------------------------	---	--------	---------	-----------------

$$\Gamma(\Sigma^+ \rightarrow n\ell^+\nu)/\Gamma(\Sigma^- \rightarrow n\ell^-\bar{\nu})$$

Test of  $\Delta S = \Delta Q$  rule.

VALUE	EVTS	DOCUMENT ID	TECN
-------	------	-------------	------

**<0.043 OUR LIMIT** Our 90% CL limit, using  $[\Gamma(ne^+\nu_e) + \Gamma(n\mu^+\nu_\mu)]/\Gamma(n\pi^+)$ .

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.08	1	NORTON	69 HBC
<0.034	0	BAGGETT	67 HBC

## $\Sigma^+$ DECAY PARAMETERS

See the "Note on Baryon Decay Parameters" in the neutron Listings. A few early results have been omitted.

### $\alpha_0$ FOR $\Sigma^+ \rightarrow p\pi^0$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

**$-0.980^{+0.017}_{-0.015}$  OUR FIT**

**$-0.980^{+0.017}_{-0.013}$  OUR AVERAGE**

$-0.945^{+0.055}_{-0.042}$	1259	<sup>13</sup> LIPMAN	73 OSPK	$\pi^+ p \rightarrow \Sigma^+$
$-0.940 \pm 0.045$	16k	BELLAMY	72 ASPK	$\pi^+ p \rightarrow \Sigma^+ K^+$
$-0.98^{+0.05}_{-0.02}$	1335	<sup>14</sup> HARRIS	70 OSPK	$\pi^+ p \rightarrow \Sigma^+ K^+$
$-0.999 \pm 0.022$	32k	BANGERTER	69 HBC	$K^- p$ 0.4 GeV/c

<sup>13</sup> Decay protons scattered off aluminum.

<sup>14</sup> Decay protons scattered off carbon.

**$\phi_0$  ANGLE FOR  $\Sigma^+ \rightarrow p\pi^0$  ( $\tan \phi_0 = \beta/\gamma$ )**

<u>VALUE (°)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>36 ± 34 OUR AVERAGE</b>				
38.1 <sup>+35.7</sup> -37.1	1259	<sup>15</sup> LIPMAN	73 OSPK	$\pi^+ p \rightarrow \Sigma^+ K^+$
22 ± 90		<sup>16</sup> HARRIS	70 OSPK	$\pi^+ p \rightarrow \Sigma^+ K^+$
<sup>15</sup> Decay proton scattered off aluminum.				
<sup>16</sup> Decay protons scattered off carbon.				

 **$\alpha_+ / \alpha_0$** 

Older results have been omitted.

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>-0.069 ± 0.013 OUR FIT</b>				
-0.073 ± 0.021	23k	MARRAFFINO 80	HBC	$K^- p$ 0.42–0.5 GeV/c

 **$\alpha_+$  FOR  $\Sigma^+ \rightarrow n\pi^+$** 

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.068 ± 0.013 OUR FIT</b>				
<b>0.066 ± 0.016 OUR AVERAGE</b>				
0.037 ± 0.049	4101	BERLEY	70B HBC	
0.069 ± 0.017	35k	BANGERTER	69 HBC	$K^- p$ 0.4 GeV/c

 **$\phi_+$  ANGLE FOR  $\Sigma^+ \rightarrow n\pi^+$  ( $\tan \phi_+ = \beta/\gamma$ )**

<u>VALUE (°)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>167 ± 20 OUR AVERAGE</b> Error includes scale factor of 1.1.				
184 ± 24	1054	<sup>17</sup> BERLEY	70B HBC	
143 ± 29	560	BANGERTER	69B HBC	$K^- p$ 0.4 GeV/c

<sup>17</sup> Changed from 176 to 184° to agree with our sign convention. **$\alpha_\gamma$  FOR  $\Sigma^+ \rightarrow p\gamma$** 

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>-0.76 ± 0.08 OUR AVERAGE</b>				
-0.720 ± 0.086 ± 0.045	35k	<sup>18</sup> FOUCHER	92 SPEC	$\Sigma^+$ 375 GeV
-0.86 ± 0.13 ± 0.04	190	KOBAYASHI	87 CNTR	$\pi^+ p \rightarrow \Sigma^+ K^+$
-0.53 <sup>+0.38</sup> -0.36	46	MANZ	80 HBC	$K^- p \rightarrow \Sigma^+ \pi^-$
-1.03 <sup>+0.52</sup> -0.42	61	GERSHWIN	69B HBC	$K^- p \rightarrow \Sigma^+ \pi^-$

<sup>18</sup> See TIMM 95 for a detailed description of the analysis.

$\Sigma^+$  REFERENCES

We have omitted some papers that have been superseded by later experiments. See our earlier editions.

TIMM	95	PR D51 4638	+Albuquerque, Bondar+	(FNAL E761 Collab.)
MORELOS	93	PRL 71 3417	+Albuquerque, Bondar, Carrigan+	(FNAL E761 Collab.)
FOUCHER	92	PRL 68 3004	+Albuquerque, Bondar+	(FNAL E761 Collab.)
HESSEY	89	ZPHY C42 175	+Booth, Fickinger, Gall+	(BNL-811 Collab.)
KOBAYASHI	87	PRL 59 868	+Haba, Homma, Kawai, Miyake+	(KYOT)
WILKINSON	87	PRL 58 855	+Handler+	(WISC, MICH, RUTG, MINN)
BIAGI	85	ZPHY C28 495	+Bourquin+	(CERN WA62 Collab.)
ANKENBRA...	83	PRL 51 863	Ankenbrandt, Berge+	(FNAL, IOWA, ISU, YALE)
MANZ	80	PL 96B 217	+Reucroft, Settles, Wolf+	(MPIM, VAND)
MARRAFFINO	80	PR D21 2501	+Reucroft, Roos, Waters+	(VAND, MPIM)
NOWAK	78	NP B139 61	+Armstrong, Davis+	(LOUC, BELG, DURH, WARS)
CONFORTO	76	NP B105 189	+Gopal, Kalmus, Litchfield, Ross+	(RHEL, LOIC)
EBENHOH	74	ZPHY 266 367	+Eisele, Engelmann, Filthuth, Hepp+	(HEIDT)
EBENHOH	73	ZPHY 264 413	+Eisele, Filthuth, Hepp, Leitner, Thouw+	(HEIDT)
LIPMAN	73	PL 43B 89	+Uto, Walker, Montgomery+	(RHEL, SUSS, LOWC)
PDG	73	RMP 45 No. 2 Pt. II	Lasinski, Barbaro-Galtieri, Kelly+	(LBL, BRAN, CERN+)
SECHI-ZORN	73	PR D8 12	+Snow	(UMD)
BELLAMY	72	PL 39B 299	+Anderson, Crawford+	(LOWC, RHEL, SUSS)
BOHM	72	NP B48 1	+	(BERL, KIDR, BRUX, IASD, DUUC, LOUC+)
Also	73	IIHE-73.2 Nov	Bohm	(BERL, KIDR, BRUX, IASD, DUUC, LOUC+)
BAKKER	71	LNC 1 37	+Hoogland, Kluyver, Massard+	(SABRE Collab.)
COLE	71	PR D4 631	+Lee-Franzini, Loveless, Baltay+	(STON, COLU)
TOVEE	71	NP B33 493	+	(LOUC, KIDR, BERL, BRUX, DUUC, WARS)
BERLEY	70B	PR D1 2015	+Yamin, Hertzbach, Kofler+	(BNL, MASA, YALE)
EISELE	70	ZPHY 238 372	+Filthuth, Hepp, Presser, Zech	(HEID)
HARRIS	70	PRL 24 165	+Overseth, Pondrom, Dettmann	(MICH, WISC)
PDG	70	RMP 42 No. 1	Barbaro-Galtieri, Derenzo, Price+	(LRL, BRAN, CERN+)
ANG	69B	ZPHY 228 151	+Ebenhoh, Eisele, Engelmann, Filthuth+	(HEID)
BAGGETT	69B	Thesis MDDP-TR-973		(UMD)
BALTAY	69	PRL 22 615	+Franzini, Newman, Norton+	(COLU, STON)
BANGERTER	69	Thesis UCRL 19244		(LRL)
BANGERTER	69B	PR 187 1821	+Alston-Garnjost, Galtieri, Gershwin+	(LRL)
BARLOUTAUD	69	NP B14 153	+DeBellefon, Granet+	(SACL, CERN, HEID)
EISELE	69	ZPHY 221 1	+Engelmann, Filthuth, Fohlich, Hepp+	(HEID)
Also	64	PRL 13 291	Willis, Courant+	(BNL, CERN, HEID, UMD)
EISELE	69B	ZPHY 221 401	+Engelmann, Filthuth, Fohlich, Hepp+	(HEID)
GERSHWIN	69B	PR 188 2077	+Alston-Garnjost, Bangerter+	(LRL)
Also	69	Thesis UCRL 19246	Gershwin	(LRL)
NORTON	69	Thesis Nevis 175		(COLU)
BAGGETT	67	PRL 19 1458	+Day, Glasser, Kehoe, Knop+	(UMD)
Also	68	Vienna Abs. 374	Baggett, Kehoe	(UMD)
Also	68B	Private Comm.	Baggett	(UMD)
BARASH	67	PRL 19 181	+Day, Glasser, Kehoe, Knop+	(UMD)
EISELE	67	ZPHY 205 409	+Engelmann, Filthuth, Fohlich, Hepp+	(HEID)
HYMAN	67	PL 25B 376	+Loken, Pewitt, McKenzie+	(ANL, CMU, NWES)
PDG	67	RMP 39 1	Rosenfeld, Barbaro-Galtieri, Podolsky+	(LRL, CERN, YALE)
CHANG	66	PR 151 1081		(COLU)
Also	65	Thesis Nevis 145	Chang	(COLU)
COOK	66	PRL 17 223	+Ewart, Masek, Orr, Platner	(WASH)
BALTAY	65	PR 140B 1027	+Sandweiss, Culwick, Kopp+	(YALE, BNL)
BAZIN	65	PRL 14 154	+Blumenfeld, Nauenberg+	(PRIN, COLU)
BAZIN	65B	PR 140B 1358	+Plano, Schmidt+	(PRIN, RUTG, COLU)
CARAYAN...	65	PR 138B 433	Carayannopoulos, Taufest, Willmann	(PURD)
SCHMIDT	65	PR 140B 1328		(COLU)
BHOWMIK	64	NP 53 22	+Jain, Mathur, Lakshmi	(DELH)
COURANT	64	PR 136B 1791	+Filthuth+	(CERN, HEID, UMD, NRL, BNL)
NAUENBERG	64	PRL 12 679	+Marateck+	(COLU, RUTG, PRIN)
BARKAS	63	PRL 11 26	+Dyer, Heckman	(LRL)
Also	61	Thesis UCRL 9450	Dyer	(LRL)
GALTIERI	62	PRL 9 26	+Barkas, Heckman, Patrick, Smith	(LRL)
GRARD	62	PR 127 607	+Smith	(LRL)
HUMPHREY	62	PR 127 1305	+Ross	(LRL)