

$$I^G(J^{PC}) = 1^-(0^{-+})$$

We have omitted some results that have been superseded by later experiments. The omitted results may be found in our 1988 edition Physics Letters **B204** (1988).

π⁰ MASS

The value is calculated from m_{π^\pm} and $(m_{\pi^\pm} - m_{\pi^0})$. See notes under the π^\pm Mass Listings concerning recent revision of the charged pion mass.

VALUE (MeV) DOCUMENT ID
134.9766 ± 0.0006 OUR FIT Error includes scale factor of 1.1.

$m_{\pi^\pm} - m_{\pi^0}$


Measurements with an error > 0.01 MeV have been omitted.

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.5936 ± 0.0005 OUR FIT			
4.5936 ± 0.0005 OUR AVERAGE			
4.59364 ± 0.00048	CRAWFORD 91	CNTR	$\pi^- p \rightarrow \pi^0 n, n$ TOF
4.5930 ± 0.0013	CRAWFORD 86	CNTR	$\pi^- p \rightarrow \pi^0 n, n$ TOF
• • • We do not use the following data for averages, fits, limits, etc. • • •			
4.59366 ± 0.00048	CRAWFORD 88B	CNTR	See CRAWFORD 91
4.6034 ± 0.0052	VASILEVSKY 66	CNTR	
4.6056 ± 0.0055	CZIRR 63	CNTR	

π⁰ MEAN LIFE

Measurements with an error > 1×10^{-17} s have been omitted.

<u>VALUE (10^{-17} s)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8.4 ± 0.6 OUR AVERAGE				Error includes scale factor of 3.0. See the ideogram below.
8.97 ± 0.22 ± 0.17		ATHERTON 85	CNTR	
8.2 ± 0.4		¹ BROWMAN 74	CNTR	Primakoff effect
5.6 ± 0.6		BELLETTINI 70	CNTR	Primakoff effect
9 ± 0.68		KRYSHKIN 70	CNTR	Primakoff effect
• • • We do not use the following data for averages, fits, limits, etc. • • •				
8.4 ± 0.5 ± 0.5	1182	² WILLIAMS 88	CBAL	$e^+ e^- \rightarrow e^+ e^- \pi^0$
¹ BROWMAN 74 gives a π^0 width $\Gamma = 8.02 \pm 0.42$ eV. The mean life is \hbar/Γ .				
² WILLIAMS 88 gives $\Gamma(\gamma\gamma) = 7.7 \pm 0.5 \pm 0.5$ eV. We give here $\tau = \hbar/\Gamma(\text{total})$.				



π^0 mean life (10^{-17} s)

π^0 DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 2γ	$(98.798 \pm 0.032) \%$	S=1.1
Γ_2 $e^+ e^- \gamma$	$(1.198 \pm 0.032) \%$	S=1.1
Γ_3 γ positronium	$(1.82 \pm 0.29) \times 10^{-9}$	
Γ_4 $e^+ e^+ e^- e^-$	$(3.14 \pm 0.30) \times 10^{-5}$	
Γ_5 $e^+ e^-$	$(7.5 \pm 2.0) \times 10^{-8}$	
Γ_6 4γ	$< 2 \times 10^{-8}$	CL=90%
Γ_7 $\nu \bar{\nu}$	[a] $< 8.3 \times 10^{-7}$	CL=90%
Γ_8 $\nu_e \bar{\nu}_e$	$< 1.7 \times 10^{-6}$	CL=90%
Γ_9 $\nu_\mu \bar{\nu}_\mu$	$< 3.1 \times 10^{-6}$	CL=90%
Γ_{10} $\nu_\tau \bar{\nu}_\tau$	$< 2.1 \times 10^{-6}$	CL=90%

Charge conjugation (C) or Lepton Family number (LF) violating modes

Γ_{11} 3γ	C	$< 3.1 \times 10^{-8}$	CL=90%
Γ_{12} $\mu^+ e^-$			
Γ_{13} $\mu^+ e^- + e^- \mu^+$	LF	$< 1.72 \times 10^{-8}$	CL=90%

[a] Astrophysical and cosmological arguments give limits of order 10^{-13} ; see the Particle Listings below.

CONSTRAINED FIT INFORMATION

An overall fit to 2 branching ratios uses 4 measurements and one constraint to determine 3 parameters. The overall fit has a $\chi^2 = 1.9$ for 2 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	-100	
x_4	-1	0
	x_1	x_2

π^0 BRANCHING RATIOS

$\Gamma(e^+ e^- \gamma) / \Gamma(2\gamma)$ Γ_2 / Γ_1

<u>VALUE (%)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.213 ± 0.033 OUR FIT				Error includes scale factor of 1.1.
1.213 ± 0.030 OUR AVERAGE				
1.25 ± 0.04		SCHARDT	81 SPEC	$\pi^- p \rightarrow n\pi^0$
1.166 ± 0.047	3071	³ SAMIOS	61 HBC	$\pi^- p \rightarrow n\pi^0$
1.17 ± 0.15	27	BUDAGOV	60 HBC	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1.196		JOSEPH	60 THEO	QED calculation
³ SAMIOS 61 value uses a Panofsky ratio = 1.62.				

$\Gamma(\gamma \text{ positronium}) / \Gamma(2\gamma)$ Γ_3 / Γ_1

<u>VALUE (units 10⁻⁹)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.84 ± 0.29	277	AFANASYEV	90 CNTR	pC 70 GeV

$\Gamma(e^+ e^+ e^- e^-) / \Gamma(2\gamma)$ Γ_4 / Γ_1

<u>VALUE (units 10⁻⁵)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.18 ± 0.30 OUR FIT				
3.18 ± 0.30	146	⁴ SAMIOS	62B HBC	
⁴ SAMIOS 62B value uses a Panofsky ratio = 1.62.				

$\Gamma(e^+ e^-) / \Gamma_{\text{total}}$ Γ_5 / Γ

<u>VALUE (units 10⁻⁸)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7.5 ± 2.0 OUR AVERAGE				
6.9 ± 2.3 ± 0.6	21	⁵ DESHPANDE	93 SPEC	$K^+ \rightarrow \pi^+ \pi^0$
8.8 ^{+4.5} _{-3.2} ± 0.6	8	⁶ MCFARLAND	93 SPEC	$K_L^0 \rightarrow 3\pi^0$ in flight

⁵ The DESHPANDE 93 result with bremsstrahlung radiative corrections is $(8.0 \pm 2.6 \pm 0.6) \times 10^{-8}$.

⁶ The MCFARLAND 93 result with radiative corrections and excluding $[m_{e e} / m_{\pi^0}]^2 < 0.95$ is $(7.6^{+3.9}_{-2.8} ± 0.5) \times 10^{-8}$.

$\Gamma(e^+e^-)/\Gamma(2\gamma)$

Γ_5/Γ_1

<u>VALUE (units 10^{-7})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<1.3	90		NIEBUHR	89 SPEC	$\pi^- p \rightarrow \pi^0 n$ at rest
<5.3	90		ZEPHAT	87 SPEC	$\pi^- p \rightarrow \pi^0 n$ 0.3 GeV/c
1.7 \pm 0.6 \pm 0.3		59	FRANK	83 SPEC	$\pi^- p \rightarrow n\pi^0$
1.8 \pm 0.6		58	MISCHKE	82 SPEC	See FRANK 83
2.23 ^{+2.40} _{-1.10}	90	8	FISCHER	78B SPRK	$K^+ \rightarrow \pi^+\pi^0$

$\Gamma(4\gamma)/\Gamma_{\text{total}}$

Γ_6/Γ

<u>VALUE (units 10^{-8})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 2	90		MCDONOUGH	88 CBOX	$\pi^- p$ at rest
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<160	90		BOLOTOV	86C CALO	
<440	90	0	AUERBACH	80 CNTR	

$\Gamma(\nu\bar{\nu})/\Gamma_{\text{total}}$

Γ_7/Γ

The astrophysical and cosmological limits are many orders of magnitude lower, but we use the best laboratory limit for the Summary Tables.

<u>VALUE (units 10^{-6})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 0.83	90		⁷ ATIYA	91 B787	$K^+ \rightarrow \pi^+\nu\nu'$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
< 2.9 \times 10^{-7}			⁸ LAM	91	Cosmological limit
< 3.2 \times 10^{-7}			⁹ NATALE	91	SN 1987A
< 6.5	90		DORENBOS...	88 CHRM	Beam dump, prompt
<24	90	0	⁷ HERCZEG	81 RVUE	$K^{\nu+} \rightarrow \pi^+\nu\nu'$

⁷ This limit applies to all possible $\nu\nu'$ states as well as to other massless, weakly interacting states.

⁸ LAM 91 considers the production of right-handed neutrinos produced from the cosmic thermal background at the temperature of about the pion mass through the reaction $\gamma\gamma \rightarrow \pi^0 \rightarrow \nu\bar{\nu}$.

⁹ NATALE 91 considers the excess energy-loss rate from SN 1987A if the process $\gamma\gamma \rightarrow \pi^0 \rightarrow \nu\bar{\nu}$ occurs, permitted if the neutrinos have a right-handed component. As pointed out in LAM 91 (and confirmed by Natale), there is a factor 4 error in the NATALE 91 published result (0.8×10^{-7}).

$\Gamma(\nu_e\bar{\nu}_e)/\Gamma_{\text{total}}$

Γ_8/Γ

<u>VALUE (units 10^{-6})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1.7	90		DORENBOS...	88 CHRM	Beam dump, prompt ν
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<3.1	90	¹⁰	HOFFMAN	88 RVUE	Beam dump, prompt ν
¹⁰ HOFFMAN 88 analyzes data from a 400-GeV BEBC beam-dump experiment.					

$\Gamma(\nu_\mu \bar{\nu}_\mu)/\Gamma_{\text{total}}$ **Γ_9/Γ**

<u>VALUE (units 10^{-6})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---	------------	--------------------	-------------	----------------

<3.1	90	¹¹ HOFFMAN	88	RVUE Beam dump, prompt ν
----------------	----	-----------------------	----	------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<7.8	90	DORENBOS...	88	CHRM Beam dump, prompt ν
------	----	-------------	----	------------------------------

¹¹HOFFMAN 88 analyzes data from a 400-GeV BEBC beam-dump experiment.

$\Gamma(\nu_\tau \bar{\nu}_\tau)/\Gamma_{\text{total}}$ **Γ_{10}/Γ**

<u>VALUE (units 10^{-6})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---	------------	--------------------	-------------	----------------

<2.1	90	¹² HOFFMAN	88	RVUE Beam dump, prompt ν
----------------	----	-----------------------	----	------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<4.1	90	DORENBOS...	88	CHRM Beam dump, prompt ν
------	----	-------------	----	------------------------------

¹²HOFFMAN 88 analyzes data from a 400-GeV BEBC beam-dump experiment.

$\Gamma(3\gamma)/\Gamma_{\text{total}}$ **Γ_{11}/Γ**

Forbidden by C invariance.

<u>VALUE (units 10^{-8})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---	------------	-------------	--------------------	-------------	----------------

< 3.1	90		MCDONOUGH	88	CBOX $\pi^- p$ at rest
-----------------	----	--	-----------	----	------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 38	90	0	HIGHLAND	80	CNTR
------	----	---	----------	----	------

<150	90	0	AUERBACH	78	CNTR
------	----	---	----------	----	------

<490	90	0	¹³ DUCLOS	65	CNTR
------	----	---	----------------------	----	------

<490	90		¹³ KUTIN	65	CNTR
------	----	--	---------------------	----	------

¹³These experiments give $B(3\gamma/2\gamma) < 5.0 \times 10^{-6}$.

$\Gamma(\mu^+ e^-)/\Gamma_{\text{total}}$ **Γ_{12}/Γ**

Forbidden by lepton family number conservation.

<u>VALUE (units 10^{-9})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---	------------	--------------------	-------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<16	90	LEE	90	SPEC $K^+ \rightarrow \pi^+ \mu^+ e^-$
-----	----	-----	----	--

<78	90	CAMPAGNARI	88	SPEC See LEE 90
-----	----	------------	----	-----------------

$[\Gamma(\mu^+ e^-) + \Gamma(e^- \mu^+)]/\Gamma_{\text{total}}$ **Γ_{13}/Γ**

Forbidden by lepton family number conservation.

<u>VALUE (units 10^{-9})</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---	------------	--------------------	-------------	----------------

< 17.2	90	KROLAK	94	E799 In $K_L^0 \rightarrow 3\pi^0$
------------------	----	--------	----	------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<140		HERCZEG	84	RVUE $K^+ \rightarrow \pi^+ \mu e$
------	--	---------	----	------------------------------------

< 2 $\times 10^{-6}$		HERCZEG	84	THEO $\mu^- \rightarrow e^-$ conversion
----------------------	--	---------	----	---

< 70	90	BRYMAN	82	RVUE $K^+ \rightarrow \pi^+ \mu e$
------	----	--------	----	------------------------------------

π^0 ELECTROMAGNETIC FORM FACTOR

The amplitude for the process $\pi^0 \rightarrow e^+ e^- \gamma$ contains a form factor $F(x)$ at the $\pi^0 \gamma \gamma$ vertex, where $x = [m_{e^+ e^-} / m_{\pi^0}]^2$. The parameter a in the linear expansion $F(x) = 1 + ax$ is listed below.

All the measurements except that of BEHREND 91 are in the time-like region of momentum transfer.

LINEAR COEFFICIENT OF π^0 ELECTROMAGNETIC FORM FACTOR

VALUE	EPTS	DOCUMENT ID	TECN	COMMENT
0.032 ±0.004	OUR AVERAGE			
+0.026 ±0.024 ±0.048	7548	FARZANPAY	92 SPEC	$\pi^- p \rightarrow \pi^0 n$ at rest
+0.025 ±0.014 ±0.026	54k	MEIJERDREES	92B SPEC	$\pi^- p \rightarrow \pi^0 n$ at rest
+0.0326 ±0.0026 ±0.0026	127	¹⁴ BEHREND	91 CELL	$e^+ e^- \rightarrow e^+ e^- \pi^0$
-0.11 ±0.03 ±0.08	32k	FONVIEILLE	89 SPEC	Radiation corr.
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.12 +0.05 -0.04		¹⁵ TUPPER	83 THEO	FISCHER 78 data
+0.10 ±0.03	31k	¹⁶ FISCHER	78 SPEC	Radiation corr.
+0.01 ±0.11	2200	DEVONS	69 OSPK	No radiation corr.
-0.15 ±0.10	7676	KOBRAK	61 HBC	No radiation corr.
-0.24 ±0.16	3071	SAMIOS	61 HBC	No radiation corr.

¹⁴ BEHREND 91 estimates that their systematic error is of the same order of magnitude as their statistical error, and so we have included a systematic error of this magnitude. The value of a is obtained by extrapolation from the region of large space-like momentum transfer assuming vector dominance.

¹⁵ TUPPER 83 is a theoretical analysis of FISCHER 78 including 2-photon exchange in the corrections.

¹⁶ The FISCHER 78 error is statistical only. The result without radiation corrections is $+0.05 \pm 0.03$.

π^0 REFERENCES

We have omitted some papers that have been superseded by later experiments. The omitted papers may be found in our 1988 edition Physics Letters **B204** (1988).

KROLAK	94	PL B320 407	+	(EFI, UCLA, COLO, ELMT, FNAL, ILL, OSAK, RUTG)
DESHPANDE	93	PRL 71 27	+Alliegro, Chaloupka+	(BNL E851 Collab.)
MCFARLAND	93	PRL 71 31	+	(EFI, UCLA, COLO, ELMT, FNAL, ILL, OSAK, RUTG)
FARZANPAY	92	PL B278 413	+	(ORST, TRIU, BRCO, QUKI, LBL, BIRM, OXF)
MEIJERDREES	92B	PR D45 1439	Meijer Drees, Waltham+	(PSI SINDRUM-I Collab.)
ATIYA	91	PRL 66 2189	+Chiang, Frank, Haggerty+	(BNL, LANL, PRIN, TRIU)
BEHREND	91	ZPHY C49 401	+Criegee, Field, Franke+	(CELLO Collab.)
CRAWFORD	91	PR D43 46	+Daum, Frosch, Jost, Kettle+	(VILL, VIRG)
LAM	91	PR D44 3345	+Ng	(AST)
NATALE	91	PL B258 227		(SPIFT)
AFANASYEV	90	PL B236 116	+Chvyrov, Karpukhin+	(JINR, MOSU, SERP)
Also	90B	SJNP 51 664	Afanasyev, Gorchakov, Karpukhin, Komarov+	(JINR)
			Translated from YAF 51 1040.	

LEE	90	PRL 64 165	+Alliegro, Campagnari+	(BNL, FNAL, VILL, WASH, YALE)
FONVIEILLE	89	PL B233 65	+Bensayah, Berthot, Bertin+	(CLER, LYON, SACL)
NIEBUHR	89	PR D40 2796	+Eichler, Felawka, Kozlowski+	(SINDRUM Collab.)
CAMPAGNARI	88	PRL 61 2062	+Alliegro, Chaloupka+	(BNL, FNAL, PSI, WASH, YALE)
CRAWFORD	88B	PL B213 391	+Daum, Frosch, Jost, Kettle, Marshall+	(PSI, VIRG)
DORENBOS...	88	ZPHY C40 497	Dorenbosch, Allaby, Amaldi, Barbiellini+	(CHARM Collab.)
HOFFMAN	88	PL B208 149		(LANL)
MCDONOUGH	88	PR D38 2121	+Highland, McFarlane, Bolton+	(TEMP, LANL, CHIC)
PDG	88	PL B204	Yost, Barnett+	(LBL+)
WILLIAMS	88	PR D38 1365	+Antreasyan, Bartels, Besset+	(Crystal Ball Collab.)
ZEPHAT	87	JPG 13 1375	+Playfer, van Doesburg, Bressani+	(OMICRON Collab.)
BOLOTOV	86C	JETPL 43 520	+Gninenko, Dzhilkibaev, Isakov	(INRM)
		Translated from ZETFP 43 405.		
CRAWFORD	86	PRL 56 1043	+Daum, Frosch, Jost, Kettle+	(SIN, VIRG)
ATHERTON	85	PL 158B 81	+Bovet, Coet+	(CERN, ISU, LUND, CURIN, EFI)
HERCZEG	84	PR D29 1954	+Hoffman	(LANL)
FRANK	83	PR D28 423	+Hoffman, Mischke, Moir+	(LANL, ARZS)
TUPPER	83	PR D28 2905	+Grose, Samuel	(OKSU)
BRYMAN	82	PR D26 2538		(TRIU)
MISCHKE	82	PRL 48 1153	+Frank, Hoffman, Moir, Sarracino+	(LANL, ARZS)
HERCZEG	81	PL 100B 347	+Hoffman	(LANL)
SCHARDT	81	PR D23 639	+Frank, Hoffmann, Mischke, Moir+	(ARZS, LANL)
AUERBACH	80	PL 90B 317	+Haik, Highland, McFarlane, Macek+	(TEMP, LASL)
HIGHLAND	80	PRL 44 628	+Auerbach, Haik, McFarlane, Macek+	(TEMP, LASL)
AUERBACH	78	PRL 41 275	+Highland, Johnson+	(TEMP, LASL)
FISCHER	78	PL 73B 359	+Extermann, Guisan, Mermod+	(GEVA, SACL)
FISCHER	78B	PL 73B 364	+Extermann, Guisan, Mermod+	(GEVA, SACL)
BROWMAN	74	PRL 33 1400	+Dewire, Gittelman, Hanson+	(CORN, BING)
BELLETTINI	70	NC 66A 243	+Bemporad, Lubelsmey+	(PISA, BONN)
KRYSHKIN	70	JETP 30 1037	+Sterligov, Usov	(TMSK)
		Translated from ZETF 57 1917.		
DEVONS	69	PR 184 1356	+Nemethy, Nissim-Sabat, Capua+	(COLU, ROMA)
VASILEVSKY	66	PL 23 281	+Vishnyakov, Dunaitsev+	(JINR)
DUCLOS	65	PL 19 253	+Freytag, Heintze+	(CERN, HEID)
KUTIN	65	JETPL 2 243	+Petrukhin, Prokoshkin	(JINR)
		Translated from unknown journal.		
CZIRR	63	PR 130 341		(LRL)
SAMIOS	62B	PR 126 1844	+Plano, Prodell+	(COLU, BNL)
KOBRAK	61	NC 20 1115		(EFI)
SAMIOS	61	PR 121 275		(COLU, BNL)
BUDAGOV	60	JETP 11 755	+Viktor, Dzhelepov, Ermolov+	(JINR)
		Translated from ZETF 38 1047.		
JOSEPH	60	NC 16 997		(EFI)