



$$I(J^P) = 1(\frac{1}{2}^+) \text{ Status: } ****$$

We have omitted some results that have been superseded by later experiments. See our earlier editions.


Σ⁺ MASS

The fit uses Σ⁺, Σ⁰, Σ⁻, and Λ mass and mass-difference measurements.

| VALUE (MeV) | EVTs | DOCUMENT ID | TECN | COMMENT |
|---------------------------------|------|---|------|--------------------------|
| 1189.37±0.07 OUR FIT | | Error includes scale factor of 2.2. | | |
| 1189.37±0.06 OUR AVERAGE | | Error includes scale factor of 1.8. See the ideogram below. | | |
| 1189.33±0.04 | 607 | ¹ BOHM | 72 | EMUL |
| 1189.16±0.12 | | HYMAN | 67 | HEBC |
| 1189.61±0.08 | 4205 | SCHMIDT | 65 | HBC See note with Λ mass |
| 1189.48±0.22 | 58 | ² BHOWMIK | 64 | EMUL |
| 1189.38±0.15 | 144 | ² BARKAS | 63 | EMUL |

¹ BOHM 72 is updated with our 1973 K^- , π^- , and π^0 masses (Reviews of Modern Physics **45** No. 2 Pt. II (1973)).

² These masses have been raised 30 keV to take into account a 46 keV increase in the proton mass and a 21 keV decrease in the π^0 mass (note added 1967 edition, Reviews of Modern Physics **39** 1 (1967)).



Σ⁺ mass (MeV)

Σ^+ MEAN LIFE

Measurements with an error $\geq 0.1 \times 10^{-10}$ s have been omitted.

| <u>VALUE (10^{-10} s)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-------------|-----------------------|-------------|--|
| 0.799±0.004 OUR AVERAGE | | | | |
| 0.798±0.005 | 30k | MARRAFFINO 80 | HBC | $K^- p$ 0.42–0.5 GeV/c |
| 0.807±0.013 | 5719 | CONFORTO 76 | HBC | $K^- p$ 1–1.4 GeV/c |
| 0.83 ±0.04 | 526 | BAKKER 71 | DBC | $K^- n \rightarrow \Sigma^+ \pi^- \pi^-$ |
| 0.795±0.010 | 20k | EISELE 70 | HBC | $K^- p$ at rest |
| 0.803±0.008 | 10664 | BARLOUTAUD 69 | HBC | $K^- p$ 0.4–1.2 GeV/c |
| 0.83 ±0.032 | 1300 | ³ CHANG 66 | HBC | |
| 0.80 ±0.07 | 381 | COOK 66 | OSPK | |
| 0.84 ±0.09 | 181 | BALTAY 65 | HBC | |
| 0.76 ±0.03 | 900 | CARAYAN... 65 | HBC | |
| 0.749 ^{+0.056} _{-0.052} | 192 | GRARD 62 | HBC | |
| 0.765±0.04 | 456 | HUMPHREY 62 | HBC | |

³We have increased the CHANG 66 error of 0.018; see our 1970 edition, Reviews of Modern Physics **42** No. 1 (1970).


Σ^+ MAGNETIC MOMENT

See the "Note on Baryon Magnetic Moments" in the Λ Listings. Measurements with an error $\geq 0.1 \mu_N$ have been omitted.

| <u>VALUE (μ_N)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------------------------|-------------|-----------------------------|-------------|---|
| 2.458 ±0.010 OUR AVERAGE | | | | Error includes scale factor of 2.1. See the ideogram below. |
| 2.4613±0.0034±0.0040 | 250k | MORELOS 93 | SPEC | p Cu 800 GeV |
| 2.428 ±0.036 ±0.007 | 12k | ⁴ MORELOS 93 | SPEC | p Cu 800 GeV |
| 2.479 ±0.012 ±0.022 | 137k | WILKINSON 87 | SPEC | p Be 400 GeV |
| 2.4040±0.0198 | 44k | ⁵ ANKENBRA... 83 | CNTR | p Cu 400 GeV |

⁴We assume *CPT* invariance: this is (minus) the $\bar{\Sigma}^-$ magnetic moment as measured by MORELOS 93. See below for the moment difference testing *CPT*.

⁵ANKENBRANDT 83 gives the value $2.38 \pm 0.02 \mu_N$. MORELOS 93 uses the same hyperon magnet and channel and claims to determine the field integral better, leading to the revised value given here.



Σ^+ magnetic moment (μ_N)

$$(\mu_{\Sigma^+} + \mu_{\Sigma^-}) / |\mu|_{\text{average}}$$

A test of CPT invariance.

| VALUE | DOCUMENT ID | TECN | COMMENT |
|--------------------|----------------------|---------|-------------|
| 0.014±0.015 | ⁶ MORELOS | 93 SPEC | pCu 800 GeV |

⁶This is our calculation from the MORELOS 93 measurements of the Σ^+ and Σ^- magnetic moments given above. The statistical error on μ_{Σ^-} dominates the error here.

Σ^+ DECAY MODES

| Mode | Fraction (Γ_i/Γ) | Confidence level |
|-------------------------------|-------------------------------------|------------------|
| Γ_1 $p\pi^0$ | (51.57±0.30) % | |
| Γ_2 $n\pi^+$ | (48.31±0.30) % | |
| Γ_3 $p\gamma$ | (1.23±0.05) × 10 ⁻³ | |
| Γ_4 $n\pi^+\gamma$ | [a] (4.5 ±0.5) × 10 ⁻⁴ | |
| Γ_5 $\Lambda e^+\nu_e$ | (2.0 ±0.5) × 10 ⁻⁵ | |

$\Delta S = \Delta Q$ (SQ) violating modes or $\Delta S = 1$ weak neutral current (S1) modes

| | | | | |
|----------------------------|----|-------|--------------------|-----|
| Γ_6 $ne^+\nu_e$ | SQ | < 5 | × 10 ⁻⁶ | 90% |
| Γ_7 $n\mu^+\nu_\mu$ | SQ | < 3.0 | × 10 ⁻⁵ | 90% |
| Γ_8 pe^+e^- | S1 | < 7 | × 10 ⁻⁶ | |

[a] See the Particle Listings below for the pion momentum range used in this measurement.

CONSTRAINED FIT INFORMATION

An overall fit to 2 branching ratios uses 14 measurements and one constraint to determine 3 parameters. The overall fit has a $\chi^2 = 7.7$ for 12 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

| | | |
|-------|-------|-------|
| x_2 | -100 | |
| x_3 | 12 | -14 |
| | x_1 | x_2 |

Σ^+ BRANCHING RATIOS

| $\Gamma(n\pi^+) / \Gamma(N\pi)$ | | | | | $\Gamma_2 / (\Gamma_1 + \Gamma_2)$ |
|------------------------------------|-------------|----------------------------|-------------|------------------------|------------------------------------|
| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 0.4836 ± 0.0030 OUR FIT | | | | | |
| 0.4836 ± 0.0030 OUR AVERAGE | | | | | |
| 0.4828 ± 0.0036 | 10k | ⁷ MARRAFFINO 80 | HBC | $K^- p$ 0.42–0.5 GeV/c | |
| 0.488 ± 0.008 | 1861 | NOWAK 78 | HBC | | |
| 0.484 ± 0.015 | 537 | TOVEE 71 | EMUL | | |
| 0.488 ± 0.010 | 1331 | BARLOUTAUD 69 | HBC | $K^- p$ 0.4–1.2 GeV/c | |
| 0.46 ± 0.02 | 534 | CHANG 66 | HBC | | |
| 0.490 ± 0.024 | 308 | HUMPHREY 62 | HBC | | |

⁷ MARRAFFINO 80 actually gives $\Gamma(p\pi^0) / \Gamma(\text{total}) = 0.5172 \pm 0.0036$.

| $\Gamma(p\gamma) / \Gamma(p\pi^0)$ | | | | | Γ_3 / Γ_1 |
|---|-------------|---------------------------|-------------|--|-----------------------|
| <u>VALUE (units 10^{-3})</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2.38 ± 0.10 OUR FIT | | | | | |
| 2.38 ± 0.10 OUR AVERAGE | | | | | |
| 2.32 ± 0.11 ± 0.10 | 32k | TIMM 95 | E761 | Σ^+ 375 GeV | |
| 2.81 ± 0.39 ^{+0.21} _{-0.43} | 408 | HESSEY 89 | CNTR | $K^- p \rightarrow \Sigma^+ \pi^-$ at rest | |
| 2.52 ± 0.28 | 190 | ⁸ KOBAYASHI 87 | CNTR | $\pi^+ p \rightarrow \Sigma^+ K^+$ | |
| 2.46 ^{+0.30} _{-0.35} | 155 | BIAGI 85 | CNTR | CERN hyperon beam | |
| 2.11 ± 0.38 | 46 | MANZ 80 | HBC | $K^- p \rightarrow \Sigma^+ \pi^-$ | |
| 2.1 ± 0.3 | 45 | ANG 69B | HBC | $K^- p$ at rest | |
| 2.76 ± 0.51 | 31 | GERSHWIN 69B | HBC | $K^- p \rightarrow \Sigma^+ \pi^-$ | |
| 3.7 ± 0.8 | 24 | BAZIN 65 | HBC | $K^- p$ at rest | |

⁸ KOBAYASHI 87 actually gives $\Gamma(p\gamma) / \Gamma(\text{total}) = (1.30 \pm 0.15) \times 10^{-3}$.

$\Gamma(n\pi^+\gamma)/\Gamma(n\pi^+)$

Γ_4/Γ_2

The π^+ momentum cuts differ, so we do not average the results but simply use the latest value in the Summary Table.

| <u>VALUE (units 10^{-3})</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-------------|--------------------|-------------|---------------------|
| 0.93±0.10 | 180 | EBENHOH | 73 HBC | $\pi^+ < 150$ MeV/c |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.27±0.05 | 29 | ANG | 69B HBC | $\pi^+ < 110$ MeV/c |
| ~ 1.8 | | BAZIN | 65B HBC | $\pi^+ < 116$ MeV/c |

$\Gamma(\Lambda e^+\nu_e)/\Gamma_{\text{total}}$

Γ_5/Γ

| <u>VALUE (units 10^{-5})</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-------------|--------------------|-------------|-----------------|
| 2.0±0.5 OUR AVERAGE | | | | |
| 1.6±0.7 | 5 | BALTAY | 69 HBC | $K^- p$ at rest |
| 2.9±1.0 | 10 | EISELE | 69 HBC | $K^- p$ at rest |
| 2.0±0.8 | 6 | BARASH | 67 HBC | $K^- p$ at rest |

$\Gamma(ne^+\nu_e)/\Gamma(n\pi^+)$

Γ_6/Γ_2

Test of $\Delta S = \Delta Q$ rule. Experiments with an effective denominator less than 100,000 have been omitted.

| <u>EFFECTIVE DENOM.</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-------------|--|-------------|-----------------|
| < 1.1 × 10⁻⁵ OUR LIMIT | | Our 90% CL limit = (2.3 events)/(effective denominator sum). [Number of events increased to 2.3 for a 90% confidence level.] | | |
| 111000 | 0 | ⁹ EBENHOH | 74 HBC | $K^- p$ at rest |
| 105000 | 0 | ⁹ SECHI-ZORN | 73 HBC | $K^- p$ at rest |

⁹ Effective denominator calculated by us.

$\Gamma(n\mu^+\nu_\mu)/\Gamma(n\pi^+)$

Γ_7/Γ_2

Test of $\Delta S = \Delta Q$ rule.

| <u>EFFECTIVE DENOM.</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|---|-------------|--|-------------|
| < 6.2 × 10⁻⁵ OUR LIMIT | | Our 90% CL limit = (6.7 events)/(effective denominator sum). [Number of events increased to 6.7 for a 90% confidence level.] | |
| 33800 | 0 | BAGGETT | 69B HBC |
| 62000 | 2 | ¹⁰ EISELE | 69B HBC |
| 10150 | 0 | ¹¹ COURANT | 64 HBC |
| 1710 | 0 | ¹¹ NAUENBERG | 64 HBC |
| 120 | 1 | GALTIERI | 62 EMUL |

¹⁰ Effective denominator calculated by us.

¹¹ Effective denominator taken from EISELE 67.

$\Gamma(pe^+e^-)/\Gamma_{\text{total}}$

Γ_8/Γ

| <u>VALUE (units 10^{-6})</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-----------------|
| < 7 | ¹² ANG | 69B HBC | $K^- p$ at rest |

¹² ANG 69B found three pe^+e^- events in agreement with $\gamma \rightarrow e^+e^-$ conversion from $\Sigma^+ \rightarrow p\gamma$. The limit given here is for neutral currents.

$\Gamma(\Sigma^+ \rightarrow ne^+\nu_e)/\Gamma(\Sigma^- \rightarrow ne^-\bar{\nu}_e)$

| VALUE | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|-------|-----|------|-------------|------|---------|
|-------|-----|------|-------------|------|---------|

<0.009 OUR LIMIT Our 90% CL limit, using $\Gamma(ne^+\nu_e)/\Gamma(n\pi^+)$ above.

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | | |
|--------|----|---|------------|---------|-----------------|
| <0.019 | 90 | 0 | EBENHOH | 74 HBC | $K^- p$ at rest |
| <0.018 | 90 | 0 | SECHI-ZORN | 73 HBC | $K^- p$ at rest |
| <0.12 | 95 | 0 | COLE | 71 HBC | $K^- p$ at rest |
| <0.03 | 90 | 0 | EISELE | 69B HBC | See EBENHOH 74 |

$\Gamma(\Sigma^+ \rightarrow n\mu^+\nu_\mu)/\Gamma(\Sigma^- \rightarrow n\mu^-\bar{\nu}_\mu)$

| VALUE | EVTS | DOCUMENT ID | TECN | COMMENT |
|-------|------|-------------|------|---------|
|-------|------|-------------|------|---------|

<0.12 OUR LIMIT Our 90% CL limit, using $\Gamma(n\mu^+\nu_\mu)/\Gamma(n\pi^+)$ above.

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|-------------------------|---|--------|---------|-----------------|
| $0.06^{+0.045}_{-0.03}$ | 2 | EISELE | 69B HBC | $K^- p$ at rest |
|-------------------------|---|--------|---------|-----------------|

$\Gamma(\Sigma^+ \rightarrow n\ell^+\nu)/\Gamma(\Sigma^- \rightarrow n\ell^-\bar{\nu})$

Test of $\Delta S = \Delta Q$ rule.

| VALUE | EVTS | DOCUMENT ID | TECN |
|-------|------|-------------|------|
|-------|------|-------------|------|

<0.043 OUR LIMIT Our 90% CL limit, using $[\Gamma(ne^+\nu_e) + \Gamma(n\mu^+\nu_\mu)]/\Gamma(n\pi^+)$.

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | |
|--------|---|---------|--------|
| <0.08 | 1 | NORTON | 69 HBC |
| <0.034 | 0 | BAGGETT | 67 HBC |

Σ^+ DECAY PARAMETERS

See the "Note on Baryon Decay Parameters" in the neutron Listings. A few early results have been omitted.

α_0 FOR $\Sigma^+ \rightarrow p\pi^0$

| VALUE | EVTS | DOCUMENT ID | TECN | COMMENT |
|-------|------|-------------|------|---------|
|-------|------|-------------|------|---------|

-0.980^{+0.017}_{-0.015} OUR FIT

-0.980^{+0.017}_{-0.013} OUR AVERAGE

| | | | | |
|----------------------------|------|----------------------|---------|------------------------------------|
| $-0.945^{+0.055}_{-0.042}$ | 1259 | ¹³ LIPMAN | 73 OSPK | $\pi^+ p \rightarrow \Sigma^+$ |
| -0.940 ± 0.045 | 16k | BELLAMY | 72 ASPK | $\pi^+ p \rightarrow \Sigma^+ K^+$ |
| $-0.98^{+0.05}_{-0.02}$ | 1335 | ¹⁴ HARRIS | 70 OSPK | $\pi^+ p \rightarrow \Sigma^+ K^+$ |
| -0.999 ± 0.022 | 32k | BANGERTER | 69 HBC | $K^- p$ 0.4 GeV/c |

¹³ Decay protons scattered off aluminum.

¹⁴ Decay protons scattered off carbon.

ϕ_0 ANGLE FOR $\Sigma^+ \rightarrow p\pi^0$ ($\tan \phi_0 = \beta/\gamma$)

| <u>VALUE (°)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--|-------------|----------------------|-------------|------------------------------------|
| 36 ±34 OUR AVERAGE | | | | |
| 38.1 ^{+35.7} -37.1 | 1259 | ¹⁵ LIPMAN | 73 OSPK | $\pi^+ p \rightarrow \Sigma^+ K^+$ |
| 22 ±90 | | ¹⁶ HARRIS | 70 OSPK | $\pi^+ p \rightarrow \Sigma^+ K^+$ |
| ¹⁵ Decay proton scattered off aluminum. | | | | |
| ¹⁶ Decay protons scattered off carbon. | | | | |

α_+ / α_0

Older results have been omitted.

| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|------------------------------|-------------|--------------------|-------------|------------------------|
| -0.069 ±0.013 OUR FIT | | | | |
| -0.073 ±0.021 | 23k | MARRAFFINO 80 | HBC | $K^- p$ 0.42-0.5 GeV/c |

α_+ FOR $\Sigma^+ \rightarrow n\pi^+$

| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---------------------------------|-------------|--------------------|-------------|-------------------|
| 0.068 ±0.013 OUR FIT | | | | |
| 0.066 ±0.016 OUR AVERAGE | | | | |
| 0.037 ±0.049 | 4101 | BERLEY | 70B HBC | |
| 0.069 ±0.017 | 35k | BANGERTER | 69 HBC | $K^- p$ 0.4 GeV/c |

ϕ_+ ANGLE FOR $\Sigma^+ \rightarrow n\pi^+$ ($\tan \phi_+ = \beta/\gamma$)

| <u>VALUE (°)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--|-------------|----------------------|-------------|-------------------|
| 167 ±20 OUR AVERAGE Error includes scale factor of 1.1. | | | | |
| 184 ±24 | 1054 | ¹⁷ BERLEY | 70B HBC | |
| 143 ±29 | 560 | BANGERTER | 69B HBC | $K^- p$ 0.4 GeV/c |

¹⁷ Changed from 176 to 184° to agree with our sign convention.

α_γ FOR $\Sigma^+ \rightarrow p\gamma$

| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---------------------------------|-------------|-----------------------|-------------|------------------------------------|
| -0.76 ±0.08 OUR AVERAGE | | | | |
| -0.720 ±0.086 ±0.045 | 35k | ¹⁸ FOUCHER | 92 SPEC | Σ^+ 375 GeV |
| -0.86 ±0.13 ±0.04 | 190 | KOBAYASHI | 87 CNTR | $\pi^+ p \rightarrow \Sigma^+ K^+$ |
| -0.53 ^{+0.38} -0.36 | 46 | MANZ | 80 HBC | $K^- p \rightarrow \Sigma^+ \pi^-$ |
| -1.03 ^{+0.52} -0.42 | 61 | GERSHWIN | 69B HBC | $K^- p \rightarrow \Sigma^+ \pi^-$ |

¹⁸ See TIMM 95 for a detailed description of the analysis.

Σ^+ REFERENCES

We have omitted some papers that have been superseded by later experiments. See our earlier editions.

| | | | | |
|-------------|-----|---------------------|--|---------------------------------------|
| TIMM | 95 | PR D51 4638 | +Albuquerque, Bondar+ | (FNAL E761 Collab.) |
| MORELOS | 93 | PRL 71 3417 | +Albuquerque, Bondar, Carrigan+ | (FNAL E761 Collab.) |
| FOUCHER | 92 | PRL 68 3004 | +Albuquerque, Bondar+ | (FNAL E761 Collab.) |
| HESSEY | 89 | ZPHY C42 175 | +Booth, Fickinger, Gall+ | (BNL-811 Collab.) |
| KOBAYASHI | 87 | PRL 59 868 | +Haba, Homma, Kawai, Miyake+ | (KYOT) |
| WILKINSON | 87 | PRL 58 855 | +Handler+ | (WISC, MICH, RUTG, MINN) |
| BIAGI | 85 | ZPHY C28 495 | +Bourquin+ | (CERN WA62 Collab.) |
| ANKENBRA... | 83 | PRL 51 863 | Ankenbrandt, Berge+ | (FNAL, IOWA, ISU, YALE) |
| MANZ | 80 | PL 96B 217 | +Reucroft, Settles, Wolf+ | (MPIM, VAND) |
| MARRAFFINO | 80 | PR D21 2501 | +Reucroft, Roos, Waters+ | (VAND, MPIM) |
| NOWAK | 78 | NP B139 61 | +Armstrong, Davis+ | (LOUC, BELG, DURH, WARS) |
| CONFORTO | 76 | NP B105 189 | +Gopal, Kalmus, Litchfield, Ross+ | (RHEL, LOIC) |
| EBENHOH | 74 | ZPHY 266 367 | +Eisele, Engelmann, Filthuth, Hepp+ | (HEIDT) |
| EBENHOH | 73 | ZPHY 264 413 | +Eisele, Filthuth, Hepp, Leitner, Thouw+ | (HEIDT) |
| LIPMAN | 73 | PL 43B 89 | +Uto, Walker, Montgomery+ | (RHEL, SUSS, LOWC) |
| PDG | 73 | RMP 45 No. 2 Pt. II | Lasinski, Barbaro-Galtieri, Kelly+ | (LBL, BRAN, CERN+) |
| SECHI-ZORN | 73 | PR D8 12 | +Snow | (UMD) |
| BELLAMY | 72 | PL 39B 299 | +Anderson, Crawford+ | (LOWC, RHEL, SUSS) |
| BOHM | 72 | NP B48 1 | + | (BERL, KIDR, BRUX, IASD, DUUC, LOUC+) |
| Also | 73 | IIHE-73.2 Nov | Bohm | (BERL, KIDR, BRUX, IASD, DUUC, LOUC+) |
| BAKKER | 71 | LNC 1 37 | +Hoogland, Kluyver, Massard+ | (SABRE Collab.) |
| COLE | 71 | PR D4 631 | +Lee-Franzini, Loveless, Baltay+ | (STON, COLU) |
| TOVEE | 71 | NP B33 493 | + | (LOUC, KIDR, BERL, BRUX, DUUC, WARS) |
| BERLEY | 70B | PR D1 2015 | +Yamin, Hertzbach, Kofler+ | (BNL, MASA, YALE) |
| EISELE | 70 | ZPHY 238 372 | +Filthuth, Hepp, Presser, Zech | (HEID) |
| HARRIS | 70 | PRL 24 165 | +Overseth, Pondrom, Dettmann | (MICH, WISC) |
| PDG | 70 | RMP 42 No. 1 | Barbaro-Galtieri, Derenzo, Price+ | (LRL, BRAN, CERN+) |
| ANG | 69B | ZPHY 228 151 | +Ebenhoh, Eisele, Engelmann, Filthuth+ | (HEID) |
| BAGGETT | 69B | Thesis MDDP-TR-973 | | (UMD) |
| BALTAY | 69 | PRL 22 615 | +Franzini, Newman, Norton+ | (COLU, STON) |
| BANGERTER | 69 | Thesis UCRL 19244 | | (LRL) |
| BANGERTER | 69B | PR 187 1821 | +Alston-Garnjost, Galtieri, Gershwin+ | (LRL) |
| BARLOUTAUD | 69 | NP B14 153 | +DeBellefon, Granet+ | (SACL, CERN, HEID) |
| EISELE | 69 | ZPHY 221 1 | +Engelmann, Filthuth, Fohlich, Hepp+ | (HEID) |
| Also | 64 | PRL 13 291 | Willis, Courant+ | (BNL, CERN, HEID, UMD) |
| EISELE | 69B | ZPHY 221 401 | +Engelmann, Filthuth, Fohlich, Hepp+ | (HEID) |
| GERSHWIN | 69B | PR 188 2077 | +Alston-Garnjost, Bangerter+ | (LRL) |
| Also | 69 | Thesis UCRL 19246 | Gershwin | (LRL) |
| NORTON | 69 | Thesis Nevis 175 | | (COLU) |
| BAGGETT | 67 | PRL 19 1458 | +Day, Glasser, Kehoe, Knop+ | (UMD) |
| Also | 68 | Vienna Abs. 374 | Baggett, Kehoe | (UMD) |
| Also | 68B | Private Comm. | Baggett | (UMD) |
| BARASH | 67 | PRL 19 181 | +Day, Glasser, Kehoe, Knop+ | (UMD) |
| EISELE | 67 | ZPHY 205 409 | +Engelmann, Filthuth, Fohlich, Hepp+ | (HEID) |
| HYMAN | 67 | PL 25B 376 | +Loken, Pewitt, McKenzie+ | (ANL, CMU, NWES) |
| PDG | 67 | RMP 39 1 | Rosenfeld, Barbaro-Galtieri, Podolsky+ | (LRL, CERN, YALE) |
| CHANG | 66 | PR 151 1081 | | (COLU) |
| Also | 65 | Thesis Nevis 145 | Chang | (COLU) |
| COOK | 66 | PRL 17 223 | +Ewart, Masek, Orr, Platner | (WASH) |
| BALTAY | 65 | PR 140B 1027 | +Sandweiss, Culwick, Kopp+ | (YALE, BNL) |
| BAZIN | 65 | PRL 14 154 | +Blumenfeld, Nauenberg+ | (PRIN, COLU) |
| BAZIN | 65B | PR 140B 1358 | +Plano, Schmidt+ | (PRIN, RUTG, COLU) |
| CARAYAN... | 65 | PR 138B 433 | Carayannopoulos, Taufest, Willmann | (PURD) |
| SCHMIDT | 65 | PR 140B 1328 | | (COLU) |
| BHOWMIK | 64 | NP 53 22 | +Jain, Mathur, Lakshmi | (DELH) |
| COURANT | 64 | PR 136B 1791 | +Filthuth+ | (CERN, HEID, UMD, NRL, BNL) |
| NAUENBERG | 64 | PRL 12 679 | +Marateck+ | (COLU, RUTG, PRIN) |
| BARKAS | 63 | PRL 11 26 | +Dyer, Heckman | (LRL) |
| Also | 61 | Thesis UCRL 9450 | Dyer | (LRL) |
| GALTIERI | 62 | PRL 9 26 | +Barkas, Heckman, Patrick, Smith | (LRL) |
| GRARD | 62 | PR 127 607 | +Smith | (LRL) |
| HUMPHREY | 62 | PR 127 1305 | +Ross | (LRL) |