

Heavy Charged Lepton Searches

Charged Heavy Lepton MASS LIMITS

Sequential Charged Heavy Lepton (L^\pm) MASS LIMITS

These experiments assumed that a fourth generation L^\pm decayed to a fourth generation ν_L (or L^0) where ν_L was stable, or that L^\pm decays to a light ν_ℓ via mixing.

See the "Quark and Lepton Compositeness, Searches for" Listings for limits on radiatively decaying excited leptons, *i.e.* $\ell^* \rightarrow \ell\gamma$. See the "WIMPs and other Particle Searches" section for heavy charged particle search limits in which the charged particle could be a lepton.

VALUE (GeV)	CL%	DOCUMENT ID	TECN	COMMENT
>81.5	95	ACKERSTAFF	98C OPAL	Assumed $m_{L^\pm} - m_{L^0} > 8.4$ GeV
>80.2	95	ACKERSTAFF	98C OPAL	$m_{L^0} > m_{L^\pm}$ and $L^\pm \rightarrow \nu W$
>72	95	ACCIARRI	97P L3	Assumed $m_{L^\pm} - m_{\nu_L} > 10$ GeV
>81	95	ACCIARRI	97P L3	Assumed $m_{L^\pm} - m_{\nu_L} > 20$ GeV
>78.7	95	ACCIARRI	97P L3	Light ν , $\sqrt{s}=161, 172$ GeV
< 48 or > 61	95	¹ ACCIARRI	96G L3	
>64.5	95	ALEXANDER	96P OPAL	$m_L - m_{L^0} > 10$ GeV
>63.5	95	BUSKULIC	96S ALEP	$m_L - m_{L^0} > 7$ GeV
>42.8	95	ADEVA	90S L3	Decay to Dirac ν_L
>44.3	95	AKRAWY	90G OPAL	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
>73.5	95	ACKERSTAFF	97D OPAL	Assumed $m_{L^\pm} - m_{\nu_L} > 13$ GeV
>76.7	95	ACKERSTAFF	97D OPAL	$m_{\nu_L} > m_{L^\pm}$ and $L^\pm \rightarrow \nu W^*$
>63.9	95	ALEXANDER	96P OPAL	Decay to massless ν 's
>65	95	BUSKULIC	96S ALEP	Decay to massless ν 's
none 10–225		² AHMED	94 CNTR	H1 Collab. at HERA
none 12.6–29.6	95	KIM	91B AMY	Massless ν assumed
>42.7	95	DECAMP	90F ALEP	
none 0.5–10	95	³ RILES	90 MRK2	For $(m_{L^0} - m_{L^0}) > 0.25-0.4$ GeV
> 8		⁴ STOKER	89 MRK2	For $(m_{L^+} - m_{L^0}) = 0.4$ GeV
>12		⁴ STOKER	89 MRK2	For $m_{L^0} = 0.9$ GeV
none 18.4–27.6	95	⁵ ABE	88 VNS	
>25.5	95	⁶ ADACHI	88B TOPZ	
none 1.5–22.0	95	BEHREND	88C CELL	
>41	90	⁷ ALBAJAR	87B UA1	
>22.5	95	⁸ ADEVA	85 MRKJ	
>18.0	95	⁹ BARTEL	83 JADE	
none 4–14.5	95	¹⁰ BERGER	81B PLUT	
>15.5	95	¹¹ BRANDELIK	81 TASS	
>13.		¹² AZIMOV	80	
>16.	95	¹³ BARBER	80B CNTR	
> 0.490		¹⁴ ROTHE	69 RVUE	

- ¹ ACCIARRI 96G assumes LEP result that the associated neutral heavy lepton mass > 40 GeV.
- ² The AHMED 94 limits are from a search for neutral and charged sequential heavy leptons at HERA via the decay channels $L^- \rightarrow e\gamma$, $L^- \rightarrow \nu W^-$, $L^- \rightarrow eZ$; and $L^0 \rightarrow \nu\gamma$, $L^0 \rightarrow e^- W^+$, $L^- \rightarrow \nu Z$, where the W decays to $\ell\nu_\ell$, or to jets, and Z decays to $\ell^+\ell^-$ or jets.
- ³ RILES 90 limits were the result of a special analysis of the data in the case where the mass difference $m_{L^-} - m_{L^0}$ was allowed to be quite small, where L^0 denotes the neutrino into which the sequential charged lepton decays. With a slightly reduced m_{L^\pm} range, the mass difference extends to about 4 GeV.
- ⁴ STOKER 89 (Mark II at PEP) gives bounds on charged heavy lepton (L^+) mass for the generalized case in which the corresponding neutral heavy lepton (L^0) in the SU(2) doublet is not of negligible mass.
- ⁵ ABE 88 search for L^+ and $L^- \rightarrow$ hadrons looking for acoplanar jets. The bound is valid for $m_\nu < 10$ GeV.
- ⁶ ADACHI 88B search for hadronic decays giving acoplanar events with large missing energy. $E_{\text{cm}}^{ee} = 52$ GeV.
- ⁷ Assumes associated neutrino is approximately massless.
- ⁸ ADEVA 85 analyze one-isolated-muon data and sensitive to $\tau < 10$ nanosec. Assume $B(\text{lepton}) = 0.30$. $E_{\text{cm}} = 40\text{--}47$ GeV.
- ⁹ BARTEL 83 limit is from PETRA e^+e^- experiment with average $E_{\text{cm}} = 34.2$ GeV.
- ¹⁰ BERGER 81B is DESY DORIS and PETRA experiment. Looking for $e^+e^- \rightarrow L^+L^-$.
- ¹¹ BRANDELIK 81 is DESY-PETRA experiment. Looking for $e^+e^- \rightarrow L^+L^-$.
- ¹² AZIMOV 80 estimated probabilities for $M + N$ type events in $e^+e^- \rightarrow L^+L^-$ deducing semi-hadronic decay multiplicities of L from e^+e^- annihilation data at $E_{\text{cm}} = (2/3)m_L$. Obtained above limit comparing these with e^+e^- data (BRANDELIK 80).
- ¹³ BARBER 80B looked for $e^+e^- \rightarrow L^+L^-$, $L \rightarrow \nu_L^+ X$ with MARK-J at DESY-PETRA.
- ¹⁴ ROTHE 69 examines previous data on μ pair production and π and K decays.

Stable Charged Heavy Lepton (L^\pm) MASS LIMITS

VALUE (GeV)	CL%	DOCUMENT ID	TECN
>84.2	95	ACCIARRI	97P L3
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
>28.2	95	¹⁵ ADACHI	90C TOPZ
none 18.5–42.8	95	AKRAWY	90O OPAL
>26.5	95	DECAMP	90F ALEP
none m_μ –36.3	95	SODERSTROM90	MRK2

- ¹⁵ ADACHI 90C put lower limits on the mass of stable charged particles with electric charge Q satisfying $2/3 < Q/e < 4/3$ and with spin 0 or 1/2. We list here the special case for a stable charged heavy lepton.

Charged Long-Lived Heavy Lepton MASS LIMITS

VALUE (GeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
>0.1	0	¹⁶ ANSORGE	73B HBC	–	Long-lived
none 0.55–4.5		¹⁷ BUSHNIN	73 CNTR	–	Long-lived
none 0.2–0.92		¹⁸ BARNA	68 CNTR	–	Long-lived
none 0.97–1.03		¹⁸ BARNA	68 CNTR	–	Long-lived

- ¹⁶ ANSORGE 73B looks for electron pair production and electron-like Bremsstrahlung.

¹⁷BUSHNIN 73 is SERPUKOV 70 GeV p experiment. Masses assume mean life above 7×10^{-10} and 3×10^{-8} respectively. Calculated from cross section (see "Charged Quasi-Stable Lepton Production Differential Cross Section" below) and 30 GeV muon pair production data.

¹⁸BARNA 68 is SLAC photoproduction experiment.

Doubly-Charged Heavy Lepton MASS LIMITS

VALUE (GeV)	CL%	DOCUMENT ID	TECN	CHG
-------------	-----	-------------	------	-----

• • • We do not use the following data for averages, fits, limits, etc. • • •

none 1–9 GeV	90	¹⁹ CLARK	81 SPEC	++
--------------	----	---------------------	---------	----

¹⁹CLARK 81 is FNAL experiment with 209 GeV muons. Bounds apply to μ_P which couples with full weak strength to muon. See also section on "Doubly-Charged Lepton Production Cross Section."

Doubly-Charged Lepton Production Cross Section (μN Scattering)

VALUE (cm ²)	EVTS	DOCUMENT ID	TECN	CHG
--------------------------	------	-------------	------	-----

• • • We do not use the following data for averages, fits, limits, etc. • • •

$<6. \times 10^{-38}$	0	²⁰ CLARK	81 SPEC	++
-----------------------	---	---------------------	---------	----

²⁰CLARK 81 is FNAL experiment with 209 GeV muon. Looked for μ^+ nucleon $\rightarrow \bar{\mu}_P^0 X$, $\bar{\mu}_P^0 \rightarrow \mu^+ \mu^- \bar{\nu}_\mu$ and $\mu^+ n \rightarrow \mu_P^{++} X$, $\mu_P^{++} \rightarrow 2\mu^+ \nu_\mu$. Above limits are for $\sigma \times BR$ taken from their mass-dependence plot figure 2.

REFERENCES FOR Heavy Charged Lepton Searches

ACKERSTAFF	98C	EPJ C1 45	K. Ackerstaff+	(OPAL Collab.)
ACCIARRI	97P	PL B412 189	+Adriani, Aguilar-Benitez, Ahlen+	(L3 Collab.)
ACKERSTAFF	97D	PL B393 217	+Alexander, Allison, Altekamp+	(OPAL Collab.)
ACCIARRI	96G	PL B377 304	+Adam, Adriani, Aguilar-Benitez+	(L3 Collab.)
ALEXANDER	96P	PL B385 433	+Allison, Altekamp, Ametewee+	(OPAL Collab.)
BUSKULIC	96S	PL B384 439	+De Bonis, Decamp, Ghez+	(ALEPH Collab.)
AHMED	94	PL B340 205	+	(H1 Collab.)
KIM	91B	IJMP A6 2583	+Smith, Breedon, Ko+	(AMY Collab.)
ADACHI	90C	PL B244 352	+Aihara, Doser, Enomoto+	(TOPAZ Collab.)
ADEVA	90S	PL B251 321	+Adriani, Aguilar-Benitez, Akbari+	(L3 Collab.)
AKRAWY	90G	PL B240 250	+Alexander, Allison, Allport+	(OPAL Collab.)
AKRAWY	90O	PL B252 290	+Alexander, Allison, Allport, Anderson+	(OPAL Collab.)
DECAMP	90F	PL B236 511	+Deschizeaux, Lees, Minard+	(ALEPH Collab.)
RILES	90	PR D42 1	+Perl, Barklow+	(Mark II Collab.)
SODERSTROM	90	PRL 64 2980	+McKenna, Abrams, Adolphsen, Averill+	(Mark II Collab.)
STOKER	89	PR D39 1811	+Perl, Abrams+	(Mark II Collab.)
ABE	88	PRL 61 915	+Amako, Arai, Asano, Chiba	(VENUS Collab.)
ADACHI	88B	PR D37 1339	+Aihara, Dijkstra, Enomoto+	(TOPAZ Collab.)
BEHREND	88C	ZPHY C41 7	+Burger, Criegee, Dainton+	(CELLO Collab.)
ALBAJAR	87B	PL B185 241	+Albrow, Allkofer, Arnison+	(UA1 Collab.)
ADEVA	85	PL 152B 439	+Becker, Becker-Szendy+	(Mark-J Collab.)
Also	84C	PRPL 109 131	Adeva, Barber, Becker+	(Mark-J Collab.)
BARTEL	83	PL 123B 353	+Cords, Dietrich, Eichler+	(JADE Collab.)
BERGER	81B	PL 99B 489	+Genzel, Grigull, Lackas+	(PLUTO Collab.)
BRANDELIK	81	PL 99B 163	+Braunschweig, Gather+	(TASSO Collab.)
CLARK	81	PRL 46 299	+Johnson, Kerth, Loken+	(UCB, LBL, FNAL, PRIN)
Also	82	PR D25 2762	Smith, Clark, Johnson, Kerth+	(LBL, FNAL, PRIN)
AZIMOV	80	JETPL 32 664	+Khoze	(PNPI)
		Translated from ZETFP	32 677.	

BARBER	80B	PRL 45 1904	+Becker, Bei, Berghoff+	(Mark-J Collab.)
BRANDELIK	80	PL 92B 199	+Braunschweig, Gather+	(TASSO Collab.)
ANSORGE	73B	PR D7 26	+Baker, Krzesinski, Neale, Rushbrooke+	(CAVE)
BUSHNIN	73	NP B58 476	+Dunaitzev, Golovkin, Kubarovsky+	(SERP)
Also	72	PL 42B 136	Golovkin, Grachev, Shodyrev+	(SERP)
ROTHER	69	NP B10 241	+Wolsky	(PENN)
BARNA	68	PR 173 1391	+Cox, Martin, Perl, Tan, Toner, Zipf+	(SLAC, STAN)

OTHER RELATED PAPERS

PERL 81 SLAC-PUB-2752 (SLAC)
Physics in Collision Conference.
