

$\eta_c(1S)$

$$I^G(J^{PC}) = 0^+(0^{-+})$$

### $\eta_c(1S)$ MASS


VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>2979.8 ± 1.8 OUR AVERAGE</b>		Error includes scale factor of 1.9. See the ideogram below.		
2975.8 ± 3.9 ± 1.2		<sup>1,2</sup> BAI	99B BES	$\psi(2S) \rightarrow \gamma X$
2999 ± 8	25	ABREU	98O DLPH	$e^+e^- \rightarrow e^+e^-$ +hadrons
2988.3 <sup>+</sup> <sub>-3.1</sub>		ARMSTRONG	95F E760	$\bar{p}p \rightarrow \gamma\gamma$
2974.4 ± 1.9		<sup>1</sup> BISELLO	91 DM2	$J/\psi \rightarrow \eta_c \gamma$
2969 ± 4 ± 4	80	BAI	90B MRK3	$J/\psi \rightarrow$ $\gamma K^+ K^- K^+ K^-$
2982.6 <sup>+</sup> <sub>-2.3</sub>	12	BAGLIN	87B SPEC	$\bar{p}p \rightarrow \gamma\gamma$
2980.2 ± 1.6		<sup>1</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$
2984 ± 2.3 ± 4.0		GAISER	86 CBAL	$J/\psi \rightarrow \gamma X, \psi(2S) \rightarrow$ $\gamma X$
2982 ± 8	18	<sup>3</sup> HIMEL	80B MRK2	$e^+e^-$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2956 ± 12 ± 12		BAI	90B MRK3	$J/\psi \rightarrow$ $\gamma K^+ K^- K_S^0 K_L^0$
2976 ± 8		<sup>4</sup> BALTRUSAIT..84	MRK3	$J/\psi \rightarrow 2\phi\gamma$
2980 ± 9		<sup>3</sup> PARTRIDGE	80B CBAL	$e^+e^-$

<sup>1</sup> Average of several decay modes.

<sup>2</sup> Using an  $\eta_c$  width of 13.2 MeV.

<sup>3</sup> Mass adjusted by us to correspond to  $J/\psi(1S)$  mass = 3097 MeV.

<sup>4</sup>  $\eta_c \rightarrow \phi\phi$ .



$\eta_c(1S)$  mass (MeV)

### $\eta_c(1S)$ WIDTH

VALUE (MeV)	CL%	EVTs	DOCUMENT ID	TECN	COMMENT
<b>13.2<sup>+3.8</sup><sub>-3.2</sub></b>					<b>OUR AVERAGE</b>
23.9 <sup>+12.6</sup> <sub>-7.1</sub>			ARMSTRONG 95F E760		$\bar{p}p \rightarrow \gamma\gamma$
7.0 <sup>+7.5</sup> <sub>-7.0</sub>		12	BAGLIN 87B SPEC		$\bar{p}p \rightarrow \gamma\gamma$
10.1 <sup>+33.0</sup> <sub>-8.2</sub>		23	<sup>5</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \gamma p \bar{p}$
11.5 ± 4.5			GAISER 86	CBAL	$J/\psi \rightarrow \gamma X, \psi(2S) \rightarrow \gamma X$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<40	90	18	HIMEL 80B	MRK2	$e^+e^-$
<20	90		PARTRIDGE 80B	CBAL	$e^+e^-$

<sup>5</sup> Positive and negative errors correspond to 90% confidence level.

## $\eta_c(1S)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level
<b>Decays involving hadronic resonances</b>		
$\Gamma_1$ $\eta'(958)\pi\pi$	(4.1 $\pm$ 1.7) %	
$\Gamma_2$ $\rho\rho$	(2.6 $\pm$ 0.9) %	
$\Gamma_3$ $K^*(892)^0 K^- \pi^+ + \text{c.c.}$	(2.0 $\pm$ 0.7) %	
$\Gamma_4$ $K^*(892)\bar{K}^*(892)$	(8.5 $\pm$ 3.1) $\times 10^{-3}$	
$\Gamma_5$ $\phi\phi$	(7.1 $\pm$ 2.8) $\times 10^{-3}$	
$\Gamma_6$ $a_0(980)\pi$	< 2 %	90%
$\Gamma_7$ $a_2(1320)\pi$	< 2 %	90%
$\Gamma_8$ $K^*(892)\bar{K} + \text{c.c.}$	< 1.28 %	90%
$\Gamma_9$ $f_2(1270)\eta$	< 1.1 %	90%
$\Gamma_{10}$ $\omega\omega$	< 3.1 $\times 10^{-3}$	90%
<b>Decays into stable hadrons</b>		
$\Gamma_{11}$ $K\bar{K}\pi$	(5.5 $\pm$ 1.7) %	
$\Gamma_{12}$ $\eta\pi\pi$	(4.9 $\pm$ 1.8) %	
$\Gamma_{13}$ $\pi^+\pi^- K^+ K^-$	(2.0 $^{+0.7}_{-0.6}$ ) %	
$\Gamma_{14}$ $2(K^+ K^-)$	(2.1 $\pm$ 1.2) %	
$\Gamma_{15}$ $2(\pi^+ \pi^-)$	(1.2 $\pm$ 0.4) %	
$\Gamma_{16}$ $p\bar{p}$	(1.2 $\pm$ 0.4) $\times 10^{-3}$	
$\Gamma_{17}$ $K\bar{K}\eta$	< 3.1 %	90%
$\Gamma_{18}$ $\pi^+\pi^- p\bar{p}$	< 1.2 %	90%
$\Gamma_{19}$ $\Lambda\bar{\Lambda}$	< 2 $\times 10^{-3}$	90%
<b>Radiative decays</b>		
$\Gamma_{20}$ $\gamma\gamma$	(3.0 $\pm$ 1.2) $\times 10^{-4}$	

## $\eta_c(1S)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$	$\Gamma_{20}$
VALUE (keV)	EVTS
DOCUMENT ID	TECN
COMMENT	
<b>7.4 <math>\pm</math> 1.4 OUR AVERAGE</b>	
6.9 $\pm$ 1.7 $\pm$ 2.1	76 $\pm$ 19
ACCIARRI 99T L3	$\gamma\gamma$
27 $\pm$ 16 $\pm$ 10	5
SHIRAI 98 AMY	58 $e^+e^-$
6.7 $^{+2.4}_{-1.7}$ $\pm$ 2.3	
ARMSTRONG 95F E760	$\bar{p}p \rightarrow \gamma\gamma$
11.3 $\pm$ 4.2	
ALBRECHT 94H ARG	$\gamma\gamma$
5.9 $^{+2.1}_{-1.8}$ $\pm$ 1.9	
CHEN 90B CLEO	$e^+e^- \rightarrow e^+e^-\eta_c$
6.4 $^{+5.0}_{-3.4}$	
AIHARA 88D TPC	$e^+e^- \rightarrow e^+e^-X$
28 $\pm$ 15	
<sup>6</sup> BERGER 86 PLUT	$\gamma\gamma \rightarrow K\bar{K}\pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●	
8.0 $\pm$ 2.3 $\pm$ 2.4	17
<sup>7</sup> ADRIANI 93N L3	$e^+e^- \rightarrow e^+e^-\eta_c$

<sup>6</sup> Re-evaluated by AIHARA 88D.

<sup>7</sup> Superseded by ACCIARRI 99T.

### $\eta_c(1S) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K\bar{K}\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$			$\Gamma_{11}\Gamma_{20}/\Gamma$		
VALUE (keV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.94±0.18 OUR AVERAGE</b>					
0.84±0.21			<sup>8</sup> ALBRECHT	94H ARG	$\gamma\gamma \rightarrow K^\pm K_S^0 \pi^\mp$
1.06±0.41±0.27		11	BRAUNSCH...	89 TASS	$\gamma\gamma \rightarrow K\bar{K}\pi$
1.5 $\begin{smallmatrix} +0.60 \\ -0.45 \end{smallmatrix}$ ±0.3		7	<sup>8</sup> BERGER	86 PLUT	$\gamma\gamma \rightarrow K\bar{K}\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.63	95		<sup>8</sup> BEHREND	89 CELL	$\gamma\gamma \rightarrow K_S^0 K^\pm \pi^\mp$
<4.4	95		ALTHOFF	85B TASS	$\gamma\gamma \rightarrow K\bar{K}\pi$
<sup>8</sup> $K^\pm K_S^0 \pi^\mp$ corrected to $K\bar{K}\pi$ by factor 3.					

### $\eta_c(1S)$ BRANCHING RATIOS

#### HADRONIC DECAYS

$\Gamma(\eta'(958)\pi\pi)/\Gamma_{\text{total}}$			$\Gamma_1/\Gamma$		
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
<b>0.041±0.017</b>	14	<sup>9</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	

$\Gamma(\rho\rho)/\Gamma_{\text{total}}$			$\Gamma_2/\Gamma$		
VALUE (units $10^{-3}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>26 ± 9 OUR EVALUATION</b> (Treating systematic errors as correlated.)					
<b>25 ± 8 OUR AVERAGE</b>					
26.0± 2.4±8.8		113	<sup>9</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma \rho^0 \rho^0$
23.6±10.6±8.2		32	<sup>9</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma \rho^+ \rho^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<140	90		<sup>9</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(K^*(892)^0 K^- \pi^+ + \text{c.c.})/\Gamma_{\text{total}}$			$\Gamma_3/\Gamma$		
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
<b>0.02 ± 0.007</b>	63	<sup>9</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	

$\Gamma(K^*(892)\bar{K}^*(892))/\Gamma_{\text{total}}$			$\Gamma_4/\Gamma$		
VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT	
<b>85±31 OUR AVERAGE</b>					
82±28±27		14	<sup>9</sup> BISELLO	91 DM2	$e^+ e^- \rightarrow \gamma K^+ K^- \pi^+ \pi^-$
90±50		9	<sup>9</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(K^*(892)\bar{K} + \text{c.c.})/\Gamma_{\text{total}}$			$\Gamma_8/\Gamma$		
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<b>&lt;0.0128</b>	90	BISELLO	91 DM2	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$	
<0.0132	90	<sup>9</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- \pi^0$	

**$\Gamma(\phi\phi)/\Gamma_{\text{total}}$**   **$\Gamma_5/\Gamma$**

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

**71±28 OUR EVALUATION** (Treating systematic errors as correlated.)

**71±22 OUR AVERAGE**

74±18±24	80	<sup>9</sup> BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
67±21±24		<sup>9</sup> BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

31± 7±10	19	<sup>9</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
30 <sup>+18</sup> <sub>-12</sub> ±10	5	<sup>9</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$

**$\Gamma(a_0(980)\pi)/\Gamma_{\text{total}}$**   **$\Gamma_6/\Gamma$**

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

**<0.02** 90 <sup>9,10</sup> BALTRUSAIT..86 MRK3  $J/\psi \rightarrow \eta_c \gamma$

**$\Gamma(a_2(1320)\pi)/\Gamma_{\text{total}}$**   **$\Gamma_7/\Gamma$**

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

**<0.02** 90 <sup>9</sup> BALTRUSAIT..86 MRK3  $J/\psi \rightarrow \eta_c \gamma$

**$\Gamma(f_2(1270)\eta)/\Gamma_{\text{total}}$**   **$\Gamma_9/\Gamma$**

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

**<0.011** 90 <sup>9</sup> BALTRUSAIT..86 MRK3  $J/\psi \rightarrow \eta_c \gamma$

**$\Gamma(\omega\omega)/\Gamma_{\text{total}}$**   **$\Gamma_{10}/\Gamma$**

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

**<0.0031** 90 <sup>9</sup> BALTRUSAIT..86 MRK3  $J/\psi \rightarrow \eta_c \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.0063 <sup>9</sup> BISELLO 91 DM2  $J/\psi \rightarrow \gamma\omega\omega$

**$\Gamma(K\bar{K}\pi)/\Gamma_{\text{total}}$**   **$\Gamma_{11}/\Gamma$**

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
-------	-----	------	-------------	------	---------

**0.055 ±0.017 OUR EVALUATION** (Treating systematic errors as correlated.)

**0.055 ±0.008 OUR AVERAGE**

0.0690±0.0142±0.0132	33	<sup>9</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- \pi^0$
0.0543±0.0094±0.0094	68	<sup>9</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^\pm \pi^\mp K_S^0$
0.048 ±0.011	95	<sup>9,11</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$
0.161 <sup>+0.092</sup> <sub>-0.073</sub>		<sup>12</sup> HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.107 90 <sup>9</sup> PARTRIDGE 80B CBAL  $J/\psi \rightarrow \eta_c \gamma$

$\Gamma(\eta\pi\pi)/\Gamma_{\text{total}}$						$\Gamma_{12}/\Gamma$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b>0.049±0.018 OUR EVALUATION</b>						
<b>0.047±0.015 OUR AVERAGE</b>						
0.054±0.020	75	<sup>9</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$		
0.037±0.013±0.020	18	<sup>9</sup> PARTRIDGE	80B CBAL	$J/\psi \rightarrow \eta\pi^+\pi^-\gamma$		
$\Gamma(\pi^+\pi^-K^+K^-)/\Gamma_{\text{total}}$						$\Gamma_{13}/\Gamma$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b>0.020<sup>+0.007</sup><sub>-0.006</sub> OUR AVERAGE</b>						
0.021±0.007	110	<sup>9</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$		
0.014 <sup>+0.022</sup> <sub>-0.009</sub>		<sup>12</sup> HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$		
$\Gamma(2(\pi^+\pi^-))/\Gamma_{\text{total}}$						$\Gamma_{15}/\Gamma$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b>0.012 ±0.004 OUR EVALUATION</b>						
<b>0.0120±0.0031 OUR AVERAGE</b>						
0.0105±0.0017±0.0034	137	<sup>9</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma 2\pi^+ 2\pi^-$		
0.013 ±0.006	25	<sup>9</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$		
0.020 <sup>+0.015</sup> <sub>-0.010</sub>		<sup>12</sup> HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$		
$\Gamma(2(K^+K^-))/\Gamma_{\text{total}}$						$\Gamma_{14}/\Gamma$
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b>0.021±0.010±0.006</b>						
		ALBRECHT	94H ARG	$\gamma\gamma \rightarrow K^+K^-K^+K^-$		
$\Gamma(p\bar{p})/\Gamma_{\text{total}}$						$\Gamma_{16}/\Gamma$
<u>VALUE (units 10<sup>-4</sup>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b>12± 4 OUR AVERAGE</b>						
10± 3±4	18	<sup>9</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma p\bar{p}$		
11± 6	23	<sup>9</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$		
29 <sup>+29</sup> <sub>-15</sub>		<sup>12</sup> HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$		
$\Gamma(K\bar{K}\eta)/\Gamma_{\text{total}}$						$\Gamma_{17}/\Gamma$
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b>&lt;0.031</b>						
	90	<sup>9</sup> BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$		
$\Gamma(\pi^+\pi^-p\bar{p})/\Gamma_{\text{total}}$						$\Gamma_{18}/\Gamma$
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b>&lt;0.012</b>						
	90	HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$		
$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$						$\Gamma_{19}/\Gamma$
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b>&lt;0.002</b>						
	90	<sup>9</sup> BISELLO	91 DM2	$e^+e^- \rightarrow \gamma\Lambda\bar{\Lambda}$		

**$\Gamma_i \Gamma_f / \Gamma_{\text{total}}^2$  in  $p\bar{p} \rightarrow \eta_c(1S) \rightarrow \phi\phi$   $\Gamma_{16}\Gamma_5/\Gamma^2$**

VALUE (units $10^{-5}$ )	DOCUMENT ID	TECN	COMMENT
<b><math>4.0^{+3.5}_{-3.2}</math></b>	BAGLIN	89	SPEC $\bar{p}p \rightarrow K^+ K^- K^+ K^-$

<sup>9</sup> The quoted branching ratios use  $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$ . Where relevant, the error in this branching ratio is treated as a common systematic in computing averages.

<sup>10</sup> We are assuming  $B(a_0(980) \rightarrow \eta\pi) > 0.5$ .

<sup>11</sup> Average from  $K^+ K^- \pi^0$  and  $K^\pm K^0 s\pi^\mp$  decay channels.

<sup>12</sup> Estimated using  $B(\psi(2S) \rightarrow \gamma\eta_c(1S)) = 0.0028 \pm 0.0006$ .

**RADIATIVE DECAYS**

**$\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$   $\Gamma_{20}/\Gamma$**

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b><math>3.0 \pm 1.2</math></b>	<b>OUR AVERAGE</b>			
$2.80^{+0.67}_{-0.58} \pm 1.0$		ARMSTRONG	95F E760	$\bar{p}p \rightarrow \gamma\gamma$
$6^{+4}_{-3} \pm 4$		BAGLIN	87B SPEC	$\bar{p}p \rightarrow \gamma\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 9	90	<sup>9</sup> BISELLO	91 DM2	$J/\psi \rightarrow \gamma\gamma\gamma$
< 18	90	<sup>13</sup> BLOOM	83 CBAL	$J/\psi \rightarrow \eta_c\gamma$

<sup>13</sup> Using  $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$ .

**$\Gamma_i \Gamma_f / \Gamma_{\text{total}}^2$  in  $p\bar{p} \rightarrow \eta_c(1S) \rightarrow \gamma\gamma$   $\Gamma_{16}\Gamma_{20}/\Gamma^2$**

VALUE (units $10^{-6}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>0.36^{+0.08}_{-0.07}</math></b>	<b>OUR AVERAGE</b>			Error includes scale factor of 1.1.
$0.336^{+0.080}_{-0.070}$		ARMSTRONG	95F E760	$\bar{p}p \rightarrow \gamma\gamma$
$0.68^{+0.42}_{-0.31}$	12	BAGLIN	87B SPEC	$\bar{p}p \rightarrow \gamma\gamma$

**$\eta_c(1S)$  REFERENCES**

ACCIARRI	99T	PL B461 155	M. Acciarri <i>et al.</i>	(L3 Collab.)
BAI	99B	PR D60 072001	J.Z. Bai <i>et al.</i>	(BES Collab.)
ABREU	98O	PL B441 479	P. Abreu <i>et al.</i>	(DELPHI Collab.)
SHIRAI	98	PL B424 405	M. Shirai <i>et al.</i>	(AMY Collab.)
ARMSTRONG	95F	PR D52 4839	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
ALBRECHT	94H	PL B338 390	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ADRIANI	93N	PL B318 575	O. Adriani <i>et al.</i>	(L3 Collab.)
BISELLO	91	NP B350 1	D. Bisello <i>et al.</i>	(DM2 Collab.)
BAI	90B	PRL 65 1309	Z. Bai <i>et al.</i>	(Mark III Collab.)
CHEN	90B	PL B243 169	W.Y. Chen <i>et al.</i>	(CLEO Collab.)
BAGLIN	89	PL B231 557	C. Baglin, S. Baird, G. Bassompierre	(R704 Collab.)
BEHREND	89	ZPHY C42 367	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
BRAUNSCH...	89	ZPHY C41 533	W. Braunschweig <i>et al.</i>	(TASSO Collab.)
AIHARA	88D	PRL 60 2355	H. Aihara <i>et al.</i>	(TPC Collab.)
BAGLIN	87B	PL B187 191	C. Baglin <i>et al.</i>	(R704 Collab.)
BALTRUSAIT...	86	PR D33 629	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
BERGER	86	PL 167B 120	C. Berger <i>et al.</i>	(PLUTO Collab.)
GAISER	86	PR D34 711	J. Gaiser <i>et al.</i>	(Crystal Ball Collab.)
ALTHOFF	85B	ZPHY C29 189	M. Althoff <i>et al.</i>	(TASSO Collab.)
BALTRUSAIT...	84	PRL 52 2126	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+ JP)
BLOOM	83	ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)
HIMEL	80B	PRL 45 1146	T.M. Himel <i>et al.</i>	(SLAC, LBL, UCB)
PARTRIDGE	80B	PRL 45 1150	R. Partridge <i>et al.</i>	(CIT, HARV, PRIN+)

————— **OTHER RELATED PAPERS** —————

ARMSTRONG 89 PL B221 216 T.A. Armstrong *et al.* (CERN, CDEF, BIRM+)

---