


$\omega(782)$

$$I^G(J^{PC}) = 0^-(1^{--})$$

 $\omega(782)$ MASS

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
782.57±0.12 OUR AVERAGE		Error includes scale factor of 1.8. See the ideogram below.		
782.71±0.07±0.04	11200	AKHMETSHIN 00C	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
782.7 ±0.1 ±1.5	19500	WURZINGER 95	SPEC	1.33 $pd \rightarrow {}^3\text{He}\omega$
781.96±0.17±0.80	11k	AMSLER 94C	CBAR	0.0 $\bar{p}p \rightarrow \omega\pi^0\pi^0$
782.08±0.36±0.82	3463	AMSLER 94C	CBAR	0.0 $\bar{p}p \rightarrow \omega\eta\pi^0$
781.96±0.13±0.17	15k	AMSLER 93B	CBAR	0.0 $\bar{p}p \rightarrow \omega\pi^0\pi^0$
782.4 ±0.2	270k	WEIDENAUER 93	ASTE	$\bar{p}p \rightarrow 2\pi^+2\pi^-\pi^0$
782.2 ±0.4	1488	KURDADZE 83B	OLYA	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
782.4 ±0.5	7000	¹ KEYNE 76	CNTR	$\pi^-p \rightarrow \omega n$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
781.78±0.10		² BARKOV 87	CMD	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
783.3 ±0.4		CORDIER 80	WIRE	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
782.5 ±0.8	33260	ROOS 80	RVUE	0.0–3.6 $\bar{p}p$
782.6 ±0.8	3000	BENKHEIRI 79	OMEG	9–12 $\pi^\pm p$
781.8 ±0.6	1430	COOPER 78B	HBC	0.7–0.8 $\bar{p}p \rightarrow 5\pi$
782.7 ±0.9	535	VANAPEL... 78	HBC	7.2 $\bar{p}p \rightarrow \bar{p}p\omega$
783.5 ±0.8	2100	GESSAROLI 77	HBC	11 $\pi^-p \rightarrow \omega n$
782.5 ±0.8	418	AGUILAR-... 72B	HBC	3.9,4.6 K^-p
783.4 ±1.0	248	BIZZARRI 71	HBC	0.0 $p\bar{p} \rightarrow K^+K^-\omega$
781.0 ±0.6	510	BIZZARRI 71	HBC	0.0 $p\bar{p} \rightarrow K_1^+K_1^-\omega$
783.7 ±1.0	3583	³ COYNE 71	HBC	3.7 $\pi^+p \rightarrow$ $p\pi^+\pi^+\pi^-\pi^0$
784.1 ±1.2	750	ABRAMOVI... 70	HBC	3.9 π^-p
783.2 ±1.6		⁴ BIGGS 70B	CNTR	<4.1 $\gamma C \rightarrow \pi^+\pi^-C$
782.4 ±0.5	2400	BIZZARRI 69	HBC	0.0 $\bar{p}p$

¹ Observed by threshold-crossing technique. Mass resolution = 4.8 MeV FWHM.² Systematic uncertainties underestimated. Superseded by AKHMETSHIN 00C.³ From best-resolution sample of COYNE 71.⁴ From ω - ρ interference in the $\pi^+\pi^-$ mass spectrum assuming ω width 12.6 MeV.



$\omega(782)$ mass (MeV)

$\omega(782)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
8.44±0.09 OUR AVERAGE				
8.68±0.23±0.10	11200	AKHMETSHIN 00C	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
8.2 ±0.3	19500	WURZINGER 95	SPEC	1.33 $pd \rightarrow {}^3\text{He}\omega$
8.4 ±0.1		⁵ AULCHENKO 87	ND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
8.30±0.40		BARKOV 87	CMD	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
9.8 ±0.9	1488	KURDADZE 83B	OLYA	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
9.0 ±0.8		CORDIER 80	WIRE	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
9.1 ±0.8		BENAKSAS 72B	OSPK	e^+e^-
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
12 ±2	1430	COOPER 78B	HBC	0.7–0.8 $\bar{p}p \rightarrow 5\pi$
9.4 ±2.5	2100	GESSAROLI 77	HBC	11 $\pi^-p \rightarrow \omega n$
10.22±0.43	20000	⁶ KEYNE 76	CNTR	$\pi^-p \rightarrow \omega n$
13.3 ±2	418	AGUILAR-... 72B	HBC	3.9,4.6 K^-p
10.5 ±1.5		BORENSTEIN 72	HBC	2.18 K^-p
7.70±0.9 ±1.15	940	BROWN 72	MMS	2.5 $\pi^-p \rightarrow nMM$
10.3 ±1.4	510	BIZZARRI 71	HBC	0.0 $p\bar{p} \rightarrow K_1^-K_1^-\omega$
12.8 ±3.0	248	BIZZARRI 71	HBC	0.0 $p\bar{p} \rightarrow K^+K^-\omega$
9.5 ±1.0	3583	COYNE 71	HBC	3.7 $\pi^+p \rightarrow p\pi^+\pi^+\pi^-\pi^0$

⁵ Relativistic Breit-Wigner includes radiative corrections.

⁶ Observed by threshold-crossing technique. Mass resolution = 4.8 MeV FWHM.

$\omega(782)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Confidence level
Γ_1 $\pi^+ \pi^- \pi^0$	(88.6 \pm 0.7) %	
Γ_2 $\pi^0 \gamma$	(8.66 \pm 0.35) %	
Γ_3 $\pi^+ \pi^-$	(2.23 \pm 0.30) %	
Γ_4 neutrals (excluding $\pi^0 \gamma$)	(4.8 $^{+7.7}_{-3.1}$) $\times 10^{-3}$	
Γ_5 $\eta \gamma$	(6.5 \pm 1.0) $\times 10^{-4}$	
Γ_6 $\pi^0 e^+ e^-$	(5.9 \pm 1.9) $\times 10^{-4}$	
Γ_7 $\pi^0 \mu^+ \mu^-$	(9.6 \pm 2.3) $\times 10^{-5}$	
Γ_8 $e^+ e^-$	(6.97 \pm 0.13) $\times 10^{-5}$	
Γ_9 $\pi^+ \pi^- \pi^0 \pi^0$	< 2 %	90%
Γ_{10} $\pi^+ \pi^- \gamma$	< 3.6 $\times 10^{-3}$	95%
Γ_{11} $\pi^+ \pi^- \pi^+ \pi^-$	< 1 $\times 10^{-3}$	90%
Γ_{12} $\pi^0 \pi^0 \gamma$	(7.8 \pm 3.4) $\times 10^{-5}$	
Γ_{13} $\mu^+ \mu^-$	< 1.8 $\times 10^{-4}$	90%
Γ_{14} 3γ	< 1.9 $\times 10^{-4}$	95%
Charge conjugation (C) violating modes		
Γ_{15} $\eta \pi^0$	C < 1 $\times 10^{-3}$	90%
Γ_{16} $3\pi^0$	C < 3 $\times 10^{-4}$	90%

CONSTRAINED FIT INFORMATION

An overall fit to 8 branching ratios uses 28 measurements and one constraint to determine 5 parameters. The overall fit has a $\chi^2 = 17.0$ for 24 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	19			
x_3	-38	-7		
x_4	-82	-59	-2	
x_8	-20	-4	8	17
	x_1	x_2	x_3	x_4

$\omega(782)$ PARTIAL WIDTHS

$\Gamma(e^+ e^-)$	Γ_8
VALUE (keV)	EVTS
0.60 \pm 0.02	OUR EVALUATION
DOCUMENT ID	TECN
COMMENT	

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.595 \pm 0.014 \pm 0.009$ 11200 ⁷ AKHMETSHIN 00C CMD2 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
⁷ Using $B(\omega \rightarrow \pi^+ \pi^- \pi^0) = 0.888 \pm 0.007$.

$\omega(782) \Gamma(i)\Gamma(e^+ e^-)/\Gamma^2(\text{total})$

$\Gamma(e^+ e^-) \times \Gamma(\pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}^2$ $\Gamma_8 \Gamma_1/\Gamma^2$

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
6.18 ± 0.12 OUR FIT				
6.08 ± 0.14 ± 0.08	11200	AKHMETSHIN 00C	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$

$\Gamma(e^+ e^-) \times \Gamma(\eta\gamma)/\Gamma_{\text{total}}^2$ $\Gamma_8 \Gamma_5/\Gamma^2$

VALUE (units 10^{-8})	EVTS	DOCUMENT ID	TECN	COMMENT
3.25 ± 0.51 ± 0.10	312	⁸ ACHASOV	00D SND	$e^+ e^- \rightarrow \eta\gamma$

⁸ From the $\eta \rightarrow 3\pi^0$ decay and using $B(\eta \rightarrow 3\pi^0) = (32.2 \pm 0.4) \times 10^{-2}$.

$\omega(782)$ BRANCHING RATIOS

$\Gamma(\text{neutrals})/\Gamma(\pi^+ \pi^- \pi^0)$ $(\Gamma_2 + \Gamma_4)/\Gamma_1$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.103 ± 0.008 OUR FIT				
0.103^{+0.011}_{-0.010} OUR AVERAGE				
0.15 ± 0.04	46	AGUILAR-...	72B HBC	3.9,4.6 $K^- p$
0.10 ± 0.03	19	BARASH	67B HBC	0.0 $\bar{p} p$
0.134 ± 0.026	850	DIGIUGNO	66B CNTR	1.4 $\pi^- p$
0.097 ± 0.016	348	FLATTE	66 HBC	1.4 – 1.7 $K^- p \rightarrow$ AMM
0.06 ^{+0.05} _{-0.02}		JAMES	66 HBC	2.1 $\pi^+ p$
0.08 ± 0.03	35	KRAEMER	64 DBC	1.2 $\pi^+ d$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.11 ± 0.02	20	BUSCHBECK	63 HBC	1.5 $K^- p$

$\Gamma(\pi^+ \pi^-)/\Gamma(\pi^+ \pi^- \pi^0)$ Γ_3/Γ_1

See also $\Gamma(\pi^+ \pi^-)/\Gamma_{\text{total}}$.

VALUE	DOCUMENT ID	TECN	COMMENT
0.0252 ± 0.0035 OUR FIT			
0.026 ± 0.005 OUR AVERAGE			
0.021 ^{+0.028} _{-0.009}	⁹ RATCLIFF	72 ASPK	15 $\pi^- p \rightarrow n2\pi$
0.028 ± 0.006	BEHREND	71 ASPK	Photoproduction
0.022 ^{+0.009} _{-0.01}	¹⁰ ROOS	70 RVUE	

⁹ Significant interference effect observed. NB of $\omega \rightarrow 3\pi$ comes from an extrapolation.

¹⁰ ROOS 70 combines ABRAMOVICH 70 and BIZZARRI 70.

$\Gamma(\pi^0\gamma)/\Gamma(\pi^+\pi^-\pi^0)$

Γ_2/Γ_1

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.098 ± 0.004 OUR FIT			
0.098 ± 0.004 OUR AVERAGE			
0.0994 ± 0.0036 ± 0.0038	¹¹ AULCHENKO 00A	SND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0\pi^0, \pi^0\pi^0\gamma$
0.099 ± 0.007	DOLINSKY 89	ND	$e^+e^- \rightarrow \pi^0\gamma$
0.084 ± 0.013	KEYNE 76	CNTR	$\pi^-p \rightarrow \omega n$
0.109 ± 0.025	BENAKSAS 72C	OSPK	e^+e^-
0.081 ± 0.020	BALDIN 71	HLBC	$2.9 \pi^+p$
0.13 ± 0.04	JACQUET 69B	HLBC	

¹¹ From $\sigma_0^{\omega\pi^0 \rightarrow \pi^0\pi^0\gamma}(m_\phi)/\sigma_0^{\omega\pi^0 \rightarrow \pi^+\pi^-\pi^0\pi^0}(m_\phi)$ with a phase-space correction factor of 1/1.023.

$\Gamma(\pi^+\pi^-\gamma)/\Gamma(\pi^+\pi^-\pi^0)$

Γ_{10}/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<0.066	90	KALBFLEISCH 75	HBC	$2.18 K^-p \rightarrow \Lambda\pi^+\pi^-\gamma$
<0.05	90	FLATTE 66	HBC	$1.2 - 1.7 K^-p \rightarrow \Lambda\pi^+\pi^-\gamma$

$\Gamma(\pi^+\pi^-\gamma)/\Gamma_{total}$

Γ_{10}/Γ

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.0036	95	WEIDENAUER 90	ASTE	$p\bar{p} \rightarrow \pi^+\pi^-\pi^+\pi^-\gamma$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<0.004	95	BITYUKOV 88B	SPEC	$32 \pi^-p \rightarrow \pi^+\pi^-\gamma X$

$\Gamma(\pi^+\pi^-\pi^+\pi^-)/\Gamma_{total}$

Γ_{11}/Γ

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<1 × 10⁻³	90	KURDADZE 88	OLYA	$e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$

$\Gamma(\pi^+\pi^-\pi^0\pi^0)/\Gamma_{total}$

Γ_9/Γ

<u>VALUE (units 10⁻²)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<2	90	KURDADZE 86	OLYA	$e^+e^- \rightarrow \pi^+\pi^-\pi^0\pi^0$

$\Gamma(\mu^+\mu^-)/\Gamma(\pi^+\pi^-\pi^0)$

Γ_{13}/Γ_1

<u>VALUE (units 10⁻³)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.2	90	WILSON 69	OSPK	$12 \pi^-C \rightarrow Fe$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<1.7	74	FLATTE 66	HBC	$1.2 - 1.7 K^-p \rightarrow \Lambda\mu^+\mu^-$
<1.2		BARBARO-... 65	HBC	$2.7 K^-p$

$\Gamma(\pi^0\pi^0\gamma)/\Gamma_{\text{total}}$ Γ_{12}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

$7.8 \pm 2.7 \pm 2.0$	63	¹² ACHASOV	00G SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
---	----	-----------------------	---------	---------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

$12.7 \pm 2.3 \pm 2.5$	63	¹³ ACHASOV	00G SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
------------------------	----	-----------------------	---------	---------------------------------------

¹²In the model assuming the $\rho \rightarrow \pi^0\pi^0\gamma$ decay via the $\omega\pi$ and $S\gamma$ mechanisms where S is a broad scalar state.

¹³In the model assuming the $\rho \rightarrow \pi^0\pi^0\gamma$ decay via the $\omega\pi$ mechanism only.

$\Gamma(\pi^0\pi^0\gamma)/\Gamma(\pi^0\gamma)$ Γ_{12}/Γ_2

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
-------	-----	------	-------------	------	---------

0.00085 ± 0.00029	40 ± 14		ALDE	94B GAM2	$38\pi^-p \rightarrow \pi^0\pi^0\gamma n$
---	-------------	--	------	----------	---

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 0.005	90		DOLINSKY	89 ND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
-----------	----	--	----------	-------	---------------------------------------

< 0.18	95		KEYNE	76 CNTR	$\pi^-p \rightarrow \omega n$
----------	----	--	-------	---------	-------------------------------

< 0.15	90		BENAKSAS	72C OSPK	e^+e^-
----------	----	--	----------	----------	----------

< 0.14			BALDIN	71 HLBC	$2.9\pi^+p$
----------	--	--	--------	---------	-------------

< 0.1	90		BARMIN	64 HLBC	$1.3-2.8\pi^-p$
---------	----	--	--------	---------	-----------------

$\Gamma(\eta\pi^0)/\Gamma_{\text{total}}$ Γ_{15}/Γ

Violates C conservation.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

< 0.001	90	ALDE	94B GAM2	$38\pi^-p \rightarrow \eta\pi^0 n$
--------------------------------	----	------	----------	------------------------------------

$[\Gamma(\eta\gamma) + \Gamma(\eta\pi^0)]/\Gamma(\pi^+\pi^-\pi^0)$ $(\Gamma_5 + \Gamma_{15})/\Gamma_1$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

< 0.016	90	¹⁴ FLATTE	66 HBC	$1.2 - 1.7 K^-p \rightarrow \Lambda\pi^+\pi^-MM$
--------------------------------	----	----------------------	--------	--

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 0.045	95	JACQUET	69B HLBC	
-----------	----	---------	----------	--

¹⁴Restated by us using $B(\eta \rightarrow \text{charged modes}) = 29.2\%$.

$\Gamma(\text{neutrals})/\Gamma(\text{charged particles})$ $(\Gamma_2 + \Gamma_4)/(\Gamma_1 + \Gamma_3)$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

0.101 ± 0.008 OUR FIT

0.124 ± 0.021	FELDMAN	67C OSPK	$1.2\pi^-p$
-------------------------------------	---------	----------	-------------

$\Gamma(\pi^0\pi^0\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_{12}/Γ_1

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

< 0.00045	90	DOLINSKY	89 ND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
----------------------------------	----	----------	-------	---------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 0.08	95	JACQUET	69B HLBC	
----------	----	---------	----------	--

$\Gamma(\eta\gamma)/\Gamma(\pi^0\gamma)$

Γ_5/Γ_2

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0098 ± 0.0024	¹⁵ ALDE	93	GAM2 38 $\pi^- p \rightarrow \omega n$
0.0082 ± 0.0033	¹⁶ DOLINSKY	89	ND $e^+ e^- \rightarrow \eta\gamma$
0.010 ± 0.045	APEL	72B	OSPK 4-8 $\pi^- p \rightarrow n3\gamma$

¹⁵ Model independent determination.

¹⁶ Solution corresponding to constructive ω - ρ interference.

$\Gamma(\pi^0\mu^+\mu^-)/\Gamma_{\text{total}}$

Γ_7/Γ

<u>VALUE (units 10⁻⁴)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.96 ± 0.23	DZHELYADIN	81B	CNTR 25-33 $\pi^- p \rightarrow \omega n$

$\Gamma(\pi^0 e^+ e^-)/\Gamma_{\text{total}}$

Γ_6/Γ

<u>VALUE (units 10⁻⁴)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5.9 ± 1.9	43	DOLINSKY	88	ND $e^+ e^- \rightarrow \pi^0 e^+ e^-$

$\Gamma(e^+ e^-)/\Gamma_{\text{total}}$

Γ_8/Γ

<u>VALUE (units 10⁻⁴)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.697 ± 0.013 OUR FIT				
0.707 ± 0.019 OUR AVERAGE				Error includes scale factor of 1.1.

0.714 ± 0.036		DOLINSKY	89	ND $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
0.72 ± 0.03		BARKOV	87	CMD $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
0.64 ± 0.04	1488	KURDADZE	83B	OLYA $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
0.675 ± 0.069		CORDIER	80	WIRE $e^+ e^- \rightarrow 3\pi$
0.83 ± 0.10		BENAKSAS	72B	OSPK $e^+ e^- \rightarrow 3\pi$
0.77 ± 0.06		¹⁷ AUGUSTIN	69D	OSPK $e^+ e^- \rightarrow 2\pi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.685 ± 0.016	11200	¹⁸ AKHMETSHIN	00C	CMD2 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
0.65 ± 0.13	33	¹⁹ ASTVACAT...	68	OSPK Assume SU(3)+mixing

¹⁷ Rescaled by us to correspond to ω width 8.4 MeV.

¹⁸ Using $B(\omega \rightarrow \pi^+ \pi^- \pi^0) = 0.888 \pm 0.007$.

¹⁹ Not resolved from ρ decay. Error statistical only.

$\Gamma(\text{neutrals})/\Gamma_{\text{total}}$

$(\Gamma_2 + \Gamma_4)/\Gamma$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.091 ± 0.006 OUR FIT				
0.081 ± 0.011 OUR AVERAGE				
0.075 ± 0.025		BIZZARRI	71	HBC 0.0 $p\bar{p}$
0.079 ± 0.019		DEINET	69B	OSPK 1.5 $\pi^- p$
0.084 ± 0.015		BOLLINI	68C	CNTR 2.1 $\pi^- p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.073 ± 0.018	42	BASILE	72B	CNTR 1.67 $\pi^- p$
---------------	----	--------	-----	---------------------

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$ **Γ_3/Γ**

See also $\Gamma(\pi^+\pi^-)/\Gamma(\pi^+\pi^-\pi^0)$.

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	--------------------	-------------	----------------

0.0223 ± 0.0030 OUR FIT
0.021 ± 0.004 OUR AVERAGE

0.023 ± 0.005	BARKOV	85	OLYA	e^+e^-
0.016 ^{+0.009} _{-0.007}	QUENZER	78	CNTR	e^+e^-
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.019 ± 0.003	²⁰ GARDNER	99	RVUE	$e^+e^- \rightarrow \pi^+\pi^-$
0.023 ± 0.004	²¹ BENAYOUN	98	RVUE	$e^+e^- \rightarrow \pi^+\pi^-$,
				$\mu^+\mu^-$
0.010 ± 0.001	²² WICKLUND	78	ASPK	3,4,6 $\pi^\pm N$
0.0122 ± 0.0030	ALVENSLEB...	71C	CNTR	Photoproduction
0.013 ^{+0.012} _{-0.009}	MOFFEIT	71	HBC	2.8,4.7 γp
0.0080 ^{+0.0028} _{-0.002}	²³ BIGGS	70B	CNTR	4.2 $\gamma C \rightarrow \pi^+\pi^- C$

²⁰ Using the data of BARKOV 85.

²¹ Using the data of BARKOV 85 in the hidden local symmetry model.

²² From a model-dependent analysis assuming complete coherence.

²³ Re-evaluated under $\Gamma(\pi^+\pi^-)/\Gamma(\pi^+\pi^-\pi^0)$ by BEHREND 71 using more accurate $\omega \rightarrow \rho$ photoproduction cross-section ratio.

$\Gamma(\pi^0\pi^0\gamma)/\Gamma(\text{neutrals})$ **$\Gamma_{12}/(\Gamma_2+\Gamma_4)$**

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	------------	--------------------	-------------	----------------

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.22 ± 0.07		²⁴ DAKIN	72	OSPK 1.4 $\pi^- p \rightarrow nMM$
<0.19	90	DEINET	69B	OSPK
²⁴ See $\Gamma(\pi^0\gamma)/\Gamma(\text{neutrals})$.				

$\Gamma(\pi^0\gamma)/\Gamma(\text{neutrals})$ **$\Gamma_2/(\Gamma_2+\Gamma_4)$**

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	------------	--------------------	-------------	----------------

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.78 ± 0.07		²⁵ DAKIN	72	OSPK 1.4 $\pi^- p \rightarrow nMM$
>0.81	90	DEINET	69B	OSPK
²⁵ Error statistical only. Authors obtain good fit also assuming $\pi^0\gamma$ as the only neutral decay.				

$\Gamma(\eta\gamma)/\Gamma_{\text{total}}$ **Γ_5/Γ**

<u>VALUE (units 10⁻⁴)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------------------------	-------------	--------------------	-------------	----------------

6.5 ± 1.0 OUR AVERAGE				
6.6 ± 1.7		²⁶ ABELE	97E	CBAR 0.0 $\bar{p}p \rightarrow 5\gamma$
8.3 ± 2.1		ALDE	93	GAM2 38 $\pi^- p \rightarrow \omega n$
7.3 ± 2.9		²⁷ DOLINSKY	89	ND $e^+e^- \rightarrow \eta\gamma$
3.0 ^{+2.5} _{-1.8}		²⁷ ANDREWS	77	CNTR 6.7–10 γCu

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.60±0.72±0.19	312	28	ACHASOV	00D	SND	$e^+e^- \rightarrow \eta\gamma$
0.7 to 5.5		29	CASE	00	CBAR	$0.0 p\bar{p} \rightarrow \eta\eta\gamma$
6.56 ^{+2.41} _{-2.55}	3525	27,30	BENAYOUN	96	RVUE	$e^+e^- \rightarrow \eta\gamma$

²⁶ No flat $\eta\eta\gamma$ background assumed.

²⁷ Solution corresponding to constructive ω - ρ interference.

²⁸ Using $B(\omega \rightarrow e^+e^-) = (7.07 \pm 0.19) \times 10^{-5}$ and $B(\eta \rightarrow 3\pi^0) = (32.2 \pm 0.4) \times 10^{-2}$.

²⁹ Depending on the degree of coherence with the flat $\eta\eta\gamma$ background and using $B(\omega \rightarrow \pi^0\gamma) = (8.5 \pm 0.5) \times 10^{-2}$.

³⁰ Reanalysis of DRUZHININ 84, DOLINSKY 89, DOLINSKY 91 taking into account the triangle anomaly contributions.

$\Gamma(\pi^0\mu^+\mu^-)/\Gamma(\mu^+\mu^-)$ Γ_7/Γ_{13}

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.2±0.6	30	31	DZHELYADIN	79	CNTR	25-33 $\pi^- p$
---------	----	----	------------	----	------	-----------------

³¹ Superseded by DZHELYADIN 81B result above.

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{total}$ Γ_1/Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

0.8942±0.0062		DOLINSKY	89	ND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
----------------------	--	----------	----	----	--------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.880 ±0.020 ±0.032	11200	32	AKHMETSHIN	00C	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
---------------------	-------	----	------------	-----	------	--------------------------------------

³² Using $\Gamma(e^+e^-) = 0.60 \pm 0.02$ keV.

$\Gamma(3\pi^0)/\Gamma_{total}$ Γ_{16}/Γ

Violates C conservation.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

<0.0003	90	PROKOSHKIN	95	GAM2	38 $\pi^- p \rightarrow 3\pi^0 n$
-------------------	----	------------	----	------	-----------------------------------

$\Gamma(3\gamma)/\Gamma_{total}$ Γ_{14}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<1.9	95	33	ABELE	97E	CBAR	$0.0 p\bar{p} \rightarrow 5\gamma$
----------------	----	----	-------	-----	------	------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<2	90	33	PROKOSHKIN	95	GAM2	38 $\pi^- p \rightarrow 3\gamma n$
----	----	----	------------	----	------	------------------------------------

³³ From direct 3γ decay search.

$\Gamma(\pi^0\gamma)/\Gamma_{total}$ Γ_2/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

8.39±0.24	9975	34	BENAYOUN	96	RVUE	$e^+e^- \rightarrow \pi^0\gamma$
-----------	------	----	----------	----	------	----------------------------------

³⁴ Reanalysis of DRUZHININ 84, DOLINSKY 89, DOLINSKY 91 taking into account the triangle anomaly contributions.

$\omega(782)$ REFERENCES

ACHASOV	00D	JETPL 72 282	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 72 411.		
ACHASOV	00G	JETPL 71 355	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 71 519.		
AKHMETSHIN	00C	PL B476 33	R.R. Akhmetshin <i>et al.</i>	(CMD-2 Collab.)
AULCHENKO	00A	JETP 90 927	V.M. Aulchenko <i>et al.</i>	
CASE	00	PR D61 032002	T. Case <i>et al.</i>	(Crystal Barrel Collab.)
GARDNER	99	PR D59 076002	S. Gardner, H.B. O'Connell	
BENAYOUN	98	EPJ C2 269	M. Benayoun <i>et al.</i>	(IPNP, NOVO, ADLD+)
ABELE	97E	PL B411 361	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BENAYOUN	96	ZPHY C72 221	M. Benayoun <i>et al.</i>	(IPNP, NOVO)
PROKOSHKIN	95	SPD 342 273	Y.D. Prokoshkin, V.D. Samoilenko	(SERP)
		Translated from DANS 342 610.		
WURZINGER	95	PR C51 443	R. Wurzinger <i>et al.</i>	(BONN, ORSAY, SACL+)
ALDE	94B	PL B340 122	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
AMSLER	94C	PL B327 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ALDE	93	PAN 56 1229	D.M. Alde <i>et al.</i>	(SERP, LAPP, LANL, BELG+)
		Translated from YAF 56 137.		
Also	94	ZPHY C61 35	D.M. Alde <i>et al.</i>	(SERP, LAPP, LANL, BELG+)
AMSLER	93B	PL B311 362	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
WEIDENAUER	93	ZPHY C59 387	P. Weidenauer <i>et al.</i>	(ASTERIX Collab.)
DOLINSKY	91	PRPL 202 99	S.I. Dolinsky <i>et al.</i>	(NOVO)
WEIDENAUER	90	ZPHY C47 353	P. Weidenauer <i>et al.</i>	(ASTERIX Collab.)
DOLINSKY	89	ZPHY C42 511	S.I. Dolinsky <i>et al.</i>	(NOVO)
BITYUKOV	88B	SJNP 47 800	S.I. Bitjukov <i>et al.</i>	(SERP)
		Translated from YAF 47 1258.		
DOLINSKY	88	SJNP 48 277	S.I. Dolinsky <i>et al.</i>	(NOVO)
		Translated from YAF 48 442.		
KURDADZE	88	JETPL 47 512	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 47 432.		
AULCHENKO	87	PL B186 432	V.M. Aulchenko <i>et al.</i>	(NOVO)
BARKOV	87	JETPL 46 164	L.M. Barkov <i>et al.</i>	(NOVO)
		Translated from ZETFP 46 132.		
KURDADZE	86	JETPL 43 643	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 43 497.		
BARKOV	85	NP B256 365	L.M. Barkov <i>et al.</i>	(NOVO)
DRUZHININ	84	PL 144B 136	V.P. Druzhinin <i>et al.</i>	(NOVO)
KURDADZE	83B	JETPL 36 274	A.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 36 221.		
DZHELYADIN	81B	PL 102B 296	R.I. Dzheilyadin <i>et al.</i>	(SERP)
CORDIER	80	NP B172 13	A. Cordier <i>et al.</i>	(LALO)
ROOS	80	LNC 27 321	M. Roos, A. Pellinen	(HELS)
BENKHEIRI	79	NP B150 268	P. Benkheiri <i>et al.</i>	(EPOL, CERN, CDEF+)
DZHELYADIN	79	PL 84B 143	R.I. Dzheilyadin <i>et al.</i>	(SERP)
COOPER	78B	NP B146 1	A.M. Cooper <i>et al.</i>	(TATA, CERN, CDEF+)
QUENZER	78	PL 76B 512	A. Quenzer <i>et al.</i>	(LALO)
VANAPEL...	78	NP B133 245	G.W. van Apeldoorn <i>et al.</i>	(ZEEM)
WICKLUND	78	PR D17 1197	A.B. Wicklund <i>et al.</i>	(ANL)
ANDREWS	77	PRL 38 198	D.E. Andrews <i>et al.</i>	(ROCH)
GESSAROLI	77	NP B126 382	R. Gessaroli <i>et al.</i>	(BGNA, FIRZ, GENO+)
KEYNE	76	PR D14 28	J. Keyne <i>et al.</i>	(LOIC, SHMP)
Also	73B	PR D8 2789	D.M. Binnie <i>et al.</i>	(LOIC, SHMP)
KALBFLEISCH	75	PR D11 987	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)
AGUILAR-...	72B	PR D6 29	M. Aguilar-Benitez <i>et al.</i>	(BNL)
APEL	72B	PL 41B 234	W.D. Apel <i>et al.</i>	(KARLK, KARLE, PISA)
BASILE	72B	Phil. Conf. 153	M. Basile <i>et al.</i>	(CERN)
BENAKSAS	72B	PL 42B 507	D. Benaksas <i>et al.</i>	(ORSAY)
BENAKSAS	72C	PL 42B 511	D. Benaksas <i>et al.</i>	(ORSAY)
BORENSTEIN	72	PR D5 1559	S.R. Borenstein <i>et al.</i>	(BNL, MICH)
BROWN	72	PL 42B 117	R.M. Brown <i>et al.</i>	(ILL, ILLC)
DAKIN	72	PR D6 2321	J.T. Dakin <i>et al.</i>	(PRIN)
RATCLIFF	72	PL 38B 345	B.N. Ratcliff <i>et al.</i>	(SLAC)
ALVENSLEB...	71C	PRL 27 888	H. Alvensleben <i>et al.</i>	(DESY)
BALDIN	71	SJNP 13 758	A.B. Baldin <i>et al.</i>	(ITEP)
		Translated from YAF 13 1318.		

BEHREND	71	PRL 27 61	H.J. Behrend <i>et al.</i>	(ROCH, CORN, FNAL)
BIZZARRI	71	NP B27 140	R. Bizzarri <i>et al.</i>	(CERN, CDEF)
COYNE	71	NP B32 333	D.G. Coyne <i>et al.</i>	(LRL)
MOFFEIT	71	NP B29 349	K.C. Moffeit <i>et al.</i>	(LRL, UCB, SLAC+)
ABRAMOVI...	70	NP B20 209	M. Abramovich <i>et al.</i>	(CERN)
BIGGS	70B	PRL 24 1201	P.J. Biggs <i>et al.</i>	(DARE)
BIZZARRI	70	PRL 25 1385	R. Bizzarri <i>et al.</i>	(ROMA, SYRA)
ROOS	70	DNPL/R7 173	M. Roos	(CERN)
Proc. Daresbury Study Weekend No. 1.				
AUGUSTIN	69D	PL 28B 513	J.E. Augustin <i>et al.</i>	(ORSAY)
BIZZARRI	69	NP B14 169	R. Bizzarri <i>et al.</i>	(CERN, CDEF)
DEINET	69B	PL 30B 426	W. Deinet <i>et al.</i>	(KARL, CERN)
JACQUET	69B	NC 63A 743	F. Jacquet <i>et al.</i>	(EPOL, BERG)
WILSON	69	Private Comm.	R. Wilson	(HARV)
Also	69	PR 178 2095	A.A. Wehmann <i>et al.</i>	(HARV, CASE, SLAC+)
ASTVACAT...	68	PL 27B 45	R.G. Astvatsurov <i>et al.</i>	(JINR, MOSU)
BOLLINI	68C	NC 56A 531	D. Bollini <i>et al.</i>	(CERN, BGNA, STRB)
BARASH	67B	PR 156 1399	N. Barash <i>et al.</i>	(COLU)
FELDMAN	67C	PR 159 1219	M. Feldman <i>et al.</i>	(PENN)
DIGIUGNO	66B	NC 44A 1272	G. Di Giugno <i>et al.</i>	(NAPL, FRAS, TRST)
FLATTE	66	PR 145 1050	S.M. Flatte <i>et al.</i>	(LRL)
JAMES	66	PR 142 896	F.E. James, H.L. Kraybill	(YALE, BNL)
BARBARO-...	65	PRL 14 279	A. Barbaro-Galtieri, R.D. Tripp	(LRL)
BARMIN	64	JETP 18 1289	V.V. Barmin <i>et al.</i>	(ITEP)
Translated from ZETF 45 1879.				
KRAEMER	64	PR 136B 496	R.W. Kraemer <i>et al.</i>	(JHU, NWES, WOOD)
BUSCHBECK	63	Siena Conf. 1 166	B. Buschbeck <i>et al.</i>	(VIEN, CERN, ANIK)

OTHER RELATED PAPERS

DELBOURGO	99B	PR D59 113006	R. Delbourgo <i>et al.</i>	
GARDNER	98	PR D57 2716	S. Gardner, H.B. O'Connell	
Also	00A	PR D62 019903 (errata)	S. Gardner, H.B. O'Connell	
ABELE	97F	PL B411 354	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
DOLINSKY	86	PL B174 453	S.I. Dolinsky <i>et al.</i>	(NOVO)
KURDADZE	83	JETPL 37 733	L.M. Kurdadze <i>et al.</i>	(NOVO)
Translated from ZETFP 37 613.				
ALFF-...	62B	PRL 9 325	C. Alff-Steinberger <i>et al.</i>	(COLU, RUTG)
STEVENSON	62	PR 125 687	M.L. Stevenson <i>et al.</i>	(LRL)
MAGLICH	61	PRL 7 178	B.C. Maglich <i>et al.</i>	(LRL)
PEVSNER	61	PRL 7 421	A. Pevsner <i>et al.</i>	(JHU)
XUONG	61	PRL 7 327	H. Nguyen Ngoc, G.R. Lynch	(LRL)