

$K_2^*(1430)$

$$I(J^P) = \frac{1}{2}(2^+)$$

We consider that phase-shift analyses provide more reliable determinations of the mass and width.

$K_2^*(1430)$ MASS

CHARGED ONLY, WITH FINAL STATE $K\pi$

| <u>VALUE (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u> |
|---|-------------|--------------------------|-------------|------------|---|
| 1425.6 ± 1.5 OUR AVERAGE Error includes scale factor of 1.1. | | | | | |
| 1420 ± 4 | 1587 | BAUBILLIER | 84B HBC | - | 8.25 $K^- p \rightarrow \bar{K}^0 \pi^- p$ |
| 1436 ± 5.5 | 400 | ^{1,2} CLELAND | 82 SPEC | + | 30 $K^+ p \rightarrow K_S^0 \pi^+ p$ |
| 1430 ± 3.2 | 1500 | ^{1,2} CLELAND | 82 SPEC | + | 50 $K^+ p \rightarrow K_S^0 \pi^+ p$ |
| 1430 ± 3.2 | 1200 | ^{1,2} CLELAND | 82 SPEC | - | 50 $K^+ p \rightarrow K_S^0 \pi^- p$ |
| 1423 ± 5 | 935 | TOAFF | 81 HBC | - | 6.5 $K^- p \rightarrow \bar{K}^0 \pi^- p$ |
| 1428.0 ± 4.6 | | ³ MARTIN | 78 SPEC | + | 10 $K^\pm p \rightarrow K_S^0 \pi p$ |
| 1423.8 ± 4.6 | | ³ MARTIN | 78 SPEC | - | 10 $K^\pm p \rightarrow K_S^0 \pi p$ |
| 1420.0 ± 3.1 | 1400 | AGUILAR-... | 71B HBC | - | 3.9,4.6 $K^- p$ |
| 1425 ± 8.0 | 225 | ^{1,2} BARNHAM | 71C HBC | + | $K^+ p \rightarrow K^0 \pi^+ p$ |
| 1416 ± 10 | 220 | CRENNELL | 69D DBC | - | 3.9 $K^- N \rightarrow \bar{K}^0 \pi^- N$ |
| 1414 ± 13.0 | 60 | ¹ LIND | 69 HBC | + | 9 $K^+ p \rightarrow K^0 \pi^+ p$ |
| 1427 ± 12 | 63 | ¹ SCHWEING... | 68 HBC | - | 5.5 $K^- p \rightarrow \bar{K} \pi N$ |
| 1423 ± 11.0 | 39 | ¹ BASSANO | 67 HBC | - | 4.6-5.0 $K^- p \rightarrow \bar{K}^0 \pi^- p$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | | |
|----------------|-------------|-------------------|---------|---|--|
| 1423.4 ± 2 ± 3 | 24809 ± 820 | ⁴ BIRD | 89 LASS | - | 11 $K^- p \rightarrow \bar{K}^0 \pi^- p$ |
|----------------|-------------|-------------------|---------|---|--|

NEUTRAL ONLY

| <u>VALUE (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u> |
|---------------------------------|-------------|-------------------------|-------------|------------|--|
| 1432.4 ± 1.3 OUR AVERAGE | | | | | |
| 1431.2 ± 1.8 ± 0.7 | | ⁵ ASTON | 88 LASS | 0 | 11 $K^- p \rightarrow K^- \pi^+ n$ |
| 1434 ± 4 ± 6 | | ⁵ ASTON | 87 LASS | 0 | 11 $K^- p \rightarrow \bar{K}^0 \pi^+ \pi^- n$ |
| 1433 ± 6 ± 10 | | ⁵ ASTON | 84B LASS | 0 | 11 $K^- p \rightarrow \bar{K}^0 2\pi n$ |
| 1471 ± 12 | | ⁵ BAUBILLIER | 82B HBC | 0 | 8.25 $K^- p \rightarrow NK_S^0 \pi \pi$ |
| 1428 ± 3 | | ⁵ ASTON | 81C LASS | 0 | 11 $K^- p \rightarrow K^- \pi^+ n$ |
| 1434 ± 2 | | ⁵ ESTABROOKS | 78 ASPK | 0 | 13 $K^\pm p \rightarrow p K \pi$ |
| 1440 ± 10 | | ⁵ BOWLER | 77 DBC | 0 | 5.5 $K^+ d \rightarrow K \pi p p$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | | | |
|--------------|------|----------------------|-----|-----|---|--------------------------------------|
| 1420 ± 7 | 300 | HENDRICK | 76 | DBC | | 8.25 $K^+ N \rightarrow K^+ \pi N$ |
| 1421.6 ± 4.2 | 800 | MCCUBBIN | 75 | HBC | 0 | 3.6 $K^- p \rightarrow K^- \pi^+ n$ |
| 1420.1 ± 4.3 | | ⁶ LINGLIN | 73 | HBC | 0 | 2-13 $K^+ p \rightarrow K^+ \pi^- X$ |
| 1419.1 ± 3.7 | 1800 | AGUILAR-... | 71B | HBC | 0 | 3.9,4.6 $K^- p$ |
| 1416 ± 6 | 600 | CORDS | 71 | DBC | 0 | 9 $K^+ n \rightarrow K^+ \pi^- p$ |
| 1421.1 ± 2.6 | 2200 | DAVIS | 69 | HBC | 0 | 12 $K^+ p \rightarrow K^+ \pi^- X$ |

¹ Errors enlarged by us to Γ/\sqrt{N} ; see the note with the $K^*(892)$ mass.

² Number of events in peak re-evaluated by us.

³ Systematic error added by us.

⁴ From a partial wave amplitude analysis.

⁵ From phase shift or partial-wave analysis.

⁶ From pole extrapolation, using world $K^+ p$ data summary tape.

$K_2^*(1430)$ WIDTH

CHARGED ONLY, WITH FINAL STATE $K\pi$

| VALUE (MeV) | EVTS | DOCUMENT ID | TECN | CHG | COMMENT | |
|---|-------------------------------------|------------------------|------|------|---------|---|
| 98.5 ± 2.7 OUR FIT | Error includes scale factor of 1.1. | | | | | |
| 98.5 ± 2.9 OUR AVERAGE | Error includes scale factor of 1.1. | | | | | |
| 109 ± 22 | 400 | ^{7,8} CLELAND | 82 | SPEC | + | 30 $K^+ p \rightarrow K_S^0 \pi^+ p$ |
| 124 ± 12.8 | 1500 | ^{7,8} CLELAND | 82 | SPEC | + | 50 $K^+ p \rightarrow K_S^0 \pi^+ p$ |
| 113 ± 12.8 | 1200 | ^{7,8} CLELAND | 82 | SPEC | - | 50 $K^+ p \rightarrow K_S^0 \pi^- p$ |
| 85 ± 16 | 935 | TOAFF | 81 | HBC | - | 6.5 $K^- p \rightarrow \bar{K}^0 \pi^- p$ |
| 96.5 ± 3.8 | | MARTIN | 78 | SPEC | + | 10 $K^\pm p \rightarrow K_S^0 \pi p$ |
| 97.7 ± 4.0 | | MARTIN | 78 | SPEC | - | 10 $K^\pm p \rightarrow K_S^0 \pi p$ |
| 94.7 ⁺ _{-12.5} ± 15.1 | 1400 | AGUILAR-... | 71B | HBC | - | 3.9,4.6 $K^- p$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •


| | | | | | | |
|------------|-------------|-------------------|----|------|---|--|
| 98 ± 4 ± 4 | 24809 ± 820 | ⁹ BIRD | 89 | LASS | - | 11 $K^- p \rightarrow \bar{K}^0 \pi^- p$ |
|------------|-------------|-------------------|----|------|---|--|

NEUTRAL ONLY

| VALUE (MeV) | EVTS | DOCUMENT ID | TECN | CHG | COMMENT | |
|----------------------------|---|-------------|------|------|---------|--|
| 109 ± 5 OUR AVERAGE | Error includes scale factor of 1.9. See the ideogram below. | | | | | |
| 116.5 ± 3.6 ± 1.7 | ¹⁰ | ASTON | 88 | LASS | 0 | 11 $K^- p \rightarrow K^- \pi^+ n$ |
| 129 ± 15 ± 15 | ¹⁰ | ASTON | 87 | LASS | 0 | 11 $K^- p \rightarrow \bar{K}^0 \pi^+ \pi^- n$ |
| 131 ± 24 ± 20 | ¹⁰ | ASTON | 84B | LASS | 0 | 11 $K^- p \rightarrow \bar{K}^0 2\pi n$ |
| 143 ± 34 | ¹⁰ | BAUBILLIER | 82B | HBC | 0 | 8.25 $K^- p \rightarrow NK_S^0 \pi \pi$ |
| 98 ± 8 | ¹⁰ | ASTON | 81C | LASS | 0 | 11 $K^- p \rightarrow K^- \pi^+ n$ |
| 140 ± 30 | ¹⁰ | ETKIN | 80 | SPEC | 0 | 6 $K^- p \rightarrow \bar{K}^0 \pi^+ \pi^- n$ |
| 98 ± 5 | ¹⁰ | ESTABROOKS | 78 | ASPK | 0 | 13 $K^\pm p \rightarrow p K \pi$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | | |
|---|------|-----------------------|-----|-----|--|
| 125 ± 29 | 300 | ⁷ HENDRICK | 76 | DBC | 8.25 $K^+ N \rightarrow K^+ \pi N$ |
| 116 ± 18 | 800 | MCCUBBIN | 75 | HBC | 0 3.6 $K^- p \rightarrow K^- \pi^+ n$ |
| 61 ± 14 | | ¹¹ LINGLIN | 73 | HBC | 0 2-13 $K^+ p \rightarrow K^+ \pi^- X$ |
| 116.6 ^{+10.3} _{-15.5} | 1800 | AGUILAR-... | 71B | HBC | 0 3.9,4.6 $K^- p$ |
| 144 ± 24.0 | 600 | ⁷ CORDS | 71 | DBC | 0 9 $K^+ n \rightarrow K^+ \pi^- p$ |
| 101 ± 10 | 2200 | DAVIS | 69 | HBC | 0 12 $K^+ p \rightarrow K^+ \pi^- \pi^+ p$ |



$K_2^*(1430)^0$ width (MeV)

⁷ Errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

⁸ Number of events in peak re-evaluated by us.

⁹ From a partial wave amplitude analysis.

¹⁰ From phase shift or partial-wave analysis.

¹¹ From pole extrapolation, using world $K^+ p$ data summary tape.

$K_2^*(1430)$ DECAY MODES

| Mode | Fraction (Γ_i/Γ) | Scale factor/ Confidence level |
|-------------------------------|--------------------------------|-----------------------------------|
| Γ_1 $K \pi$ | (49.9±1.2) % | |
| Γ_2 $K^*(892) \pi$ | (24.7±1.5) % | |
| Γ_3 $K^*(892) \pi \pi$ | (13.4±2.2) % | |
| Γ_4 $K \rho$ | (8.7±0.8) % | S=1.2 |

| | | | |
|------------|--------------|--------------------------------------|--------|
| Γ_5 | $K\omega$ | $(2.9 \pm 0.8) \%$ | |
| Γ_6 | $K^+\gamma$ | $(2.4 \pm 0.5) \times 10^{-3}$ | S=1.1 |
| Γ_7 | $K\eta$ | $(1.5^{+3.4}_{-1.0}) \times 10^{-3}$ | S=1.3 |
| Γ_8 | $K\omega\pi$ | $< 7.2 \times 10^{-4}$ | CL=95% |
| Γ_9 | $K^0\gamma$ | $< 9 \times 10^{-4}$ | CL=90% |

CONSTRAINED FIT INFORMATION

An overall fit to the total width, a partial width, and 10 branching ratios uses 31 measurements and one constraint to determine 8 parameters. The overall fit has a $\chi^2 = 20.2$ for 24 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$, in percent, from the fit to parameters p_i , including the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

| | | | | | | | |
|----------|-------|-------|-------|-------|-------|-------|-------|
| x_2 | -9 | | | | | | |
| x_3 | -40 | -73 | | | | | |
| x_4 | -8 | 36 | -52 | | | | |
| x_5 | -11 | -3 | -26 | -7 | | | |
| x_6 | -1 | -1 | -1 | -1 | 0 | | |
| x_7 | -4 | -7 | -5 | -5 | -2 | 0 | |
| Γ | 0 | 0 | 0 | 0 | 0 | -13 | 0 |
| | x_1 | x_2 | x_3 | x_4 | x_5 | x_6 | x_7 |

| Mode | Rate (MeV) | Scale factor |
|-----------------------------|------------------------|--------------|
| Γ_1 $K\pi$ | 49.1 ± 1.8 | |
| Γ_2 $K^*(892)\pi$ | 24.3 ± 1.6 | |
| Γ_3 $K^*(892)\pi\pi$ | 13.2 ± 2.2 | |
| Γ_4 $K\rho$ | 8.5 ± 0.8 | 1.2 |
| Γ_5 $K\omega$ | 2.9 ± 0.8 | |
| Γ_6 $K^+\gamma$ | 0.24 ± 0.05 | 1.1 |
| Γ_7 $K\eta$ | $0.15^{+0.33}_{-0.10}$ | 1.3 |

$K_2^*(1430)$ PARTIAL WIDTHS

| | | | | | |
|-------------------------|-------------------------------------|-------------|------------|----------------|--|
| $\Gamma(K^+\gamma)$ | | | | | Γ_6 |
| <u>VALUE (keV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u> | |
| 241 ± 50 OUR FIT | Error includes scale factor of 1.1. | | | | |
| 240 ± 45 | CIHANGIR | 82 | SPEC | + | 200 $K^+Z \rightarrow ZK^+\pi^0,$ $ZK_S^0\pi^+$ |

| $\Gamma(K^0\gamma)$ | | | | | | Γ_9 |
|---------------------|-----|-------------|------|------|---------|--|
| VALUE (keV) | CL% | DOCUMENT ID | TECN | CHG | COMMENT | |
| <84 | 90 | CARLSMITH | 87 | SPEC | 0 | 60-200 $K_L^0 A \rightarrow K_S^0 \pi^0 A$ |

$K_2^*(1430)$ BRANCHING RATIOS

| $\Gamma(K\pi)/\Gamma_{\text{total}}$ | | | | | | Γ_1/Γ |
|--------------------------------------|---------------|-------------|------|------|---------|------------------------------------|
| VALUE | | DOCUMENT ID | TECN | CHG | COMMENT | |
| 0.499±0.012 | | | | | | OUR FIT |
| 0.488±0.014 | | | | | | OUR AVERAGE |
| 0.485±0.006±0.020 | ¹² | ASTON | 88 | LASS | 0 | 11 $K^- p \rightarrow K^- \pi^+ n$ |
| 0.49 ±0.02 | ¹² | ESTABROOKS | 78 | ASPK | ± | 13 $K^\pm p \rightarrow p K \pi$ |

| $\Gamma(K^*(892)\pi)/\Gamma(K\pi)$ | | | | | | Γ_2/Γ_1 |
|------------------------------------|--|-------------|------|------|---------|---|
| VALUE | | DOCUMENT ID | TECN | CHG | COMMENT | |
| 0.496±0.034 | | | | | | OUR FIT |
| 0.47 ±0.04 | | | | | | OUR AVERAGE |
| 0.44 ±0.09 | | ASTON | 84B | LASS | 0 | 11 $K^- p \rightarrow \bar{K}^0 2\pi n$ |
| 0.62 ±0.19 | | LAUSCHER | 75 | HBC | 0 | 10,16 $K^- p \rightarrow K^- \pi^+ n$ |
| 0.54 ±0.16 | | DEHM | 74 | DBC | 0 | 4.6 $K^+ N$ |
| 0.47 ±0.08 | | AGUILAR-... | 71B | HBC | | 3.9,4.6 $K^- p$ |
| 0.47 ±0.10 | | BASSANO | 67 | HBC | -0 | 4.6,5.0 $K^- p$ |
| 0.45 ±0.13 | | BADIER | 65C | HBC | - | 3 $K^- p$ |


| $\Gamma(K\omega)/\Gamma(K\pi)$ | | | | | | Γ_5/Γ_1 |
|--------------------------------|--|--------------|------|-----|---------|---------------------|
| VALUE | | DOCUMENT ID | TECN | CHG | COMMENT | |
| 0.059±0.017 | | | | | | OUR FIT |
| 0.070±0.035 | | | | | | OUR AVERAGE |
| 0.05 ±0.04 | | AGUILAR-... | 71B | HBC | | 3.9,4.6 $K^- p$ |
| 0.13 ±0.07 | | BASSOMPIE... | 69 | HBC | 0 | 5 $K^+ p$ |

| $\Gamma(K\rho)/\Gamma(K\pi)$ | | | | | | Γ_4/Γ_1 |
|--|--|-------------|------|------|---------|--|
| VALUE | | DOCUMENT ID | TECN | CHG | COMMENT | |
| 0.174±0.017 | | | | | | OUR FIT Error includes scale factor of 1.2. |
| 0.150^{+0.029}_{-0.017} | | | | | | OUR AVERAGE |
| 0.18 ±0.05 | | ASTON | 84B | LASS | 0 | 11 $K^- p \rightarrow \bar{K}^0 2\pi n$ |
| 0.02 ^{+0.10} _{-0.02} | | DEHM | 74 | DBC | 0 | 4.6 $K^+ N$ |
| 0.16 ±0.05 | | AGUILAR-... | 71B | HBC | | 3.9,4.6 $K^- p$ |
| 0.14 ±0.10 | | BASSANO | 67 | HBC | -0 | 4.6,5.0 $K^- p$ |
| 0.14 ±0.07 | | BADIER | 65C | HBC | - | 3 $K^- p$ |

$\Gamma(K\rho)/\Gamma(K^*(892)\pi)$

Γ_4/Γ_2

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u> |
|--------------------------------|---|-------------|------------|--|
| 0.350±0.031 OUR FIT | Error includes scale factor of 1.4. | | | |
| 0.354±0.033 OUR AVERAGE | Error includes scale factor of 1.4. See the ideogram below. | | | |
| 0.293±0.032±0.020 | ASTON | 87 | LASS | 0 11 $K^- p \rightarrow \bar{K}^0 \pi^+ \pi^- n$ |
| 0.38 ±0.09 | BAUBILLIER | 82B | HBC | 0 8.25 $K^- p \rightarrow NK_S^0 \pi \pi$ |
| 0.39 ±0.03 | DAUM | 81C | CNTR | 63 $K^- p \rightarrow K^- 2\pi p$ |



$\Gamma(K\rho)/\Gamma(K^*(892)\pi)$

$\Gamma(K\omega)/\Gamma(K^*(892)\pi)$

Γ_5/Γ_2

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u> |
|----------------------------|--------------------|-------------|------------|----------------|
| 0.118±0.034 OUR FIT | | | | |
| 0.10 ±0.04 | FIELD | 67 | HBC | - 3.8 $K^- p$ |

$\Gamma(K\eta)/\Gamma(K^*(892)\pi)$

Γ_7/Γ_2

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u> |
|--|-------------------------------------|-------------|------------|----------------|
| 0.006^{+0.014}_{-0.004} OUR FIT | Error includes scale factor of 1.2. | | | |
| 0.07 ±0.04 | FIELD | 67 | HBC | - 3.8 $K^- p$ |

$\Gamma(K\eta)/\Gamma(K\pi)$

Γ_7/Γ_1

| <u>VALUE</u> | <u>CL%</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u> |
|---|------------|-------------------------------------|-------------|------------|-------------------------------------|
| 0.0030^{+0.0068}_{-0.0020} OUR FIT | | Error includes scale factor of 1.3. | | | |
| 0 ±0.0056 | 13 | ASTON | 88B | LASS | - 11 $K^- p \rightarrow K^- \eta p$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | | | |
|--------|----|----------------------------|-----|-----|---------|---------|
| <0.04 | 95 | AGUILAR-... | 71B | HBC | 3.9,4.6 | $K^- p$ |
| <0.065 | | ¹⁴ BASSOMPIE... | 69 | HBC | 5.0 | $K^+ p$ |
| <0.02 | | BISHOP | 69 | HBC | 3.5 | $K^+ p$ |

$\Gamma(K^*(892)\pi\pi)/\Gamma_{\text{total}}$ Γ_3/Γ

| VALUE | DOCUMENT ID | TECN | CHG | COMMENT |
|----------------------------|------------------------|------|-----|---|
| 0.134±0.022 OUR FIT | | | | |
| 0.12 ±0.04 | ¹⁵ GOLDBERG | 76 | HBC | – 3 $K^- p \rightarrow p \bar{K}^0 \pi \pi \pi$ |

$\Gamma(K^*(892)\pi\pi)/\Gamma(K\pi)$ Γ_3/Γ_1

| VALUE | DOCUMENT ID | TECN | CHG | COMMENT |
|--------------------------|----------------------------|------|-----|---|
| 0.27±0.05 OUR FIT | | | | |
| 0.21±0.08 | ^{14,15} JONGEJANS | 78 | HBC | – 4 $K^- p \rightarrow p \bar{K}^0 \pi \pi \pi$ |

$\Gamma(K\omega\pi)/\Gamma_{\text{total}}$ Γ_8/Γ

| VALUE (units 10^{-3}) | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|------|-------------|------|--|
| <0.72 | 95 | 0 | JONGEJANS | 78 | HBC 4 $K^- p \rightarrow p \bar{K}^0 4\pi$ |

¹² From phase shift analysis.

¹³ ASTON 88B quote < 0.0092 at CL=95%. We convert this to a central value and 1 sigma error in order to be able to use it in our constrained fit.

¹⁴ Restated by us.

¹⁵ Assuming $\pi\pi$ system has isospin 1, which is supported by the data.

$K_2^*(1430)$ REFERENCES

| | | | | |
|------------|-----|-------------|-------------------------------|---------------------------|
| BIRD | 89 | SLAC-332 | P.F. Bird | (SLAC) |
| ASTON | 88 | NP B296 493 | D. Aston <i>et al.</i> | (SLAC, NAGO, CINC, INUS) |
| ASTON | 88B | PL B201 169 | D. Aston <i>et al.</i> | (SLAC, NAGO, CINC, INUS) |
| ASTON | 87 | NP B292 693 | D. Aston <i>et al.</i> | (SLAC, NAGO, CINC, INUS) |
| CARLSMITH | 87 | PR D36 3502 | D. Carlsmith <i>et al.</i> | (EFI, SACL) |
| ASTON | 84B | NP B247 261 | D. Aston <i>et al.</i> | (SLAC, CARL, OTTA) |
| BAUBILLIER | 84B | ZPHY C26 37 | M. Baubillier <i>et al.</i> | (BIRM, CERN, GLAS+) |
| BAUBILLIER | 82B | NP B202 21 | M. Baubillier <i>et al.</i> | (BIRM, CERN, GLAS+) |
| CIHANGIR | 82 | PL 117B 123 | S. Cihangir <i>et al.</i> | (FNAL, MINN, ROCH) |
| CLELAND | 82 | NP B208 189 | W.E. Cleland <i>et al.</i> | (DURH, GEVA, LAUS+) |
| ASTON | 81C | PL 106B 235 | D. Aston <i>et al.</i> | (SLAC, CARL, OTTA) JP |
| DAUM | 81C | NP B187 1 | C. Daum <i>et al.</i> | (AMST, CERN, CRAC, MPIM+) |
| TOAFF | 81 | PR D23 1500 | S. Toaff <i>et al.</i> | (ANL, KANS) |
| ETKIN | 80 | PR D22 42 | A. Etkin <i>et al.</i> | (BNL, CUNY) JP |
| ESTABROOKS | 78 | NP B133 490 | P.G. Estabrooks <i>et al.</i> | (MCGI, CARL, DURH+) |
| Also | 78B | PR D17 658 | P.G. Estabrooks <i>et al.</i> | (MCGI, CARL, DURH+) |
| JONGEJANS | 78 | NP B139 383 | B. Jongejans <i>et al.</i> | (ZEEM, CERN, NIJM+) |
| MARTIN | 78 | NP B134 392 | A.D. Martin <i>et al.</i> | (DURH, GEVA) |
| BOWLER | 77 | NP B126 31 | M.G. Bowler <i>et al.</i> | (OXF) |
| GOLDBERG | 76 | LNC 17 253 | J. Goldberg | (HAIF) |
| HENDRICK | 76 | NP B112 189 | K. Hendrickx <i>et al.</i> | (MONS, SACL, PARIS+) |
| LAUSCHER | 75 | NP B86 189 | P. Lauscher <i>et al.</i> | (ABCLV Collab.) JP |
| MCCUBBIN | 75 | NP B86 13 | N.A. McCubbin, L. Lyons | (OXF) |

| | | | | |
|--------------|-----|-------------|--|--------------------------|
| DEHM | 74 | NP B75 47 | G. Dehm <i>et al.</i> | (MPIM, BRUX, MONS, CERN) |
| LINGLIN | 73 | NP B55 408 | D. Linglin | (CERN) |
| AGUILAR-... | 71B | PR D4 2583 | M. Aguilar-Benitez, R.L. Eisner, J.B. Kinson | (BNL) |
| BARNHAM | 71C | NP B28 171 | K.W.J. Barnham <i>et al.</i> | (BIRM, GLAS) |
| CORDS | 71 | PR D4 1974 | D. Cords <i>et al.</i> | (PURD, UCD, IUPU) |
| BASSOMPIE... | 69 | NP B13 189 | G. Bassompierre <i>et al.</i> | (CERN, BRUX) JP |
| BISHOP | 69 | NP B9 403 | J.M. Bishop <i>et al.</i> | (WISC) |
| CRENNELL | 69D | PRL 22 487 | D.J. Crennell <i>et al.</i> | (BNL) |
| DAVIS | 69 | PRL 23 1071 | P.J. Davis <i>et al.</i> | (LRL) |
| LIND | 69 | NP B14 1 | V.G. Lind <i>et al.</i> | (LRL) JP |
| SCHWEING... | 68 | PR 166 1317 | F. Schweingruber <i>et al.</i> | (ANL, NWES) |
| Also | 67 | Thesis | F.L. Schweingruber | (NWES, NWES) |
| BASSANO | 67 | PRL 19 968 | D. Bassano <i>et al.</i> | (BNL, SYRA) |
| FIELD | 67 | PL 24B 638 | J.H. Field <i>et al.</i> | (UCSD) |
| BADIER | 65C | PL 19 612 | J. Badier <i>et al.</i> | (EPOL, SACL, AMST) |

OTHER RELATED PAPERS

| | | | | |
|------------|-----|--------------|-----------------------------|---------------------|
| BARBERIS | 98E | PL B436 204 | D. Barberis <i>et al.</i> | (Omega expt.) |
| ATKINSON | 86 | ZPHY C30 521 | M. Atkinson <i>et al.</i> | (BONN, CERN, GLAS+) |
| BAUBILLIER | 82B | NP B202 21 | M. Baubillier <i>et al.</i> | (BIRM, CERN, GLAS+) |
| CHUNG | 65 | PRL 15 325 | S.U. Chung <i>et al.</i> | (LRL) |
| FOCARDI | 65 | PL 16 351 | S. Focardi <i>et al.</i> | (BGNA, SACL) |
| HAQUE | 65 | PL 14 338 | N. Haque <i>et al.</i> | |
| HARDY | 65 | PRL 14 401 | L.M. Hardy <i>et al.</i> | (LRL) |