

$\eta_c(1S)$

$$I^G(J^{PC}) = 0^+(0^{-+})$$

$\eta_c(1S)$ MASS


<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2979.8 ± 1.8 OUR AVERAGE		Error includes scale factor of 1.9. See the ideogram below.		
2975.8 ± 3.9 ± 1.2		^{1,2} BAI	99B BES	$\psi(2S) \rightarrow \gamma X$
2999 ± 8	25	ABREU	98O DLPH	$e^+e^- \rightarrow e^+e^-$ +hadrons
2988.3 ⁺ ₋ 3.3 3.1		ARMSTRONG	95F E760	$\bar{p}p \rightarrow \gamma\gamma$
2974.4 ± 1.9		¹ BISELLO	91 DM2	$J/\psi \rightarrow \eta_c \gamma$
2969 ± 4 ± 4	80	BAI	90B MRK3	$J/\psi \rightarrow$ $\gamma K^+ K^- K^+ K^-$
2982.6 ⁺ ₋ 2.7 2.3	12	BAGLIN	87B SPEC	$\bar{p}p \rightarrow \gamma\gamma$
2980.2 ± 1.6		¹ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$
2984 ± 2.3 ± 4.0		GAISER	86 CBAL	$J/\psi \rightarrow \gamma X, \psi(2S) \rightarrow$ γX
2982 ± 8	18	³ HIMEL	80B MRK2	e^+e^-
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2956 ± 12 ± 12		BAI	90B MRK3	$J/\psi \rightarrow$ $\gamma K^+ K^- K_S^0 K_L^0$
2976 ± 8		⁴ BALTRUSAIT..84	MRK3	$J/\psi \rightarrow 2\phi\gamma$
2980 ± 9		³ PARTRIDGE	80B CBAL	e^+e^-

¹ Average of several decay modes.

² Using an η_c width of 13.2 MeV.

³ Mass adjusted by us to correspond to $J/\psi(1S)$ mass = 3097 MeV.

⁴ $\eta_c \rightarrow \phi\phi$.



$\eta_c(1S)$ mass (MeV)

$\eta_c(1S)$ WIDTH

VALUE (MeV)	CL%	EVTs	DOCUMENT ID	TECN	COMMENT
13.2^{+3.8}_{-3.2}					OUR AVERAGE
23.9 ^{+12.6} _{-7.1}			ARMSTRONG 95F E760		$\bar{p}p \rightarrow \gamma\gamma$
7.0 ^{+7.5} _{-7.0}		12	BAGLIN 87B SPEC		$\bar{p}p \rightarrow \gamma\gamma$
10.1 ^{+33.0} _{-8.2}		23	⁵ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \gamma p \bar{p}$
11.5 ± 4.5			GAISER 86 CBAL		$J/\psi \rightarrow \gamma X, \psi(2S) \rightarrow \gamma X$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<40	90	18	HIMEL 80B MRK2		e^+e^-
<20	90		PARTRIDGE 80B CBAL		e^+e^-

⁵ Positive and negative errors correspond to 90% confidence level.

$\eta_c(1S)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Confidence level
Decays involving hadronic resonances		
Γ_1 $\eta'(958)\pi\pi$	(4.1 \pm 1.7) %	
Γ_2 $\rho\rho$	(2.6 \pm 0.9) %	
Γ_3 $K^*(892)^0 K^- \pi^+ + \text{c.c.}$	(2.0 \pm 0.7) %	
Γ_4 $K^*(892)\bar{K}^*(892)$	(8.5 \pm 3.1) $\times 10^{-3}$	
Γ_5 $\phi\phi$	(7.1 \pm 2.8) $\times 10^{-3}$	
Γ_6 $a_0(980)\pi$	< 2 %	90%
Γ_7 $a_2(1320)\pi$	< 2 %	90%
Γ_8 $K^*(892)\bar{K} + \text{c.c.}$	< 1.28 %	90%
Γ_9 $f_2(1270)\eta$	< 1.1 %	90%
Γ_{10} $\omega\omega$	< 3.1 $\times 10^{-3}$	90%
Decays into stable hadrons		
Γ_{11} $K\bar{K}\pi$	(5.5 \pm 1.7) %	
Γ_{12} $\eta\pi\pi$	(4.9 \pm 1.8) %	
Γ_{13} $\pi^+\pi^-K^+K^-$	(2.0 $^{+0.7}_{-0.6}$) %	
Γ_{14} $2(K^+K^-)$	(2.1 \pm 1.2) %	
Γ_{15} $2(\pi^+\pi^-)$	(1.2 \pm 0.4) %	
Γ_{16} $p\bar{p}$	(1.2 \pm 0.4) $\times 10^{-3}$	
Γ_{17} $K\bar{K}\eta$	< 3.1 %	90%
Γ_{18} $\pi^+\pi^-p\bar{p}$	< 1.2 %	90%
Γ_{19} $\Lambda\bar{\Lambda}$	< 2 $\times 10^{-3}$	90%
Radiative decays		
Γ_{20} $\gamma\gamma$	(3.0 \pm 1.2) $\times 10^{-4}$	

$\eta_c(1S)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$	Γ_{20}
<u>VALUE (keV)</u>	<u>EVTS</u>
<u>DOCUMENT ID</u>	<u>TECN</u>
<u>COMMENT</u>	
7.4 \pm 1.4 OUR AVERAGE	
6.9 \pm 1.7 \pm 2.1	76 \pm 19
27 \pm 16 \pm 10	5
6.7 $^{+2.4}_{-1.7}$ \pm 2.3	
11.3 \pm 4.2	
5.9 $^{+2.1}_{-1.8}$ \pm 1.9	
6.4 $^{+5.0}_{-3.4}$	
28 \pm 15	
• • • We do not use the following data for averages, fits, limits, etc. • • •	
8.0 \pm 2.3 \pm 2.4	17
⁶ BERGER	86
⁷ ADRIANI	93N L3

⁶ Re-evaluated by AIHARA 88D.

⁷ Superseded by ACCIARRI 99T.

$\eta_c(1S) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K\bar{K}\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$			$\Gamma_{11}\Gamma_{20}/\Gamma$		
VALUE (keV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
0.94 ± 0.18 OUR AVERAGE					
0.84 ± 0.21			⁸ ALBRECHT	94H ARG	$\gamma\gamma \rightarrow K^\pm K_S^0 \pi^\mp$
1.06 ± 0.41 ± 0.27		11	BRAUNSCH...	89 TASS	$\gamma\gamma \rightarrow K\bar{K}\pi$
1.5 $\begin{smallmatrix} +0.60 \\ -0.45 \end{smallmatrix} \pm 0.3$		7	⁸ BERGER	86 PLUT	$\gamma\gamma \rightarrow K\bar{K}\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.63	95		⁸ BEHREND	89 CELL	$\gamma\gamma \rightarrow K_S^0 K^\pm \pi^\mp$
<4.4	95		ALTHOFF	85B TASS	$\gamma\gamma \rightarrow K\bar{K}\pi$
⁸ $K^\pm K_S^0 \pi^\mp$ corrected to $K\bar{K}\pi$ by factor 3.					

$\eta_c(1S)$ BRANCHING RATIOS

HADRONIC DECAYS

$\Gamma(\eta'(958)\pi\pi)/\Gamma_{\text{total}}$			Γ_1/Γ		
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
0.041 ± 0.017	14	⁹ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	

$\Gamma(\rho\rho)/\Gamma_{\text{total}}$			Γ_2/Γ		
VALUE (units 10^{-3})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
26 ± 9 OUR EVALUATION (Treating systematic errors as correlated.)					
25 ± 8 OUR AVERAGE					
26.0 ± 2.4 ± 8.8		113	⁹ BISELLO	91 DM2	$J/\psi \rightarrow \gamma \rho^0 \rho^0$
23.6 ± 10.6 ± 8.2		32	⁹ BISELLO	91 DM2	$J/\psi \rightarrow \gamma \rho^+ \rho^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<140	90		⁹ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(K^*(892)^0 K^- \pi^+ + \text{c.c.})/\Gamma_{\text{total}}$			Γ_3/Γ		
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
0.02 ± 0.007	63	⁹ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	

$\Gamma(K^*(892)\bar{K}^*(892))/\Gamma_{\text{total}}$			Γ_4/Γ		
VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT	
85 ± 31 OUR AVERAGE					
82 ± 28 ± 27		14	⁹ BISELLO	91 DM2	$e^+ e^- \rightarrow \gamma K^+ K^- \pi^+ \pi^-$
90 ± 50		9	⁹ BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$

$\Gamma(K^*(892)\bar{K} + \text{c.c.})/\Gamma_{\text{total}}$			Γ_8/Γ		
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
<0.0128	90	BISELLO	91 DM2	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$	
<0.0132	90	⁹ BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- \pi^0$	

$\Gamma(\phi\phi)/\Gamma_{\text{total}}$ **Γ_5/Γ**

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

71±28 OUR EVALUATION (Treating systematic errors as correlated.)

71±22 OUR AVERAGE

74±18±24	80	⁹ BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
67±21±24		⁹ BAI	90B MRK3	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

31± 7±10	19	⁹ BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- K^+ K^-$
30 ⁺¹⁸ ₋₁₂ ±10	5	⁹ BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- K_S^0 K_L^0$

$\Gamma(a_0(980)\pi)/\Gamma_{\text{total}}$ **Γ_6/Γ**

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

<0.02 90 ^{9,10} BALTRUSAIT..86 MRK3 $J/\psi \rightarrow \eta_c \gamma$

$\Gamma(a_2(1320)\pi)/\Gamma_{\text{total}}$ **Γ_7/Γ**

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

<0.02 90 ⁹ BALTRUSAIT..86 MRK3 $J/\psi \rightarrow \eta_c \gamma$

$\Gamma(f_2(1270)\eta)/\Gamma_{\text{total}}$ **Γ_9/Γ**

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

<0.011 90 ⁹ BALTRUSAIT..86 MRK3 $J/\psi \rightarrow \eta_c \gamma$

$\Gamma(\omega\omega)/\Gamma_{\text{total}}$ **Γ_{10}/Γ**

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

<0.0031 90 ⁹ BALTRUSAIT..86 MRK3 $J/\psi \rightarrow \eta_c \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.0063 ⁹ BISELLO 91 DM2 $J/\psi \rightarrow \gamma\omega\omega$

$\Gamma(K\bar{K}\pi)/\Gamma_{\text{total}}$ **Γ_{11}/Γ**

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
-------	-----	------	-------------	------	---------

0.055 ±0.017 OUR EVALUATION (Treating systematic errors as correlated.)

0.055 ±0.008 OUR AVERAGE

0.0690±0.0142±0.0132	33	⁹ BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^+ K^- \pi^0$
0.0543±0.0094±0.0094	68	⁹ BISELLO	91 DM2	$J/\psi \rightarrow \gamma K^\pm \pi^\mp K_S^0$
0.048 ±0.011	95	^{9,11} BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$
0.161 ^{+0.092} _{-0.073}		¹² HIMEL	80B MRK2	$\psi(2S) \rightarrow \eta_c \gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.107 90 ⁹ PARTRIDGE 80B CBAL $J/\psi \rightarrow \eta_c \gamma$

$\Gamma(\eta\pi\pi)/\Gamma_{\text{total}}$			Γ_{12}/Γ		
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.049±0.018 OUR EVALUATION					
0.047±0.015 OUR AVERAGE					
0.054±0.020	75	9 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
0.037±0.013±0.020	18	9 PARTRIDGE 80B	CBAL	$J/\psi \rightarrow \eta\pi^+\pi^-\gamma$	
$\Gamma(\pi^+\pi^-K^+K^-)/\Gamma_{\text{total}}$			Γ_{13}/Γ		
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.020^{+0.007}_{-0.006} OUR AVERAGE					
0.021±0.007	110	9 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
0.014 ^{+0.022} _{-0.009}		12 HIMEL 80B	MRK2	$\psi(2S) \rightarrow \eta_c \gamma$	
$\Gamma(2(\pi^+\pi^-))/\Gamma_{\text{total}}$			Γ_{15}/Γ		
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.012 ±0.004 OUR EVALUATION					
0.0120±0.0031 OUR AVERAGE					
0.0105±0.0017±0.0034	137	9 BISELLO 91	DM2	$J/\psi \rightarrow \gamma 2\pi^+ 2\pi^-$	
0.013 ±0.006	25	9 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
0.020 ^{+0.015} _{-0.010}		12 HIMEL 80B	MRK2	$\psi(2S) \rightarrow \eta_c \gamma$	
$\Gamma(2(K^+K^-))/\Gamma_{\text{total}}$			Γ_{14}/Γ		
<u>VALUE</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.021±0.010±0.006					
		ALBRECHT 94H	ARG	$\gamma\gamma \rightarrow K^+K^-K^+K^-$	
$\Gamma(p\bar{p})/\Gamma_{\text{total}}$			Γ_{16}/Γ		
<u>VALUE (units 10⁻⁴)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
12± 4 OUR AVERAGE					
10± 3±4	18	9 BISELLO 91	DM2	$J/\psi \rightarrow \gamma p\bar{p}$	
11± 6	23	9 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
29 ⁺²⁹ ₋₁₅		12 HIMEL 80B	MRK2	$\psi(2S) \rightarrow \eta_c \gamma$	
$\Gamma(K\bar{K}\eta)/\Gamma_{\text{total}}$			Γ_{17}/Γ		
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.031					
	90	9 BALTRUSAIT..86	MRK3	$J/\psi \rightarrow \eta_c \gamma$	
$\Gamma(\pi^+\pi^-p\bar{p})/\Gamma_{\text{total}}$			Γ_{18}/Γ		
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.012					
	90	HIMEL 80B	MRK2	$\psi(2S) \rightarrow \eta_c \gamma$	
$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$			Γ_{19}/Γ		
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<0.002					
	90	9 BISELLO 91	DM2	$e^+e^- \rightarrow \gamma\Lambda\bar{\Lambda}$	

$\Gamma_i \Gamma_f / \Gamma_{\text{total}}^2$ in $p\bar{p} \rightarrow \eta_c(1S) \rightarrow \phi\phi$ $\Gamma_{16}\Gamma_5/\Gamma^2$

VALUE (units 10^{-5})	DOCUMENT ID	TECN	COMMENT
$4.0^{+3.5}_{-3.2}$	BAGLIN	89 SPEC	$\bar{p}p \rightarrow K^+ K^- K^+ K^-$

⁹ The quoted branching ratios use $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$. Where relevant, the error in this branching ratio is treated as a common systematic in computing averages.

¹⁰ We are assuming $B(a_0(980) \rightarrow \eta\pi) > 0.5$.

¹¹ Average from $K^+ K^- \pi^0$ and $K^\pm K^0 s_1\pi^\mp$ decay channels.

¹² Estimated using $B(\psi(2S) \rightarrow \gamma\eta_c(1S)) = 0.0028 \pm 0.0006$.

RADIATIVE DECAYS

$\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ Γ_{20}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
3.0 ± 1.2	OUR AVERAGE			
$2.80^{+0.67}_{-0.58} \pm 1.0$		ARMSTRONG 95F	E760	$\bar{p}p \rightarrow \gamma\gamma$
$6^{+4}_{-3} \pm 4$		BAGLIN	87B SPEC	$\bar{p}p \rightarrow \gamma\gamma$

••• We do not use the following data for averages, fits, limits, etc. •••

< 9	90	⁹ BISELLO	91 DM2	$J/\psi \rightarrow \gamma\gamma\gamma$
< 18	90	¹³ BLOOM	83 CBAL	$J/\psi \rightarrow \eta_c\gamma$

¹³ Using $B(J/\psi(1S) \rightarrow \gamma\eta_c(1S)) = 0.0127 \pm 0.0036$.

$\Gamma_i \Gamma_f / \Gamma_{\text{total}}^2$ in $p\bar{p} \rightarrow \eta_c(1S) \rightarrow \gamma\gamma$ $\Gamma_{16}\Gamma_{20}/\Gamma^2$

VALUE (units 10^{-6})	EVTS	DOCUMENT ID	TECN	COMMENT
$0.36^{+0.08}_{-0.07}$	OUR AVERAGE			Error includes scale factor of 1.1.
$0.336^{+0.080}_{-0.070}$		ARMSTRONG 95F	E760	$\bar{p}p \rightarrow \gamma\gamma$
$0.68^{+0.42}_{-0.31}$	12	BAGLIN	87B SPEC	$\bar{p}p \rightarrow \gamma\gamma$

$\eta_c(1S)$ REFERENCES

ACCIARRI	99T	PL B461 155	M. Acciarri <i>et al.</i>	(L3 Collab.)
BAI	99B	PR D60 072001	J.Z. Bai <i>et al.</i>	(BES Collab.)
ABREU	98O	PL B441 479	P. Abreu <i>et al.</i>	(DELPHI Collab.)
SHIRAI	98	PL B424 405	M. Shirai <i>et al.</i>	(AMY Collab.)
ARMSTRONG	95F	PR D52 4839	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
ALBRECHT	94H	PL B338 390	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ADRIANI	93N	PL B318 575	O. Adriani <i>et al.</i>	(L3 Collab.)
BISELLO	91	NP B350 1	D. Bisello <i>et al.</i>	(DM2 Collab.)
BAI	90B	PRL 65 1309	Z. Bai <i>et al.</i>	(Mark III Collab.)
CHEN	90B	PL B243 169	W.Y. Chen <i>et al.</i>	(CLEO Collab.)
BAGLIN	89	PL B231 557	C. Baglin, S. Baird, G. Bassompierre	(R704 Collab.)
BEHREND	89	ZPHY C42 367	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
BRAUNSCH...	89	ZPHY C41 533	W. Braunschweig <i>et al.</i>	(TASSO Collab.)
AIHARA	88D	PRL 60 2355	H. Aihara <i>et al.</i>	(TPC Collab.)
BAGLIN	87B	PL B187 191	C. Baglin <i>et al.</i>	(R704 Collab.)
BALTRUSAIT...	86	PR D33 629	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
BERGER	86	PL 167B 120	C. Berger <i>et al.</i>	(PLUTO Collab.)
GAISER	86	PR D34 711	J. Gaiser <i>et al.</i>	(Crystal Ball Collab.)
ALTHOFF	85B	ZPHY C29 189	M. Althoff <i>et al.</i>	(TASSO Collab.)
BALTRUSAIT...	84	PRL 52 2126	R.M. Baltrusaitis <i>et al.</i>	(CIT, UCSC+ JP)
BLOOM	83	ARNS 33 143	E.D. Bloom, C. Peck	(SLAC, CIT)
HIMEL	80B	PRL 45 1146	T.M. Himel <i>et al.</i>	(SLAC, LBL, UCB)
PARTRIDGE	80B	PRL 45 1150	R. Partridge <i>et al.</i>	(CIT, HARV, PRIN+)

————— **OTHER RELATED PAPERS** —————

ARMSTRONG 89 PL B221 216 T.A. Armstrong *et al.* (CERN, CDEF, BIRM+)
