

# K<sub>4</sub><sup>\*</sup>(2045)

$$I(J^P) = \frac{1}{2}(4^+)$$

## K<sub>4</sub><sup>\*</sup>(2045) MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>2045 ± 9 OUR AVERAGE</b>		Error includes scale factor of 1.1.			
2062 ± 14 ± 13		<sup>1</sup> ASTON	86 LASS	0	11 K <sup>-</sup> p → K <sup>-</sup> π <sup>+</sup> n
2039 ± 10	400	<sup>2,3</sup> CLELAND	82 SPEC	±	50 K <sup>+</sup> p → K <sub>S</sub> <sup>0</sup> π <sup>±</sup> p
2070 <sup>+100</sup> <sub>-40</sub>		<sup>4</sup> ASTON	81c LASS	0	11 K <sup>-</sup> p → K <sup>-</sup> π <sup>+</sup> n
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
2079 ± 7	431	TORRES	86 MPSF		400 pA → 4KX
2088 ± 20	650	BAUBILLIER	82 HBC	-	8.25 K <sup>-</sup> p → K <sub>S</sub> <sup>0</sup> π <sup>-</sup> p
2115 ± 46	488	CARMONY	77 HBC	0	9 K <sup>+</sup> d → K <sup>+</sup> π's X
<sup>1</sup> From a fit to all moments. <sup>2</sup> From a fit to 8 moments. <sup>3</sup> Number of events evaluated by us. <sup>4</sup> From energy-independent partial-wave analysis.					

## K<sub>4</sub><sup>\*</sup>(2045) WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>198 ± 30 OUR AVERAGE</b>					
221 ± 48 ± 27		<sup>5</sup> ASTON	86 LASS	0	11 K <sup>-</sup> p → K <sup>-</sup> π <sup>+</sup> n
189 ± 35	400	<sup>6,7</sup> CLELAND	82 SPEC	±	50 K <sup>+</sup> p → K <sub>S</sub> <sup>0</sup> π <sup>±</sup> p
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
61 ± 58	431	TORRES	86 MPSF		400 pA → 4KX
170 <sup>+100</sup> <sub>-50</sub>	650	BAUBILLIER	82 HBC	-	8.25 K <sup>-</sup> p → K <sub>S</sub> <sup>0</sup> π <sup>-</sup> p
240 <sup>+500</sup> <sub>-100</sub>		<sup>8</sup> ASTON	81c LASS	0	11 K <sup>-</sup> p → K <sup>-</sup> π <sup>+</sup> n
300 ± 200		CARMONY	77 HBC	0	9 K <sup>+</sup> d → K <sup>+</sup> π's X
<sup>5</sup> From a fit to all moments. <sup>6</sup> From a fit to 8 moments. <sup>7</sup> Number of events evaluated by us. <sup>8</sup> From energy-independent partial-wave analysis.					

## $K_4^*(2045)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $K\pi$	$(9.9 \pm 1.2) \%$
$\Gamma_2$ $K^*(892)\pi\pi$	$(9 \pm 5) \%$
$\Gamma_3$ $K^*(892)\pi\pi\pi$	$(7 \pm 5) \%$
$\Gamma_4$ $\rho K\pi$	$(5.7 \pm 3.2) \%$
$\Gamma_5$ $\omega K\pi$	$(5.0 \pm 3.0) \%$
$\Gamma_6$ $\phi K\pi$	$(2.8 \pm 1.4) \%$
$\Gamma_7$ $\phi K^*(892)$	$(1.4 \pm 0.7) \%$

## $K_4^*(2045)$ BRANCHING RATIOS

<b><math>\Gamma(K\pi)/\Gamma_{\text{total}}</math></b>					<b><math>\Gamma_1/\Gamma</math></b>
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
<b><math>0.099 \pm 0.012</math></b>	ASTON	88	LASS	0	11 $K^- p \rightarrow K^- \pi^+ n$
<b><math>\Gamma(K^*(892)\pi\pi)/\Gamma(K\pi)</math></b>					<b><math>\Gamma_2/\Gamma_1</math></b>
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
<b><math>0.89 \pm 0.53</math></b>	BAUBILLIER	82	HBC	—	8.25 $K^- p \rightarrow \rho K_S^0 3\pi$
<b><math>\Gamma(K^*(892)\pi\pi\pi)/\Gamma(K\pi)</math></b>					<b><math>\Gamma_3/\Gamma_1</math></b>
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
<b><math>0.75 \pm 0.49</math></b>	BAUBILLIER	82	HBC	—	8.25 $K^- p \rightarrow \rho K_S^0 3\pi$
<b><math>\Gamma(\rho K\pi)/\Gamma(K\pi)</math></b>					<b><math>\Gamma_4/\Gamma_1</math></b>
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
<b><math>0.58 \pm 0.32</math></b>	BAUBILLIER	82	HBC	—	8.25 $K^- p \rightarrow \rho K_S^0 3\pi$
<b><math>\Gamma(\omega K\pi)/\Gamma(K\pi)</math></b>					<b><math>\Gamma_5/\Gamma_1</math></b>
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	
<b><math>0.50 \pm 0.30</math></b>	BAUBILLIER	82	HBC	—	8.25 $K^- p \rightarrow \rho K_S^0 3\pi$
<b><math>\Gamma(\phi K\pi)/\Gamma_{\text{total}}</math></b>					<b><math>\Gamma_6/\Gamma</math></b>
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b><math>0.028 \pm 0.014</math></b>	<sup>9</sup> TORRES	86	MPSF	400 $pA \rightarrow 4KX$	
<b><math>\Gamma(\phi K^*(892))/\Gamma_{\text{total}}</math></b>					<b><math>\Gamma_7/\Gamma</math></b>
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b><math>0.014 \pm 0.007</math></b>	<sup>9</sup> TORRES	86	MPSF	400 $pA \rightarrow 4KX$	

<sup>9</sup> Error determination is model dependent.

## $K_4^*$ (2045) REFERENCES

ASTON	88	NP B296 493	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
ASTON	86	PL B180 308	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
TORRES	86	PR 34 707	S. Torres <i>et al.</i>	(VPI, ARIZ, FNAL, FSU+)
BAUBILLIER	82	PL 118B 447	M. Baubillier <i>et al.</i>	(BIRM, CERN, GLAS+)
CLELAND	82	NP B208 189	W.E. Cleland <i>et al.</i>	(DURH, GEVA, LAUS+)
ASTON	81C	PL 106B 235	D. Aston <i>et al.</i>	(SLAC, CARL, OTTA) JP
CARMONY	77	PR D16 1251	D.D. Carmony <i>et al.</i>	(PURD, UCD, IUPU)

## OTHER RELATED PAPERS

ASTON	87	NP B292 693	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
BROMBERG	80	PR D22 1513	C.M. Bromberg <i>et al.</i>	(CIT, FNAL, ILLC+)
CARMONY	71	PRL 27 1160	D.D. Carmony <i>et al.</i>	(PURD, UCD, IUPU)

---