$\eta'(958)$

$I^G(J^{PC}) = 0^+(0^{-+})$

$\eta'(958)$ MASS

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
957.78±0.14 OUR AVERAGE					
957.9 ±0.2 ±0.6	4800	WURZINGER	96	SPEC	1.68 $p\,d \rightarrow {}^3\mathrm{He}\,\eta'$
959 ±1	630	BELADIDZE	92C	VES	36 $\pi^-\,\mathrm{Be} \rightarrow \pi^-\,\eta'\,\eta\,\mathrm{Be}$
958 ±1	340	ARMSTRONG	91B	OMEG	300 $p\,p \rightarrow p\,p\,\eta\,\pi^+\,\pi^-$
958.2 ±0.4	622	AUGUSTIN	90	DM2	$J/\psi \rightarrow \gamma\,\eta\,\pi^+\,\pi^-$
957.8 ±0.2	2420	AUGUSTIN	90	DM2	$J/\psi \rightarrow \gamma\,\gamma\,\pi^+\,\pi^-$
956.3 ±1.0	143	GIDAL	87	MRK2	$e^+\,e^- \rightarrow e^+\,e^-\,\eta\,\pi^+\,\pi^-$
957.46±0.33		DUANE	74	MMS	$\pi^-\,p \rightarrow n\,\mathrm{MM}$
958.2 ±0.5	1414	DANBURG	73	HBC	2.2 $K^-\,p \rightarrow \Lambda X^0$
958 ±1	400	JACOBS	73	HBC	2.9 $K^-\,p \rightarrow \Lambda X^0$
956.1 ±1.1	3415	BASILE	71	CNTR	1.6 $\pi^-\,p \rightarrow n\,X^0$
957.4 ±1.4	535	BASILE	71	CNTR	1.6 $\pi^-\,p \rightarrow n\,X^0$
957 ±1		RITTENBERG	69	HBC	1.7–2.7 $K^-\,p$

$\eta'(958)$ WIDTH

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*CHG*	*COMMENT*
0.202±0.016 OUR FIT Error includes scale factor of 1.3.						
0.30 ±0.09 OUR AVERAGE						
0.40 ±0.22	4800	WURZINGER	96	SPEC		1.68 $p\,d \rightarrow {}^3\mathrm{He}\,\eta'$
0.28 ±0.10	1000	BINNIE	79	MMS	0	$\pi^-\,p \rightarrow n\,\mathrm{MM}$

$\eta'(958)$ DECAY MODES

	Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1	$\pi^+\,\pi^-\,\eta$	(44.3 ±1.5) %	S=1.2
Γ_2	$\rho^0\,\gamma$(including non-resonant $\pi^+\,\pi^-\,\gamma$)	(29.5 ±1.0) %	S=1.2
Γ_3	$\pi^0\,\pi^0\,\eta$	(20.9 ±1.2) %	S=1.2
Γ_4	$\omega\,\gamma$	(3.03±0.31) %	
Γ_5	$\gamma\,\gamma$	(2.12±0.14) %	S=1.3
Γ_6	$3\pi^0$	(1.56±0.26) $\times 10^{-3}$	
Γ_7	$\mu^+\,\mu^-\,\gamma$	(1.04±0.26) $\times 10^{-4}$	
Γ_8	$\pi^+\,\pi^-\,\pi^0$	$<$ 5 %	CL=90%
Γ_9	$\pi^0\,\rho^0$	$<$ 4 %	CL=90%
Γ_{10}	$\pi^+\,\pi^+\,\pi^-\,\pi^-$	$<$ 1 %	CL=90%

Γ_{11}	$\pi^+\pi^+\pi^-\pi^-$ neutrals	$<$	1	%	CL=95%
Γ_{12}	$\pi^+\pi^+\pi^-\pi^-\pi^0$	$<$	1	%	CL=90%
Γ_{13}	6π	$<$	1	%	CL=90%
Γ_{14}	$\pi^+\pi^- e^+ e^-$	$<$	6	$\times 10^{-3}$	CL=90%
Γ_{15}	$\gamma e^+ e^-$	$<$	9	$\times 10^{-4}$	CL=90%
Γ_{16}	$\pi^0\gamma\gamma$	$<$	8	$\times 10^{-4}$	CL=90%
Γ_{17}	$4\pi^0$	$<$	5	$\times 10^{-4}$	CL=90%
Γ_{18}	$e^+ e^-$	$<$	2.1	$\times 10^{-7}$	CL=90%

Charge conjugation (C), Parity (P), Lepton family number (LF) violating modes

Γ_{19}	$\pi^+\pi^-$	P,CP		$<$	2	%	CL=90%
Γ_{20}	$\pi^0\pi^0$	P,CP		$<$	9	$\times 10^{-4}$	CL=90%
Γ_{21}	$\pi^0 e^+ e^-$	C	[a]	$<$	1.4	$\times 10^{-3}$	CL=90%
Γ_{22}	$\eta e^+ e^-$	C	[a]	$<$	2.4	$\times 10^{-3}$	CL=90%
Γ_{23}	3γ	C		$<$	1.0	$\times 10^{-4}$	CL=90%
Γ_{24}	$\mu^+\mu^-\pi^0$	C	[a]	$<$	6.0	$\times 10^{-5}$	CL=90%
Γ_{25}	$\mu^+\mu^-\eta$	C	[a]	$<$	1.5	$\times 10^{-5}$	CL=90%
Γ_{26}	$e\mu$	LF		$<$	4.7	$\times 10^{-4}$	CL=90%

[a] C parity forbids this to occur as a single-photon process.

CONSTRAINED FIT INFORMATION

An overall fit to the total width, a partial width, 2 combinations of partial widths obtained from integrated cross section, and 16 branching ratios uses 48 measurements and one constraint to determine 7 parameters. The overall fit has a $\chi^2 = 35.6$ for 42 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$, in percent, from the fit to parameters p_i, including the branching fractions, $x_i \equiv \Gamma_i/\Gamma_{\rm total}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	−39					
x_3	−74	−29				
x_4	−33	−24	32			
x_5	−25	−12	26	8		
x_6	−27	−11	35	11	9	
Γ	32	−3	−24	−5	−88	−8
	x_1	x_2	x_3	x_4	x_5	x_6

	Mode	Rate (MeV)	Scale factor
Γ_1	$\pi^+\pi^-\eta$	0.090 ±0.008	1.2
Γ_2	$\rho^0\gamma$(including non-resonant $\pi^+\pi^-\gamma$)	0.060 ±0.005	1.3
Γ_3	$\pi^0\pi^0\eta$	0.042 ±0.004	1.6
Γ_4	$\omega\gamma$	0.0061 ±0.0008	1.2
Γ_5	$\gamma\gamma$	0.00429±0.00015	1.1
Γ_6	$3\pi^0$	(3.1 ±0.6) × 10^{-4}	1.1

$\eta'(958)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$ Γ_5

VALUE (keV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
4.29±0.15 OUR FIT Error includes scale factor of 1.1.					
4.28±0.19 OUR AVERAGE					
4.17±0.10±0.27	2000	[1] ACCIARRI	98B	L3	$e^+e^- \to e^+e^-\pi^+\pi^-\gamma$
4.53±0.29±0.51	266	KARCH	92	CBAL	$e^+e^- \to e^+e^-\eta\pi^0\pi^0$
3.61±0.13±0.48		[2] BEHREND	91	CELL	$e^+e^- \to e^+e^-\eta'(958)$
4.6 ±1.1 ±0.6	23	BARU	90	MD1	$e^+e^- \to e^+e^-\pi^+\pi^-\gamma$
4.57±0.25±0.44		BUTLER	90	MRK2	$e^+e^- \to e^+e^-\eta'(958)$

5.08±0.24±0.71	547	[3] ROE	90	ASP	$e^+e^- \to e^+e^-2\gamma$
3.8 ±0.7 ±0.6	34	AIHARA	88C	TPC	$e^+e^- \to e^+e^-\eta\pi^+\pi^-$
4.9 ±0.5 ±0.5	136	[4] WILLIAMS	88	CBAL	$e^+e^- \to e^+e^-2\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
4.7 ±0.6 ±0.9	143	[5] GIDAL	87	MRK2	$e^+e^- \to e^+e^-\eta\pi^+\pi^-$
4.0 ±0.9		[6] BARTEL	85E	JADE	$e^+e^- \to e^+e^-2\gamma$

[1] No non-resonant $\pi^+\pi^-$ contribution found.
[2] Revaluated by us using B($\eta' \to \rho(770)\gamma$) = (30.2 ± 1.3)%.
[3] Revaluated by us using B($\eta' \to \gamma\gamma$) = (2.11 ± 0.13)%.
[4] Revaluated by us using B($\eta' \to \gamma\gamma$) = (2.11 ± 0.13)%.
[5] Superseded by BUTLER 90.
[6] Systematic error not evaluated.

$\eta'(958)$ Γ(i)Γ($\gamma\gamma$)/Γ(total)

This combination of a partial width with the partial width into $\gamma\gamma$ and with the total width is obtained from the integrated cross section into channel(i) in the $\gamma\gamma$ annihilation.

$\Gamma(\gamma\gamma) \times \Gamma(\rho^0\gamma$(including non-resonant $\pi^+\pi^-\gamma$))/Γ_{total} $\Gamma_5\Gamma_2/\Gamma$

VALUE (keV)	EVTS	DOCUMENT ID		TECN	COMMENT
1.27±0.05 OUR FIT Error includes scale factor of 1.2.					
1.26±0.07 OUR AVERAGE Error includes scale factor of 1.2.					
1.09±0.04±0.13		BEHREND	91	CELL	$e^+e^- \to e^+e^-\rho(770)^0\gamma$
1.35±0.09±0.21		AIHARA	87	TPC	$e^+e^- \to e^+e^-\rho\gamma$
1.13±0.04±0.13	867	ALBRECHT	87B	ARG	$e^+e^- \to e^+e^-\rho\gamma$
1.53±0.09±0.21		ALTHOFF	84E	TASS	$e^+e^- \to e^+e^-\rho\gamma$
1.14±0.08±0.11	243	BERGER	84B	PLUT	$e^+e^- \to e^+e^-\rho\gamma$
1.73±0.34±0.35	95	JENNI	83	MRK2	$e^+e^- \to e^+e^-\rho\gamma$
1.49±0.13±0.027	213	BARTEL	82B	JADE	$e^+e^- \to e^+e^-\rho\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.85±0.31±0.24	43	BEHREND	83B	CELL	$e^+e^- \to e^+e^-\rho\gamma$

$\Gamma(\gamma\gamma) \times \Gamma(\pi^0\pi^0\eta)/\Gamma_{total}$ $\Gamma_5\Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID		TECN	COMMENT
0.90±0.06 OUR FIT Error includes scale factor of 1.2.				
0.92±0.06±0.11	[7] KARCH	92	CBAL	$e^+e^- \to e^+e^-\eta\pi^0\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.95±0.05±0.08	[8] KARCH	90	CBAL	$e^+e^- \to e^+e^-\eta\pi^0\pi^0$
1.00±0.08±0.10	[8,9] ANTREASYAN	87	CBAL	$e^+e^- \to e^+e^-\eta\pi^0\pi^0$

[7] Revaluated by us using B($\eta \to \gamma\gamma$) = (39.21 ± 0.34)%. Supersedes ANTREASYAN 87 and KARCH 90.
[8] Superseded by KARCH 92.
[9] Using BR($\eta \to 2\gamma$)=(38.9 ± 0.5)%.

$\eta'(958)$ α PARAMETER

$|\text{MATRIX ELEMENT}|^2 = (1 + \alpha y)^2 + cx^2$

VALUE		DOCUMENT ID		TECN	COMMENT
-0.058 ± 0.013	[10]	ALDE	86	GAM2	38 $\pi^- p \rightarrow n\eta 2\pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.08 ± 0.03	[10]	KALBFLEISCH	74	RVUE	$\eta' \rightarrow \eta\pi^+\pi^-$

[10] May not necessarily be the same for $\eta' \rightarrow \eta\pi^+\pi^-$ and $\eta' \rightarrow \eta\pi^0\pi^0$.

$\eta'(958)$ β PARAMETER

See the "Note on η Decay Parameters" in our 1994 edition Physical Review **D50** 1173 (1994), p. 1454.

$|\text{MATRIX ELEMENT}|^2 = (1 + 2\beta Z)$

VALUE	DOCUMENT ID		TECN	COMMENT
-0.1 ± 0.3	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n3\pi^0$

$\eta'(958)$ BRANCHING RATIOS

$\Gamma(\pi^+\pi^-\eta(\text{neutral decay}))/\Gamma_{\text{total}}$ **$0.714\Gamma_1/\Gamma$**

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.316 ± 0.010 OUR FIT	Error includes scale factor of 1.2.				
0.314 ± 0.026	281	RITTENBERG	69	HBC	1.7–2.7 $K^- p$

$\Gamma(\pi^+\pi^-\text{neutrals})/\Gamma_{\text{total}}$ **$(0.714\Gamma_1+0.286\Gamma_3+0.89\Gamma_4)/\Gamma$**

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.403 ± 0.008 OUR FIT	Error includes scale factor of 1.2.				
0.36 ± 0.05 OUR AVERAGE					
0.4 ± 0.1	39	LONDON	66	HBC	2.24 $K^- p \rightarrow$ $\Lambda\pi^+\pi^-$ neutrals
0.35 ± 0.06	33	BADIER	65B	HBC	3 $K^- p$

$\Gamma(\pi^+\pi^-\eta(\text{charged decay}))/\Gamma_{\text{total}}$ **$0.286\Gamma_1/\Gamma$**

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.127 ± 0.004 OUR FIT	Error includes scale factor of 1.2.				
0.116 ± 0.013 OUR AVERAGE					
0.123 ± 0.014	107	RITTENBERG	69	HBC	1.7–2.7 $K^- p$
0.10 ± 0.04	10	LONDON	66	HBC	2.24 $K^- p \rightarrow$ $\Lambda\pi^+\pi^-\pi^+\pi^-\pi^0$
0.07 ± 0.04	7	BADIER	65B	HBC	3 $K^- p$

$[\Gamma(\pi^0\pi^0\eta(\text{charged decay})) + \Gamma(\omega(\text{charged decay})\gamma)]/\Gamma_{\text{total}}$ **$(0.286\Gamma_3+0.89\Gamma_4)/\Gamma$**

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.087 ± 0.005 OUR FIT	Error includes scale factor of 1.2.				
0.045 ± 0.029	42	RITTENBERG	69	HBC	1.7–2.7 $K^- p$

$\Gamma(\text{neutrals})/\Gamma_{\text{total}}$ $(0.714\Gamma_3+0.09\Gamma_4+\Gamma_5)/\Gamma$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.173±0.009 OUR FIT	Error includes scale factor of 1.2.				
0.187±0.017 OUR AVERAGE					
0.185±0.022	535	BASILE	71	CNTR	1.6 $\pi^- p \rightarrow n X^0$
0.189±0.026	123	RITTENBERG	69	HBC	1.7–2.7 $K^- p$

$\Gamma(\rho^0\gamma(\text{including non-resonant}\,\pi^+\pi^-\gamma))/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.295±0.010 OUR FIT	Error includes scale factor of 1.2.				
0.319±0.030 OUR AVERAGE					
0.329±0.033	298	RITTENBERG	69	HBC	1.7–2.7 $K^- p$
0.2 ±0.1	20	LONDON	66	HBC	2.24 $K^- p \rightarrow \Lambda\pi^+\pi^-\gamma$
0.34 ±0.09	35	BADIER	65B	HBC	3 $K^- p$

$\Gamma(\rho^0\gamma(\text{including non-resonant}\,\pi^+\pi^-\gamma))/\Gamma(\pi\pi\eta)$ $\Gamma_2/(\Gamma_1+\Gamma_3)$

VALUE	DOCUMENT ID		TECN	COMMENT
0.453±0.022 OUR FIT	Error includes scale factor of 1.2.			
0.426±0.028 OUR AVERAGE				
0.43 ±0.02 ±0.02	BARBERIS	98C	OMEG	450 $pp \rightarrow p_f \eta' p_s$
0.31 ±0.15	DAVIS	68	HBC	5.5 $K^- p$

$\Gamma(\gamma e^+ e^-)/\Gamma_{\text{total}}$ Γ_{15}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
<0.9	90	BRIERE	00	CLEO	10.6 $e^+ e^-$

$\Gamma(\pi^0 e^+ e^-)/\Gamma_{\text{total}}$ Γ_{21}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
< 1.4	90	BRIERE	00	CLEO	10.6 $e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<13	90	RITTENBERG	65	HBC	2.7 $K^- p$

$\Gamma(\eta e^+ e^-)/\Gamma_{\text{total}}$ Γ_{22}/Γ

VALUE (units 10^{-3})	CL%	DOCUMENT ID		TECN	COMMENT
< 2.4	90	BRIERE	00	CLEO	10.6 $e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<11	90	RITTENBERG	65	HBC	2.7 $K^- p$

$\Gamma(\pi^0\rho^0)/\Gamma_{\text{total}}$ Γ_9/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.04	90	RITTENBERG	65	HBC	2.7 $K^- p$

$\Gamma(\pi^+\pi^- e^+ e^-)/\Gamma_{\text{total}}$ Γ_{14}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.006	90	RITTENBERG	65	HBC	2.7 $K^- p$

$\Gamma(6\pi)/\Gamma_{total}$ Γ_{13}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.01	90	LONDON	66	HBC	Compilation

$\Gamma(\omega\gamma)/\Gamma(\pi^+\pi^-\eta)$ Γ_4/Γ_1

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.069±0.008 OUR FIT	Error includes scale factor of 1.1.				
0.068±0.013	68	ZANFINO	77	ASPK	8.4 $\pi^- p$

$\Gamma(\rho^0\gamma$(including non-resonant $\pi^+\pi^-\gamma$))/[$\Gamma(\pi^+\pi^-\eta)+\Gamma(\pi^0\pi^0\eta)+\Gamma(\omega\gamma)$] $\Gamma_2/(\Gamma_1+\Gamma_3+\Gamma_4)$

VALUE	DOCUMENT ID		TECN	COMMENT
0.433±0.021 OUR FIT	Error includes scale factor of 1.2.			
0.25 ±0.14	DAUBER	64	HBC	1.95 $K^- p$

$\Gamma(\gamma\gamma)/\Gamma_{total}$ Γ_5/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.0212±0.0014 OUR FIT	Error includes scale factor of 1.3.				
0.0196±0.0015 OUR AVERAGE					
0.0200±0.0018		[11] STANTON	80	SPEC	8.45 $\pi^- p \rightarrow n\pi^+\pi^- 2\gamma$
0.025 ±0.007		DUANE	74	MMS	$\pi^- p \rightarrow n$MM
0.0171±0.0033	68	DALPIAZ	72	CNTR	1.6 $\pi^- p \rightarrow n X^0$
$0.020\ ^{+0.008}_{-0.006}$	31	HARVEY	71	OSPK	3.65 $\pi^- p \rightarrow n X^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.018 ±0.002	6000	[12] APEL	79	NICE	15–40 $\pi^- p \rightarrow n2\gamma$

[11] Includes APEL 79 result.
[12] Data is included in STANTON 80 evaluation.

$\Gamma(e^+e^-)/\Gamma_{total}$ Γ_{18}/Γ

VALUE (units 10^{-7})	CL%	DOCUMENT ID		TECN	COMMENT
<2.1	90	VOROBYEV	88	ND	$e^+e^- \rightarrow \pi^+\pi^-\eta$

$\Gamma(\pi^+\pi^-)/\Gamma_{total}$ Γ_{19}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.02	90	RITTENBERG	69	HBC	1.7–2.7 $K^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.08	95	DANBURG	73	HBC	2.2 $K^- p \rightarrow \Lambda X^0$

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{total}$ Γ_8/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.05	90	RITTENBERG	69	HBC	1.7–2.7 $K^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.09	95	DANBURG	73	HBC	2.2 $K^- p \rightarrow \Lambda X^0$

$\Gamma(\pi^+\pi^+\pi^-\pi^-\text{neutrals})/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.01	95	DANBURG	73	HBC	2.2 $K^- p \to \Lambda X^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.01	90	RITTENBERG	69	HBC	1.7–2.7 $K^- p$

$\Gamma(\pi^+\pi^+\pi^-\pi^-\pi^0)/\Gamma_{\text{total}}$ Γ_{12}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.01	90	RITTENBERG	69	HBC	1.7–2.7 $K^- p$

$\Gamma(\pi^+\pi^+\pi^-\pi^-)/\Gamma_{\text{total}}$ Γ_{10}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.01	90	RITTENBERG	69	HBC	1.7–2.7 $K^- p$

$\Gamma(\pi^0\pi^0\eta(3\pi^0\text{decay}))/\Gamma_{\text{total}}$ $0.321\Gamma_3/\Gamma$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.067±0.004 OUR FIT	Error includes scale factor of 1.2.				
0.11 ±0.06	4	BENSINGER	70	DBC	2.2 $\pi^+ d$

$\Gamma(\rho^0\gamma(\text{including non-resonant}\,\pi^+\pi^-\gamma))/\Gamma(\pi^+\pi^-\eta(\text{neutral decay}))$ $\Gamma_2/0.714\Gamma_1$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.93±0.05 OUR FIT	Error includes scale factor of 1.2.				
1.01±0.09 OUR AVERAGE					
1.07±0.17		BELADIDZE	92C	VES	36 π^- Be $\to \pi^-\eta'\eta$ Be
0.92±0.14	473	DANBURG	73	HBC	2.2 $K^- p \to \Lambda X^0$
1.11±0.18	192	JACOBS	73	HBC	2.9 $K^- p \to \Lambda X^0$

$\Gamma(\gamma\gamma)/\Gamma(\pi^0\pi^0\eta(\text{neutral decay}))$ $\Gamma_5/0.714\Gamma_3$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.142±0.010 OUR FIT	Error includes scale factor of 1.6.				
0.188±0.058	16	APEL	72	OSPK	3.8 $\pi^- p \to n X^0$

$\Gamma(\mu^+\mu^-\gamma)/\Gamma(\gamma\gamma)$ Γ_7/Γ_5

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
4.9±1.2	33	VIKTOROV	80	CNTR	25,33 $\pi^- p \to 2\mu\gamma$

$\Gamma(\mu^+\mu^-\eta)/\Gamma_{\text{total}}$ Γ_{25}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID		TECN	COMMENT
<1.5	90	DZHELYADIN	81	CNTR	30 $\pi^- p \to \eta' n$

$\Gamma(\mu^+\mu^-\pi^0)/\Gamma_{\text{total}}$ Γ_{24}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID		TECN	COMMENT
<6.0	90	DZHELYADIN	81	CNTR	30 $\pi^- p \to \eta' n$

$\Gamma(3\pi^0)/\Gamma(\pi^0\pi^0\eta)$ Γ_6/Γ_3

VALUE (units 10^{-4})	*DOCUMENT ID*		*TECN*	*COMMENT*
74±12 OUR FIT				
74±12 OUR AVERAGE				
74±15	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n6\gamma$
75±18	BINON	84	GAM2	30–40 $\pi^- p \rightarrow n6\gamma$

$\Gamma(\gamma\gamma)/\Gamma(\pi^0\pi^0\eta)$ Γ_5/Γ_3

VALUE	*DOCUMENT ID*		*TECN*	*COMMENT*
0.101±0.007 OUR FIT Error includes scale factor of 1.6.				
0.105±0.010 OUR AVERAGE Error includes scale factor of 1.9.				
0.091±0.009	AMSLER	93	CBAR	0.0 $\bar{p}p$
0.112±0.002±0.006	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n2\gamma$

$\Gamma(\omega\gamma)/\Gamma(\pi^0\pi^0\eta)$ Γ_4/Γ_3

VALUE	*DOCUMENT ID*		*TECN*	*COMMENT*
0.145±0.014 OUR FIT				
0.147±0.016	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n4\gamma$

$\Gamma(3\gamma)/\Gamma(\pi^0\pi^0\eta)$ Γ_{23}/Γ_3

VALUE (units 10^{-4})	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
<4.6	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n3\gamma$

$\Gamma(\pi^0\gamma\gamma)/\Gamma(\pi^0\pi^0\eta)$ Γ_{16}/Γ_3

VALUE (units 10^{-4})	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
<37	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n4\gamma$

$\Gamma(\pi^0\pi^0)/\Gamma(\pi^0\pi^0\eta)$ Γ_{20}/Γ_3

VALUE (units 10^{-4})	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
<45	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n4\gamma$

$\Gamma(4\pi^0)/\Gamma(\pi^0\pi^0\eta)$ Γ_{17}/Γ_3

VALUE (units 10^{-4})	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
<23	90	ALDE	87B	GAM2	38 $\pi^- p \rightarrow n8\gamma$

$\Gamma(e\mu)/\Gamma_{\text{total}}$ Γ_{26}/Γ

VALUE (units 10^{-4})	*CL%*	*DOCUMENT ID*		*TECN*	*COMMENT*
<4.7	90	BRIERE	00	CLEO	10.6 $e^+ e^-$

$\eta'(958)$ *C*-NONCONSERVING DECAY PARAMETER

See the note on η decay parameters in the Stable Particle Particle Listings for definition of this parameter.

DECAY ASYMMETRY PARAMETER FOR $\pi^+\pi^-\gamma$

VALUE	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
-0.01 ± 0.04 OUR AVERAGE					
-0.019 ± 0.056		AIHARA	87	TPC	$2\gamma \rightarrow \pi^+\pi^-\gamma$
-0.069 ± 0.078	295	GRIGORIAN	75	STRC	2.1 $\pi^- p$
0.00 ± 0.10	103	KALBFLEISCH	75	HBC	2.18 $K^- p \rightarrow \Lambda\pi^+\pi^-\gamma$
0.07 ± 0.08	152	RITTENBERG	65	HBC	2.1–2.7 $K^- p$

$\eta'(958)$ REFERENCES

BRIERE	00	PRL 84 26	R. Briere *et al.*	(CLEO Collab.)
ACCIARRI	98B	PL B418 389	M. Acciarri *et al.*	(L3 Collab.)
BARBERIS	98C	PL B440 225	D. Barberis *et al.*	(WA 102 Collab.)
WURZINGER	96	PL B374 283	R. Wurzinger *et al.*	(BONN, ORSAY, SACL+)
PDG	94	PR D50 1173	L. Montanet *et al.*	(CERN, LBL, BOST+)
AMSLER	93	ZPHY C58 175	C. Amsler *et al.*	(Crystal Barrel Collab.)
BELADIDZE	92C	SJNP 55 1535	G.M. Beladidze, S.I. Bityukov, G.V. Borisov	(SERP+)
		Translated from YAF 55 2748.		
KARCH	92	ZPHY C54 33	K. Karch *et al.*	(Crystal Ball Collab.)
ARMSTRONG	91B	ZPHY C52 389	T.A. Armstrong *et al.*	(ATHU, BARI, BIRM+)
BEHREND	91	ZPHY C49 401	H.J. Behrend *et al.*	(CELLO Collab.)
AUGUSTIN	90	PR D42 10	J.E. Augustin *et al.*	(DM2 Collab.)
BARU	90	ZPHY C48 581	S.E. Baru *et al.*	(MD-1 Collab.)
BUTLER	90	PR D42 1368	F. Butler *et al.*	(Mark II Collab.)
KARCH	90	PL B249 353	K. Karch *et al.*	(Crystal Ball Collab.)
ROE	90	PR D41 17	N.A. Roe *et al.*	(ASP Collab.)
AIHARA	88C	PR D38 1	H. Aihara *et al.*	(TPC-2γ Collab.)
VOROBYEV	88	SJNP 48 273	P.V. Vorobiev *et al.*	(NOVO)
		Translated from YAF 48 436.		
WILLIAMS	88	PR D38 1365	D.A. Williams *et al.*	(Crystal Ball Collab.)
AIHARA	87	PR D35 2650	H. Aihara *et al.*	(TPC-2γ Collab.) JP
ALBRECHT	87B	PL B199 457	H. Albrecht *et al.*	(ARGUS Collab.)
ALDE	87B	ZPHY C36 603	D.M. Alde *et al.*	(LANL, BELG, SERP, LAPP)
ANTREASYAN	87	PR D36 2633	D. Antreasyan *et al.*	(Crystal Ball Collab.)
GIDAL	87	PRL 59 2012	G. Gidal *et al.*	(LBL, SLAC, HARV)
ALDE	86	PL B177 115	D.M. Alde *et al.*	(SERP, BELG, LANL, LAPP)
BARTEL	85E	PL 160B 421	W. Bartel *et al.*	(JADE Collab.)
ALTHOFF	84E	PL 147B 487	M. Althoff *et al.*	(TASSO Collab.)
BERGER	84B	PL 142B 125	C. Berger	(PLUTO Collab.)
BINON	84	PL 140B 264	F.G. Binon *et al.*	(SERP, BELG, LAPP+)
BEHREND	83B	PL 125B 518	H.J. Behrend *et al.*	(CELLO Collab.)
Also	82C	PL 114B 378	H.J. Behrend *et al.*	(CELLO Collab.)
JENNI	83	PR D27 1031	P. Jenni *et al.*	(SLAC, LBL)
BARTEL	82B	PL 113B 190	W. Bartel *et al.*	(JADE Collab.)
DZHELYADIN	81	PL 105B 239	R.I. Dzhelyadin *et al.*	(SERP)
STANTON	80	PL 92 B 353	N.R. Stanton *et al.*	(OSU, CARL, MCGI+)
VIKTOROV	80	SJNP 32 520	V.A. Viktorov *et al.*	(SERP)
		Translated from YAF 32 1005.		
APEL	79	PL 83B 131	W.D. Apel, K.H. Augenstein, E. Bertolucci	(KARLK+)
BINNIE	79	PL 83B 141	D.M. Binnie *et al.*	(LOIC)
ZANFINO	77	PRL 38 930	C. Zanfino *et al.*	(CARL, MCGI, OHIO+)
GRIGORIAN	75	NP B91 232	A. Grigorian *et al.*	(+)
KALBFLEISCH	75	PR D11 987	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)
DUANE	74	PRL 32 425	A. Duane *et al.*	(LOIC, SHMP)
KALBFLEISCH	74	PR D10 916	G.R. Kalbfleisch	(BNL)
DANBURG	73	PR D8 3744	J.S. Danburg *et al.*	(BNL, MICH) JP
JACOBS	73	PR D8 18	S.M. Jacobs *et al.*	(BRAN, UMD, SYRA+) JP

APEL	72	PL 40B 680	W.D. Apel *et al.*	(KARLK, KARLE, PISA)
DALPIAZ	72	PL 42B 377	P.F. Dalpiaz *et al.*	(CERN)
BASILE	71	NC 3A 371	M. Basile *et al.*	(CERN, BGNA, STRB)
HARVEY	71	PRL 27 885	E.H. Harvey *et al.*	(MINN, MICH)
BENSINGER	70	PL 33B 505	J.R. Bensinger *et al.*	(WISC)
RITTENBERG	69	Thesis UCRL 18863	A. Rittenberg	(LRL) I
DAVIS	68	PL 27B 532	R. Davis *et al.*	(NWES, ANL)
LONDON	66	PR 143 1034	G.W. London *et al.*	(BNL, SYRA) IJP
BADIER	65B	PL 17 337	J. Badier *et al.*	(EPOL, SACL, AMST)
RITTENBERG	65	PRL 15 556	A. Rittenberg, G.R. Kalbfleisch	(LRL, BNL)
DAUBER	64	PRL 13 449	P.M. Dauber *et al.*	(UCLA) JP

OTHER RELATED PAPERS

BENAYOUN	99B	PR D59 114027	M. Benayoun *et al.*	
PROKOSHKIN	99	PAN 62 356 Translated from YAF 62 396.	Yu.D. Prokoshkin	
GRONBERG	98	PR D57 33	J. Gronberg *et al.*	(CLEO Collab.)
ABELE	97B	PL B402 195	A. Abele *et al.*	(Crystal Barrel Collab.)
GENOVESE	94	ZPHY C61 425	M. Genovese, D.B. Lichtenberg, E. Predazzi	(TORI+)
BENAYOUN	93	ZPHY C58 31	M. Benayoun *et al.*	(CDEF, CERN, BARI)
KAMAL	92	PL B284 421	A.N. Kamal, Q.P. Xu	(ALBE)
BICKERSTAFF	82	ZPHY C16 171	R.P. Bickerstaff, B.H.J. McKellar	(MELB)
KIENZLE	65	PL 19 438	W. Kienzle *et al.*	(CERN)
TRILLING	65	PL 19 427	G.H. Trilling *et al.*	(LRL)
GOLDBERG	64	PRL 12 546	M. Goldberg *et al.*	(SYRA, BNL)
GOLDBERG	64B	PRL 13 249	M. Goldberg *et al.*	(SYRA, BNL)
KALBFLEISCH	64	PRL 12 527	G.R. Kalbfleisch *et al.*	(LRL) JP
KALBFLEISCH	64B	PRL 13 349	G.R. Kalbfleisch, O.I. Dahl, A. Rittenberg	(LRL) JP