$\phi(1020)$

$I^G(J^{PC}) = 0^-(1^{--})$

$\phi(1020)$ MASS

We average mass and width values only when the systematic errors have been evaluated.

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
1019.456±0.020 OUR AVERAGE Error includes scale factor of 1.1.					
1019.42 ±0.05	1900k	[1] ACHASOV	01E	SND	$e^+e^- \to K^+K^-$, K_SK_L, $\pi^+\pi^-\pi^0$
1019.40 ±0.04 ±0.05	23k	AKHMETSHIN	01B	CMD2	$e^+e^- \to \eta\gamma$
1019.483±0.011±0.025	314k	AKHMETSHIN	01D	CMD2	$e^+e^- \to K^0_L K^0_S$
1019.36 ±0.12		[2] ACHASOV	00B	SND	$e^+e^- \to \eta\gamma$
1019.38 ±0.07 ±0.08	2200	[3] AKHMETSHIN	99F	CMD2	$e^+e^- \to \pi^+\pi^- \geq 2\gamma$
1019.51 ±0.07 ±0.10	11169	AKHMETSHIN	98	CMD2	$e^+e^- \to \pi^+\pi^-\pi^0$
1019.5 ±0.4		BARBERIS	98	OMEG	450 $pp \to pp2K^+2K^-$
1019.42 ±0.06	55600	AKHMETSHIN	95	CMD2	$e^+e^- \to$ hadrons
1019.7 ±0.3	2012	DAVENPORT	86	MPSF	400 $pA \to 4KX$
1019.7 ±0.1 ±0.1	5079	ALBRECHT	85D	ARG	10 $e^+e^- \to K^+K^-X$
1019.3 ±0.1	1500	ARENTON	82	AEMS	11.8 polar. $pp \to KK$
1019.67 ±0.17	25080	[4] PELLINEN	82	RVUE	
1019.52 ±0.13	3681	BUKIN	78C	OLYA	$e^+e^- \to$ hadrons
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1019.8 ±0.7		ARMSTRONG	86	OMEG	85 $\pi^+/pp \to \pi^+/p4Kp$
1020.1 ±0.11	5526	[5] ATKINSON	86	OMEG	20–70 γp
1019.7 ±1.0		BEBEK	86	CLEO	$e^+e^- \to \Upsilon(4S)$
1019.411±0.008	642k	[6] DIJKSTRA	86	SPEC	100–200 $\pi^\pm$, $\overline{p}$, p, $K^\pm$, on Be
1020.9 ±0.2		[5] FRAME	86	OMEG	13 $K^+p \to \phi K^+p$
1021.0 ±0.2		[5] ARMSTRONG	83B	OMEG	18.5 $K^-p \to K^-K^+\Lambda$
1020.0 ±0.5		[5] ARMSTRONG	83B	OMEG	18.5 $K^-p \to K^-K^+\Lambda$
1019.7 ±0.3		[5] BARATE	83	GOLI	190 π^- Be $\to 2\mu$X
1019.8 ±0.2 ±0.5	766	IVANOV	81	OLYA	1–1.4 $e^+e^- \to K^+K^-$

1019.4	±0.5	337	COOPER	78B	HBC	0.7–0.8 $\overline{p}p \rightarrow K^0_S K^0_L \pi^+ \pi^-$
1020	±1	383	[5] BALDI	77	CNTR	10 $\pi^- p \rightarrow \pi^- \phi p$
1018.9	±0.6	800	COHEN	77	ASPK	6 $\pi^\pm N \rightarrow K^+ K^- N$
1019.7	±0.5	454	KALBFLEISCH	76	HBC	2.18 $K^- p \rightarrow \Lambda K \overline{K}$
1019.4	±0.8	984	BESCH	74	CNTR	2 $\gamma p \rightarrow p K^+ K^-$
1020.3	±0.4	100	BALLAM	73	HBC	2.8–9.3 γp
1019.4	±0.7		BINNIE	73B	CNTR	$\pi^- p \rightarrow \phi n$
1019.6	±0.5	120	[7] AGUILAR-...	72B	HBC	3.9,4.6 $K^- p \rightarrow \Lambda K^+ K^-$
1019.9	±0.5	100	[7] AGUILAR-...	72B	HBC	3.9,4.6 $K^- p \rightarrow K^- p K^+ K^-$
1020.4	±0.5	131	COLLEY	72	HBC	10 $K^+ p \rightarrow K^+ p \phi$
1019.9	±0.3	410	STOTTLE...	71	HBC	2.9 $K^- p \rightarrow \Sigma / \Lambda K \overline{K}$

[1] From the combined fit assuming that the total $\phi(1020)$ production cross section is saturated by those of $K^+ K^-$, $K_S K_L$, $\pi^+ \pi^- \pi^0$, and $\eta\gamma$ decays modes and using ACHASOV 00B for the $\eta\gamma$ decay mode.
[2] Using a total width of 4.43 ± 0.05 MeV. Systematic uncertainty included.
[3] Using a total width of 4.43 ± 0.05 MeV.
[4] PELLINEN 82 review includes AKERLOF 77, DAUM 81, BALDI 77, AYRES 74, DEGROOT 74.
[5] Systematic errors not evaluated.
[6] Weighted and scaled average of 12 measurements of DIJKSTRA 86.
[7] Mass errors enlarged by us to $\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

ϕ(1020) WIDTH

We average mass and width values only when the systematic errors have been evalutated.

VALUE (MeV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
4.26 ±0.05 OUR AVERAGE		Error includes scale factor of 1.7. See the ideogram below.			
4.21 ±0.04	1900k	[8] ACHASOV	01E	SND	$e^+ e^- \rightarrow K^+ K^-$, $K_S K_L$, $\pi^+ \pi^- \pi^0$
4.280±0.033±0.025	314k	AKHMETSHIN	01D	CMD2	$e^+ e^- \rightarrow K^0_L K^0_S$
4.44 ±0.09	55600	AKHMETSHIN	95	CMD2	$e^+ e^- \rightarrow$ hadrons
4.5 ±0.7	1500	ARENTON	82	AEMS	11.8 polar. $pp \rightarrow KK$
4.2 ±0.6	766	[9] IVANOV	81	OLYA	1–1.4 $e^+ e^- \rightarrow K^+ K^-$
4.3 ±0.6		[9] CORDIER	80	DM1	$e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
4.36 ±0.29	3681	[9] BUKIN	78C	OLYA	$e^+ e^- \rightarrow$ hadrons
4.4 ±0.6	984	[9] BESCH	74	CNTR	2 $\gamma p \rightarrow p K^+ K^-$
4.67 ±0.72	681	[9] BALAKIN	71	OSPK	$e^+ e^- \rightarrow$ hadrons
4.09 ±0.29		BIZOT	70	OSPK	$e^+ e^- \rightarrow$ hadrons

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.45	±0.06	271k		DIJKSTRA	86	SPEC	100 π^- Be
3.6	±0.8	337	[9]	COOPER	78B	HBC	0.7–0.8 $\overline{p}p \rightarrow$ $K^0_S K^0_L \pi^+ \pi^-$
4.5	±0.50	1300	[9,10]	AKERLOF	77	SPEC	400 $pA \rightarrow K^+ K^- X$
4.5	±0.8	500	[9,10]	AYRES	74	ASPK	3–6 $\pi^- p \rightarrow$ $K^+ K^- n$, $K^- p \rightarrow$ $K^+ K^- \Lambda/\Sigma^0$
3.81	±0.37			COSME	74B	OSPK	$e^+ e^- \rightarrow K^0_L K^0_S$
3.8	±0.7	454	[9]	BORENSTEIN	72	HBC	2.18 $K^- p \rightarrow K\overline{K} n$



$\phi(1020)$ width (MeV)

[8] From the combined fit assuming that the total $\phi(1020)$ production cross section is saturated by those of $K^+ K^-$, $K_S K_L$, $\pi^+ \pi^- \pi^0$, and $\eta\gamma$ decays modes and using ACHASOV 00B for the $\eta\gamma$ decay mode.

[9] Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

[10] Systematic errors not evaluated.

$\phi(1020)$ DECAY MODES

	Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1	$K^+ K^-$	(49.2 $^{+0.6}_{-0.7}$) %	S=1.2
Γ_2	$K^0_L K^0_S$	(33.7 ±0.5) %	S=1.2
Γ_3	$\rho\pi + \pi^+ \pi^- \pi^0$	(15.5 ±0.5) %	S=1.3
Γ_4	$\rho\pi$		

Γ_5	$\pi^+\pi^-\pi^0$			
Γ_6	$\eta\gamma$	$(\ 1.299\pm0.026)$	%	S=1.2
Γ_7	$\pi^0\gamma$	$(\ 1.24\ \pm0.10\ )\times10^{-3}$		
Γ_8	e^+e^-	$(\ 2.96\ \pm0.04\ )\times10^{-4}$		S=1.2
Γ_9	$\mu^+\mu^-$	$(\ 2.87\ ^{+0.18}_{-0.22}\ )\times10^{-4}$		
Γ_{10}	ηe^+e^-	$(\ 1.15\ \pm0.10\ )\times10^{-4}$		
Γ_{11}	$\pi^+\pi^-$	$(\ 7.3\ \pm1.3\ )\times10^{-5}$		
Γ_{12}	$\omega\pi^0$	$(\ 5.2\ ^{+1.3}_{-1.1}\ )\times10^{-5}$		
Γ_{13}	$\omega\gamma$	$<\ 5$	%	CL=84%
Γ_{14}	$\rho\gamma$	$<\ 1.2$	$\times10^{-5}$	CL=90%
Γ_{15}	$\pi^+\pi^-\gamma$	$(\ 4.1\ \pm1.3\ )\times10^{-5}$		
Γ_{16}	$f_0(980)\gamma$	$(\ 3.3\ ^{+0.8}_{-0.5}\ )\times10^{-4}$		
Γ_{17}	$\pi^0\pi^0\gamma$	$(\ 1.08\ \pm0.19\ )\times10^{-4}$		
Γ_{18}	$\pi^+\pi^-\pi^+\pi^-$	$(\ 4.0\ ^{+2.8}_{-2.2}\ )\times10^{-6}$		
Γ_{19}	$\pi^+\pi^+\pi^-\pi^-\pi^0$	$<\ 4.6$	$\times10^{-6}$	CL=90%
Γ_{20}	$\pi^0e^+e^-$	$(\ 1.2\ \pm0.4\ )\times10^{-5}$		
Γ_{21}	$\pi^0\eta\gamma$	$(\ 8.9\ \pm1.4\ )\times10^{-5}$		
Γ_{22}	$a_0(980)\gamma$	$(\ 8.8\ \pm1.7\ )\times10^{-4}$		
Γ_{23}	$\eta'(958)\gamma$	$(\ 6.7\ ^{+1.5}_{-1.4}\ )\times10^{-5}$		
Γ_{24}	$\eta\pi^0\pi^0\gamma$	$<\ 2$	$\times10^{-5}$	CL=90%
Γ_{25}	$\mu^+\mu^-\gamma$	$(\ 1.4\ \pm0.5\ )\times10^{-5}$		
Γ_{26}	$\rho\gamma\gamma$	$<\ 5$	$\times10^{-4}$	CL=90%
Γ_{27}	$\eta\pi^+\pi^-$	$<\ 1.8$	$\times10^{-5}$	CL=90%
Γ_{28}	$\eta\mu^+\mu^-$	$<\ 9.4$	$\times10^{-6}$	CL=90%

CONSTRAINED FIT INFORMATION

An overall fit to 25 branching ratios uses 64 measurements and one constraint to determine 12 parameters. The overall fit has a $\chi^2 = 55.7$ for 53 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	−68									
x_3	−59	−19								
x_6	−21	14	6							
x_7	−8	5	2	9						
x_8	38	−31	−14	−49	−19					
x_9	−6	5	2	8	3	−16				
x_{11}	−3	2	1	4	1	−8	1			
x_{16}	−3	1	0	10	1	−5	1	0		
x_{18}	−1	1	0	1	0	−2	0	0	0	
x_{22}	−2	−1	−1	0	0	0	0	0	0	0
x_{23}	−3	3	0	4	0	−3	0	0	0	0
	x_1	x_2	x_3	x_6	x_7	x_8	x_9	x_{11}	x_{16}	x_{18}

x_{23}	0
	x_{22}

$\phi(1020)$ PARTIAL WIDTHS

$\Gamma(\eta\gamma)$ Γ_6

VALUE (keV)	*DOCUMENT ID*		*TECN*	*COMMENT*
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$58.9 \pm 0.5 \pm 2.4$	ACHASOV	00	SND	$e^+ e^- \to \eta\gamma$

$\Gamma(\pi^0\gamma)$ Γ_7

VALUE (keV)	*DOCUMENT ID*		*TECN*	*COMMENT*
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$5.40 \pm 0.16 ^{+0.43}_{-0.40}$	ACHASOV	00	SND	$e^+ e^- \to \pi^0\gamma$

$\Gamma(e^+ e^-)$ Γ_8

VALUE (keV)	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$1.32 \pm 0.02 \pm 0.04$	314k	[11] AKHMETSHIN	99D	CMD2	$e^+ e^- \to K^0_L K^0_S$

[11] Using B($\phi \to K^0_L K^0_S$)= 0.331 ± 0.009.

$\phi(1020)$ $\Gamma(i)\Gamma(e^+e^-)/\Gamma^2(total)$

$\Gamma(e^+e^-) \times \Gamma(K^+K^-)/\Gamma^2_{total}$ $\Gamma_8\Gamma_1/\Gamma^2$

VALUE (units 10^{-5})	EVTS	DOCUMENT ID		TECN	COMMENT
14.56±0.34 OUR FIT	Error includes scale factor of 1.2.				
13.93±0.14±0.99	1000	[12] ACHASOV	01E	SND	$e^+e^- \to K^+K^-$, K_SK_L, $\pi^+\pi^-\pi^0$

$\Gamma(e^+e^-) \times \Gamma(K^0_LK^0_S)/\Gamma^2_{total}$ $\Gamma_8\Gamma_2/\Gamma^2$

VALUE (units 10^{-5})	EVTS	DOCUMENT ID		TECN	COMMENT
9.97±0.18 OUR FIT	Error includes scale factor of 1.4.				
9.86±0.21 OUR AVERAGE	Error includes scale factor of 1.3.				
10.27±0.07 ±0.34	500	[12] ACHASOV	01E	SND	$e^+e^- \to K^+K^-$, K_SK_L, $\pi^+\pi^-\pi^0$
9.75±0.040±0.170	314k	AKHMETSHIN	01D	CMD2	$e^+e^- \to K^0_LK^0_S$

$\Gamma(e^+e^-) \times [\Gamma(\rho\pi) + \Gamma(\pi^+\pi^-\pi^0)]/\Gamma^2_{total}$ $\Gamma_8\Gamma_3/\Gamma^2$

VALUE (units 10^{-5})	EVTS	DOCUMENT ID		TECN	COMMENT
4.59 ±0.14 OUR FIT	Error includes scale factor of 1.2.				
4.52 ±0.19 OUR AVERAGE					
4.665±0.042±0.261	400	[12] ACHASOV	01E	SND	$e^+e^- \to K^+K^-$, K_SK_L, $\pi^+\pi^-\pi^0$
4.35 ±0.27 ±0.08	11169	[13] AKHMETSHIN	98	CMD2	$e^+e^- \to \pi^+\pi^-\pi^0$

$\Gamma(e^+e^-) \times \Gamma(\eta\gamma)/\Gamma^2_{total}$ $\Gamma_8\Gamma_6/\Gamma^2$

VALUE (units 10^{-6})	EVTS	DOCUMENT ID		TECN	COMMENT
3.84 ±0.07 OUR FIT	Error includes scale factor of 1.2.				
3.89 ±0.08 OUR AVERAGE	Error includes scale factor of 1.2.				
3.850±0.041±0.159	23k	[14,15] AKHMETSHIN	01B	CMD2	$e^+e^- \to \eta\gamma$
4.00 ±0.04 ±0.11		[16] ACHASOV	00	SND	$e^+e^- \to \eta\gamma$
3.765±0.092±0.143		[17] ACHASOV	00B	SND	$e^+e^- \to \eta\gamma$
4.017±0.035±0.124	23k	[18] ACHASOV	00D	SND	$e^+e^- \to \eta\gamma$
3.53 ±0.08 ±0.17	2200	[17,19] AKHMETSHIN	99F	CMD2	$e^+e^- \to \eta\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
3.848±0.036±0.070		[20] ACHASOV	00B	SND	$e^+e^- \to \eta\gamma$

$\Gamma(e^+e^-) \times \Gamma(\pi^0\gamma)/\Gamma^2_{total}$ $\Gamma_8\Gamma_7/\Gamma^2$

VALUE (units 10^{-7})	DOCUMENT ID		TECN	COMMENT
3.67±0.28 OUR FIT				
$3.67\pm0.10^{+0.27}_{-0.25}$	[21] ACHASOV	00	SND	$e^+e^- \to \pi^0\gamma$

$\Gamma(e^+e^-) \times \Gamma(\mu^+\mu^-)/\Gamma^2_{\text{total}}$ $\Gamma_8\Gamma_9/\Gamma^2$

VALUE (units 10^{-8})	*DOCUMENT ID*		*TECN*	*COMMENT*
$8.5\ ^{+0.5}_{-0.6}$ OUR FIT				
8.8 ±0.9 OUR AVERAGE	Error includes scale factor of 1.5. See the ideogram below.			
$8.36 \pm 0.59 \pm 0.37$	ACHASOV	01G	SND	$e^+e^- \to \mu^+\mu^-$
9.9 ±1.4 ±0.9	[19] ACHASOV	99C	SND	$e^+e^- \to \mu^+\mu^-$
14.4 ±3.0	[13] VASSERMAN	81	OLYA	$e^+e^- \to \mu^+\mu^-$
8.6 ±5.9	[13] AUGUSTIN	73	OSPK	$e^+e^- \to \mu^+\mu^-$



$\Gamma(e^+e^-) \times \Gamma(\mu^+\mu^-)/\Gamma^2_{\text{total}}$ $\Gamma_8\Gamma_9/\Gamma^2$

$\Gamma(e^+e^-) \times \Gamma(\pi^+\pi^-)/\Gamma^2_{\text{total}}$ $\Gamma_8\Gamma_{11}/\Gamma^2$

VALUE (units 10^{-8})	*DOCUMENT ID*		*TECN*	*COMMENT*
2.2 ±0.4 OUR FIT				
2.2 ±0.4 OUR AVERAGE				
2.1 ±0.3 ±0.3	[19] ACHASOV	00C	SND	$e^+e^- \to \pi^+\pi^-$
$1.95\ ^{+1.15}_{-0.87}$	[13] GOLUBEV	86	ND	$e^+e^- \to \pi^+\pi^-$
$6.01\ ^{+3.19}_{-2.51}$	[13] VASSERMAN	81	OLYA	$e^+e^- \to \pi^+\pi^-$

$\Gamma(e^+e^-) \times \Gamma(\pi^+\pi^-\pi^+\pi^-)/\Gamma^2_{\text{total}}$ $\Gamma_8\Gamma_{18}/\Gamma^2$

VALUE (units 10^{-9})	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
$1.2\ ^{+0.8}_{-0.7}$ OUR FIT					
$1.17 \pm 0.52 \pm 0.64$	3285	[19] AKHMETSHIN	00E	CMD2	$e^+e^- \to \pi^+\pi^-\pi^+\pi^-$

[12] From the combined fit assuming that the total $\phi(1020)$ production cross section is saturated by those of K^+K^-, K_SK_L, $\pi^+\pi^-\pi^0$, and $\eta\gamma$ decays modes and using ACHASOV 00B for the $\eta\gamma$ decay mode.
[13] Recalculated by us from the cross section in the peak.
[14] From the $\eta \to 3\pi^0$ decay and using B($\eta \to 3\pi^0$)= $(32.24 \pm 0.29) \times 10^{-2}$.
[15] The combined fit from 600 to 1380 MeV taking into account $\rho(770)$, $\omega(782)$, $\phi(1020)$, and $\rho(1450)$ (mass and width fixed at 1450 MeV and 310 MeV respectively).
[16] From the $\eta \to 2\gamma$ decay and using B($\eta \to 2\gamma$) =$(39.21 \pm 0.34) \times 10^{-2}$.
[17] From the $\eta \to \pi^+\pi^-\pi^0$ decay and using B($\eta \to \pi^+\pi^-\pi^0$) =$(23.1 \pm 0.5) \times 10^{-2}$.
[18] From the $\eta \to 3\pi^0$ decay and using B($\eta \to 3\pi^0$) = $(32.2 \pm 0.4) \times 10^{-2}$.
[19] Recalculated by the authors from the cross section in the peak.
[20] Using various decay modes of the η from ACHASOV 98F, ACHASOV 00, and ACHASOV 00B.
[21] From the $\pi^0 \to 2\gamma$ decay and using B($\pi^0 \to 2\gamma$) =$(98.798 \pm 0.032) \times 10^{-2}$.

$\phi(1020)$ BRANCHING RATIOS

$\Gamma(K^+K^-)/\Gamma_{total}$ Γ_1/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
$0.492^{+0.006}_{-0.007}$ OUR FIT Error includes scale factor of 1.2.					
0.493±0.010 OUR AVERAGE					
0.492±0.012	2913	AKHMETSHIN	95	CMD2	$e^+e^- \to K^+K^-$
0.44 ±0.05	321	KALBFLEISCH	76	HBC	2.18 $K^-p \to \Lambda K^+K^-$
0.49 ±0.06	270	DEGROOT	74	HBC	4.2 $K^-p \to \Lambda\phi$
0.540±0.034	565	BALAKIN	71	OSPK	$e^+e^- \to K^+K^-$
0.48 ±0.04	252	LINDSEY	66	HBC	2.1–2.7 $K^-p \to \Lambda K^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.476±0.017	1000k	[22] ACHASOV	01E	SND	$e^+e^- \to K^+K^-$, K_SK_L, $\pi^+\pi^-\pi^0$

$\Gamma(K^0_LK^0_S)/\Gamma_{total}$ Γ_2/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.337±0.005 OUR FIT Error includes scale factor of 1.2.					
0.331±0.009 OUR AVERAGE					
0.335±0.010	40644	AKHMETSHIN	95	CMD2	$e^+e^- \to K^0_LK^0_S$
0.326±0.035		DOLINSKY	91	ND	$e^+e^- \to K^0_LK^0_S$
0.310±0.024		DRUZHININ	84	ND	$e^+e^- \to K^0_LK^0_S$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.351±0.013	500k	[22] ACHASOV	01E	SND	$e^+e^- \to K^+K^-$, K_SK_L, $\pi^+\pi^-\pi^0$
0.27 ±0.03	133	KALBFLEISCH	76	HBC	2.18 $K^-p \to \Lambda K^0_LK^0_S$
0.257±0.030	95	BALAKIN	71	OSPK	$e^+e^- \to K^0_LK^0_S$
0.40 ±0.04	167	LINDSEY	66	HBC	2.1–2.7 $K^-p \to \Lambda K^0_LK^0_S$

$[\Gamma(\rho\pi)+\Gamma(\pi^+\pi^-\pi^0)]/\Gamma_{total}$ — Γ_3/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.155±0.005 OUR FIT	Error includes scale factor of 1.3.				
0.151±0.009 OUR AVERAGE	Error includes scale factor of 1.7.				
0.161±0.008	11761	AKHMETSHIN	95	CMD2	$e^+e^-\to\pi^+\pi^-\pi^0$
0.143±0.007		DOLINSKY	91	ND	$e^+e^-\to\pi^+\pi^-\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.159±0.008	400k	[22] ACHASOV	01E	SND	$e^+e^-\to K^+K^-$, K_SK_L, $\pi^+\pi^-\pi^0$
0.145±0.009±0.003	11169	[23] AKHMETSHIN	98	CMD2	$e^+e^-\to\pi^+\pi^-\pi^0$
0.139±0.007		[24] PARROUR	76B	OSPK	e^+e^-

$\Gamma(K^0_LK^0_S)/\Gamma(K\overline{K})$ — $\Gamma_2/(\Gamma_1+\Gamma_2)$

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.406±0.006 OUR FIT	Error includes scale factor of 1.2.				
0.45 ±0.04 OUR AVERAGE					
0.44 ±0.07		LONDON	66	HBC	2.24 $K^-p\to\Lambda K\overline{K}$
0.48 ±0.07	52	BADIER	65B	HBC	3 K^-p
0.40 ±0.10	34	SCHLEIN	63	HBC	1.95 $K^-p\to\Lambda K\overline{K}$

$[\Gamma(\rho\pi)+\Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K\overline{K})$ — $\Gamma_3/(\Gamma_1+\Gamma_2)$

VALUE	DOCUMENT ID		TECN	COMMENT
0.187±0.007 OUR FIT	Error includes scale factor of 1.3.			
0.24 ±0.04 OUR AVERAGE				
0.237±0.039	CERRADA	77B	HBC	4.2 $K^-p\to\Lambda3\pi$
0.30 ±0.15	LONDON	66	HBC	2.24 $K^-p\to\Lambda\pi^+\pi^-\pi^0$

$[\Gamma(\rho\pi)+\Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K^0_LK^0_S)$ — Γ_3/Γ_2

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.460±0.016 OUR FIT	Error includes scale factor of 1.3.				
0.51 ±0.05 OUR AVERAGE					
0.56 ±0.07	3681	BUKIN	78C	OLYA	$e^+e^-\to K^0_LK^0_S$, $\pi^+\pi^-\pi^0$
0.47 ±0.06	516	COSME	74	OSPK	$e^+e^-\to\pi^+\pi^-\pi^0$

$\Gamma(\eta\gamma)/\Gamma(\pi^0\gamma)$ — Γ_6/Γ_7

VALUE	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$10.9\pm0.3^{+0.7}_{-0.8}$	ACHASOV	00	SND	$e^+e^-\to\eta\gamma$, $\pi^0\gamma$

$\Gamma(\mu^+\mu^-)/\Gamma_{total}$ — Γ_9/Γ

VALUE (units 10^{-4})	DOCUMENT ID		TECN	COMMENT
$\mathbf{2.87^{+0.18}_{-0.22}}$ **OUR FIT**				
2.5 ±0.4 OUR AVERAGE				
2.69±0.46	[25] HAYES	71	CNTR	8.3,9.8 $\gamma C\to\mu^+\mu^-X$
2.17±0.60	[25] EARLES	70	CNTR	6.0 $\gamma C\to\mu^+\mu^-X$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.87±0.20±0.14	[26] ACHASOV	01G	SND	$e^+e^- \to \mu^+\mu^-$	
3.30±0.45±0.32	[23] ACHASOV	99C	SND	$e^+e^- \to \mu^+\mu^-$	
4.83±1.02	[27] VASSERMAN	81	OLYA	$e^+e^- \to \mu^+\mu^-$	
2.87±1.98	[27] AUGUSTIN	73	OSPK	$e^+e^- \to \mu^+\mu^-$	

$\Gamma(\eta\gamma)/\Gamma_{total}$ Γ_6/Γ

VALUE	EVTS	DOCUMENT ID		TECN	COMMENT
0.01299±0.00026 OUR FIT Error includes scale factor of 1.2.					
0.0126 ±0.0004 OUR AVERAGE					
0.01246±0.00025±0.00057	10k	[28] ACHASOV	98F	SND	$e^+e^- \to 7\gamma$
0.0118 ±0.0011	279	[29] AKHMETSHIN	95	CMD2	$e^+e^- \to \pi^+\pi^- 3\gamma$
0.0130 ±0.0006		[30] DRUZHININ	84	ND	$e^+e^- \to 3\gamma$
0.014 ±0.002		[31] DRUZHININ	84	ND	$e^+e^- \to 6\gamma$
0.0088 ±0.0020	290	KURDADZE	83C	OLYA	$e^+e^- \to 3\gamma$
0.0135 ±0.0029		ANDREWS	77	CNTR	6.7–10 γ Cu
0.015 ±0.004	54	[30] COSME	76	OSPK	e^+e^-

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.01287±0.00013±0.00063	[32,33] AKHMETSHIN	01B	CMD2	$e^+e^- \to \eta\gamma$	
0.01338±0.00012±0.00052	[34] ACHASOV	00	SND	$e^+e^- \to \eta\gamma$	
0.01287±0.00012±0.00042	[35] ACHASOV	00B	SND	$e^+e^- \to \eta\gamma$	
0.01259±0.00030±0.00059	[36] ACHASOV	00B	SND	$e^+e^- \to \eta\gamma$	
0.01343±0.00012±0.00055	23k [28] ACHASOV	00D	SND	$e^+e^- \to \eta\gamma$	
0.0118 ±0.0003 ±0.0006	2200 [37] AKHMETSHIN	99F	CMD2	$e^+e^- \to \eta\gamma$	
0.0121 ±0.0007	[38] BENAYOUN	96	RVUE	0.54-1.04 $e^+e^- \to \eta\gamma$	

$\Gamma(\pi^+\pi^-\gamma)/\Gamma_{total}$ Γ_{15}/Γ

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
0.41±0.12±0.04		30175	[39] AKHMETSHIN	99B	CMD2	$e^+e^- \to \pi^+\pi^-\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 0.3	90	[40] AKHMETSHIN	97C	CMD2	$e^+e^- \to \pi^+\pi^-\gamma$	
<600	90	KALBFLEISCH	75	HBC	2.18 $K^-p \to \Lambda\pi^+\pi^-\gamma$	
< 70	90	COSME	74	OSPK	$e^+e^- \to \pi^+\pi^-\gamma$	
<400	90	LINDSEY	65	HBC	2.1–2.7 $K^-p \to \Lambda\pi^+\pi^-$ neutrals	

$\Gamma(\omega\gamma)/\Gamma_{total}$ Γ_{13}/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
<0.05	84	LINDSEY	66	HBC	2.1–2.7 $K^-p \to \Lambda\pi^+\pi^-$ neutrals

$\Gamma(\rho\gamma)/\Gamma_{total}$ Γ_{14}/Γ

VALUE (units 10^{-4})	CL%		DOCUMENT ID		TECN	COMMENT
< 0.12	90	[41]	AKHMETSHIN	99B	CMD2	$e^+e^- \to \pi^+\pi^-\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
< 7	90		AKHMETSHIN	97C	CMD2	$e^+e^- \to \pi^+\pi^-\gamma$
<200	84		LINDSEY	66	HBC	2.1–2.7 $K^-p \to$ $\Lambda\pi^+\pi^-$ neutrals

$\Gamma(e^+e^-)/\Gamma_{total}$ Γ_8/Γ

VALUE (units 10^{-4})	EVTS		DOCUMENT ID		TECN	COMMENT
2.96±0.04 OUR FIT Error includes scale factor of 1.2.						
2.98±0.07 OUR AVERAGE Error includes scale factor of 1.1.						
2.93±0.14	1900k	[42]	ACHASOV	01E	SND	$e^+e^- \to K^+K^-$, K_SK_L, $\pi^+\pi^-\pi^0$
2.88±0.09	55600		AKHMETSHIN	95	CMD2	$e^+e^- \to$ hadrons
3.00±0.21	3681		BUKIN	78C	OLYA	$e^+e^- \to$ hadrons
3.10±0.14		[43]	PARROUR	76	OSPK	e^+e^-
3.3 ±0.3			COSME	74	OSPK	$e^+e^- \to$ hadrons
2.81±0.25	681		BALAKIN	71	OSPK	$e^+e^- \to$ hadrons
3.50±0.27			CHATELUS	71	OSPK	e^+e^-

$\Gamma(\pi^0\gamma)/\Gamma_{total}$ Γ_7/Γ

VALUE (units 10^{-3})	EVTS		DOCUMENT ID		TECN	COMMENT
1.31 ±0.13 OUR AVERAGE						
1.30 ±0.13			DRUZHININ	84	ND	$e^+e^- \to 3\gamma$
1.4 ±0.5	32		COSME	76	OSPK	e^+e^-
• • • We do not use the following data for averages, fits, limits, etc. • • •						
$1.226\pm0.036^{+0.096}_{-0.089}$		[44]	ACHASOV	00	SND	$e^+e^- \to \pi^0\gamma$
1.26 ±0.17		[38]	BENAYOUN	96	RVUE	0.54-1.04 $e^+e^- \to$ $\pi^0\gamma$

$\Gamma(\pi^+\pi^-)/\Gamma_{total}$ Γ_{11}/Γ

VALUE (units 10^{-4})	CL%		DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.71±0.11±0.09		[23]	ACHASOV	00C	SND	$e^+e^- \to \pi^+\pi^-$
$0.65^{+0.38}_{-0.29}$		[23]	GOLUBEV	86	ND	$e^+e^- \to \pi^+\pi^-$
$2.01^{+1.07}_{-0.84}$		[23]	VASSERMAN	81	OLYA	$e^+e^- \to \pi^+\pi^-$
<6.6	95		BUKIN	78B	OLYA	$e^+e^- \to \pi^+\pi^-$
<2.7	95		ALVENSLEB...	72	CNTR	6.7 $\gamma C \to C\pi^+\pi^-$

$\Gamma(\omega\pi^0)/\Gamma_{total}$ Γ_{12}/Γ

VALUE (units 10^{-5})		DOCUMENT ID		TECN	COMMENT
$\mathbf{5.2^{+1.3}_{-1.1}}$	[45,46]	AULCHENKO	00A	SND	$e^+e^- \to \pi^+\pi^-\pi^0\pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

~ 5.4	[47] ACHASOV	00E	SND	$e^+e^- \to \pi^0\pi^0\gamma$	
$5.5^{+1.6}_{-1.4}\pm0.3$	[46,48] AULCHENKO	00A	SND	$e^+e^- \to \pi^+\pi^-\pi^0\pi^0$	
$4.8^{+1.9}_{-1.7}\pm0.8$	[47] ACHASOV	99	SND	$e^+e^- \to \pi^+\pi^-\pi^0\pi^0$	

$\Gamma(K^0_L K^0_S)/\Gamma(K^+K^-)$ Γ_2/Γ_1

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.685±0.018 OUR FIT	Error includes scale factor of 1.2.			
0.740±0.031 OUR AVERAGE				
0.70 ±0.06	2732	BUKIN	78C OLYA	$e^+e^- \to K^0_L K^0_S$
0.82 ±0.08		LOSTY	78 HBC	4.2 $K^-p \to \phi$ hyperon
0.71 ±0.05		LAVEN	77 HBC	10 $K^-p \to K^+K^-\Lambda$
0.71 ±0.08		LYONS	77 HBC	3–4 $K^-p \to \Lambda\phi$
0.89 ±0.10	144	AGUILAR-...	72B HBC	3.9,4.6 K^-p

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.68 ±0.03	[49] AKHMETSHIN	95	CMD2	$e^+e^- \to K^0_L K^0_S$, K^+K^-	

$[\Gamma(\rho\pi)+\Gamma(\pi^+\pi^-\pi^0)]/\Gamma(K^+K^-)$ Γ_3/Γ_1

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.315±0.012 OUR FIT	Error includes scale factor of 1.3.			
0.28 ±0.09	34	AGUILAR-...	72B HBC	3.9,4.6 K^-p

$\Gamma(\eta e^+e^-)/\Gamma_{total}$ Γ_{10}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT	
1.15±0.10 OUR AVERAGE					
1.19±0.19±0.12	213	[50] ACHASOV	01B SND	$e^+e^- \to \gamma\gamma e^+e^-$	
1.14±0.10±0.06	355	[51] AKHMETSHIN	01 CMD2	$e^+e^- \to \eta e^+e^-$	
$1.3\ ^{+0.8}_{-0.6}$	7	GOLUBEV	85 ND	$e^+e^- \to \gamma\gamma e^+e^-$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.13±0.14±0.07	183	[52] AKHMETSHIN	01 CMD2	$e^+e^- \to \eta e^+e^-$	
1.21±0.14±0.09	130	[53] AKHMETSHIN	01 CMD2	$e^+e^- \to \eta e^+e^-$	
1.04±0.20±0.08	42	[54] AKHMETSHIN	01 CMD2	$e^+e^- \to \eta e^+e^-$	

$\Gamma(\eta'(958)\gamma)/\Gamma_{total}$ Γ_{23}/Γ

VALUE (units 10^{-5})	CL%	EVTS	DOCUMENT ID	TECN	COMMENT	
$6.7^{+1.5}_{-1.4}$ OUR FIT						
$6.7^{+3.4}_{-2.9}\pm1.0$		5	[55] AULCHENKO	99 SND	$e^+e^- \to \pi^+\pi^-3\gamma$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

$8.2^{+2.1}_{-1.9}\pm1.1$		21	[56] AKHMETSHIN	00B CMD2	$e^+e^- \to \pi^+\pi^-3\gamma$	
$4.9^{+2.2}_{-1.8}\pm0.6$		9	[57] AKHMETSHIN	00F CMD2	$e^+e^- \to \pi^+\pi^-\pi^+\pi^-\ \geq 2\gamma$	
6.4 ± 1.6		30	[58] AKHMETSHIN	00F CMD2	$e^+e^- \to \eta'(958)\gamma$	
<11	90		AULCHENKO	98 SND	$e^+e^- \to 7\gamma$	
$12\ ^{+7}_{-5}\ \pm2$		6	[56] AKHMETSHIN	97B CMD2	$e^+e^- \to \pi^+\pi^-3\gamma$	
<41	90		DRUZHININ	87 ND	$e^+e^- \to \gamma\eta\pi^+\pi^-$	

$\Gamma(\eta\pi^0\pi^0\gamma)/\Gamma_{total}$ Γ_{24}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID		TECN	COMMENT
<2	90	AULCHENKO	98	SND	$e^+e^- \to 7\gamma$

$\Gamma(\pi^0\pi^0\gamma)/\Gamma_{total}$ Γ_{17}/Γ

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
1.08 ±0.17 ±0.09		268	AKHMETSHIN	99C	CMD2	$e^+e^- \to \pi^0\pi^0\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
1.158±0.093±0.052		419	[59,60] ACHASOV	00H	SND	$e^+e^- \to \pi^0\pi^0\gamma$
<10	90		DRUZHININ	87	ND	$e^+e^- \to 5\gamma$

$\Gamma(\pi^0\pi^0\gamma)/\Gamma(\eta\gamma)$ Γ_{17}/Γ_6

VALUE (units 10^{-2})	EVTS	DOCUMENT ID		TECN	COMMENT
0.865±0.070±0.017	419	[60] ACHASOV	00H	SND	$e^+e^- \to \pi^0\pi^0\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.90 ±0.08 ±0.07	164	ACHASOV	98I	SND	$e^+e^- \to 5\gamma$

$\Gamma(\pi^+\pi^+\pi^-\pi^-\pi^0)/\Gamma_{total}$ Γ_{19}/Γ

VALUE (units 10^{-6})	CL%	DOCUMENT ID		TECN	COMMENT
< 4.6	90	AKHMETSHIN	00E	CMD2	$e^+e^- \to \pi^+\pi^-\pi^+\pi^-\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<150	95	BARKOV	88	CMD	$e^+e^- \to \pi^+\pi^-\pi^+\pi^-\pi^0$

$\Gamma(\pi^+\pi^-\pi^+\pi^-)/\Gamma_{total}$ Γ_{18}/Γ

VALUE (units 10^{-6})	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •						
3.93±1.74±2.14		3285	AKHMETSHIN	00E	CMD2	$e^+e^- \to \pi^+\pi^-\pi^+\pi^-$
<870	90		CORDIER	79	WIRE	$e^+e^- \to \pi^+\pi^-\pi^+\pi^-$

$\Gamma(f_0(980)\gamma)/\Gamma_{total}$ Γ_{16}/Γ

VALUE (units 10^{-4})	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
3.3 $^{+0.8}_{-0.5}$ OUR FIT						
2.90±0.21±1.54			[61] AKHMETSHIN	99C	CMD2	$e^+e^- \to \pi^+\pi^-\gamma$, $\pi^0\pi^0\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
3.5 ±0.3 $^{+1.3}_{-0.5}$		419	[59,62] ACHASOV	00H	SND	$e^+e^- \to \pi^0\pi^0\gamma$
1.93±0.46±0.50		27188	[63] AKHMETSHIN	99B	CMD2	$e^+e^- \to \pi^+\pi^-\gamma$
3.05±0.25±0.72		268	[64] AKHMETSHIN	99C	CMD2	$e^+e^- \to \pi^0\pi^0\gamma$
1.5 ±0.5		268	[65] AKHMETSHIN	99C	CMD2	$e^+e^- \to \pi^0\pi^0\gamma$

$3.42 \pm 0.30 \pm 0.36$		164	[62] ACHASOV	98I	SND	$e^+ e^- \to 5\gamma$
< 1	90		[66] AKHMETSHIN	97C	CMD2	$e^+ e^- \to \pi^+ \pi^- \gamma$
< 7	90		[67] AKHMETSHIN	97C	CMD2	$e^+ e^- \to \pi^+ \pi^- \gamma$
<20	90		DRUZHININ	87	ND	$e^+ e^- \to \pi^0 \pi^0 \gamma$

$\Gamma(f_0(980)\gamma)/\Gamma(\eta\gamma)$ Γ_{16}/Γ_6

VALUE (units 10^{-2})	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
$2.6^{+0.6}_{-0.4}$ OUR FIT					
$2.6 \pm 0.2^{+0.8}_{-0.3}$	419	[62] ACHASOV	00H	SND	$e^+ e^- \to \pi^0 \pi^0 \gamma$

$\Gamma(\pi^0 e^+ e^-)/\Gamma_{total}$ Γ_{20}/Γ

VALUE (units 10^{-5})	*CL%*	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
$1.22 \pm 0.34 \pm 0.21$		46	[68] AKHMETSHIN	01C	CMD2	$e^+ e^- \to \pi^0 e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<12	90		DOLINSKY	88	ND	$e^+ e^- \to \pi^0 e^+ e^-$

$\Gamma(\pi^0 \eta\gamma)/\Gamma_{total}$ Γ_{21}/Γ

VALUE (units 10^{-4})	*CL%*	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
0.89 ± 0.14 OUR AVERAGE						
$0.88 \pm 0.14 \pm 0.09$		36	[69] ACHASOV	00F	SND	$e^+ e^- \to \eta\pi^0 \gamma$
$0.90 \pm 0.24 \pm 0.10$		80	AKHMETSHIN	99C	CMD2	$e^+ e^- \to \eta\pi^0 \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
$0.83 \pm 0.23 \pm 0.12$		20	ACHASOV	98B	SND	$e^+ e^- \to 5\gamma$
<25	90		DOLINSKY	91	ND	$e^+ e^- \to \pi^0 \eta\gamma$

$\Gamma(a_0(980)\gamma)/\Gamma_{total}$ Γ_{22}/Γ

VALUE (units 10^{-3})	*CL%*	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
0.88 ± 0.17 OUR FIT						
0.88 ± 0.17		36	[70] ACHASOV	00F	SND	$e^+ e^- \to \eta\pi^0 \gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
<5	90		DOLINSKY	91	ND	$e^+ e^- \to \pi^0 \eta\gamma$

$\Gamma(\eta'(958)\gamma)/\Gamma(K_L^0 K_S^0)$ Γ_{23}/Γ_2

VALUE (units 10^{-4})	*EVTS*	*DOCUMENT ID*		*TECN*	*COMMENT*
$2.0\ ^{+0.5}_{-0.4}$ OUR FIT					
$1.46^{+0.64}_{-0.54} \pm 0.18$	9	[71] AKHMETSHIN	00F	CMD2	$e^+ e^- \to \pi^+ \pi^- \pi^+ \pi^- \geq 2\gamma$

$\Gamma(\eta'(958)\gamma)/\Gamma(\eta\gamma)$ Γ_{23}/Γ_6

VALUE (units 10^{-3})	EVTS	DOCUMENT ID		TECN	COMMENT
$5.1^{+1.2}_{-1.1}$ OUR FIT					
$6.5^{+1.7}_{-1.5}\pm0.8$	21	AKHMETSHIN	00B	CMD2	$e^+e^-\to\pi^+\pi^-3\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$9.5^{+5.2}_{-4.0}\pm1.4$	6	[72] AKHMETSHIN	97B	CMD2	$e^+e^-\to\pi^+\pi^-3\gamma$

$\Gamma(\mu^+\mu^-\gamma)/\Gamma_{total}$ Γ_{25}/Γ

VALUE (units 10^{-5})	EVTS	DOCUMENT ID		TECN	COMMENT
$1.43\pm0.45\pm0.14$	27188	[63] AKHMETSHIN	99B	CMD2	$e^+e^-\to\mu^+\mu^-\gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$2.3\ \pm1.0$	824 ± 33	[73] AKHMETSHIN	97C	CMD2	$e^+e^-\to\mu^+\mu^-\gamma$

$\Gamma(\rho\gamma\gamma)/\Gamma_{total}$ Γ_{26}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID		TECN	COMMENT
<5	90	AKHMETSHIN	98	CMD2	$e^+e^-\to\pi^+\pi^-\gamma\gamma$

$\Gamma(\eta\pi^+\pi^-)/\Gamma_{total}$ Γ_{27}/Γ

VALUE (units 10^{-5})	CL%	DOCUMENT ID		TECN	COMMENT
< 1.8	90	AKHMETSHIN	00E	CMD2	$e^+e^-\to\pi^+\pi^-\pi^+\pi^-\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<30	90	AKHMETSHIN	98	CMD2	$e^+e^-\to\pi^+\pi^-\gamma\gamma$

$\Gamma(\eta\mu^+\mu^-)/\Gamma_{total}$ Γ_{28}/Γ

VALUE (units 10^{-6})	CL%	DOCUMENT ID		TECN	COMMENT
<9.4	90	AKHMETSHIN	01	CMD2	$e^+e^-\to\eta e^+e^-$

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{total}$ Γ_5/Γ

VALUE	CL%	DOCUMENT ID		TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.0006	90	[74] ACHASOV	02	SND	$1.02\ e^+e^-\to\pi^+\pi^-\pi^0$
<0.23	90	[74] CORDIER	80	DM1	$e^+e^-\to\pi^+\pi^-\pi^0$
<0.20	90	[74] PARROUR	76B	OSPK	$e^+e^-\to\pi^+\pi^-\pi^0$

[22] Using B($\phi\to e^+e^-$)= $(2.93\pm0.14)\times10^{-4}$.
[23] Using B($\phi\to e^+e^-$)=$(2.99\pm0.08)\times10^{-4}$.
[24] Using $\Gamma(\phi)$= 4.1 Mev. If interference between the $\rho\pi$ and 3π modes is neglected, the fraction of the $\rho\pi$ is more than 80% at the 90% confidence level.
[25] Neglecting interference between resonance and continuum.
[26] Using B($\phi\to e^+e^-$) = $(2.91\pm0.07)\times10^{-4}$.
[27] Recalculated by us using B($\phi\to e^+e^-$)= $(2.99\pm0.08)\times10^{-4}$.
[28] Using B($\phi\to e^+e^-$) = $(2.99\pm0.08)\times10^{-4}$ and B($\eta\to3\pi^0$)= $(32.2\pm0.4)\times10^{-2}$.
[29] From $\pi^+\pi^-\pi^0$ decay mode of η.
[30] From 2γ decay mode of η.

[31] From $3\pi^0$ decay mode of η.
[32] Using $B(\phi \to e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$ and $B(\eta \to 3\pi^0) = (32.24 \pm 0.29) \times 10^{-2}$.
[33] The combined fit from 600 to 1380 MeV taking into account $\rho(770)$, $\omega(782)$, $\phi(1020)$, and $\rho(1450)$ (mass and width fixed at 1450 MeV and 310 MeV respectively).
[34] From the $\eta \to 2\gamma$ decay and using $B(\phi \to e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$.
[35] Using various decay modes of the η from ACHASOV 98F, ACHASOV 00, and ACHASOV 00B and $B(\phi \to e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$.
[36] From the $\eta \to \pi^+ \pi^- \pi^0$ decay and $B(\phi \to e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$.
[37] From $\pi^+ \pi^- \pi^0$ decay mode of η and using $B(\phi \to e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$.
[38] Reanalysis of DRUZHININ 84, DOLINSKY 89, and DOLINSKY 91 taking into account a triangle anomaly contribution.
[39] For $E_\gamma > 20$ MeV and assuming that $B(\phi(1020) \to f_0(980)\gamma)$ is neglibible. Supersedes AKHMETSHIN 97C.
[40] For $E_\gamma > 20$ MeV and assuming that $B(\phi(1020) \to f_0(980)\gamma)$ is negligible.
[41] Supersedes AKHMETSHIN 97C.
[42] From the combined fit assuming that the total $\phi(1020)$ production cross section is saturated by those of $K^+ K^-$, $K_S K_L$, $\pi^+ \pi^- \pi^0$, and $\eta\gamma$ decays modes and using ACHASOV 00B for the $\eta\gamma$ decay mode.
[43] Using total width 4.2 MeV. They detect 3π mode and observe significant interference with ω tail. This is accounted for in the result quoted above.
[44] From the $\pi^0 \to 2\gamma$ decay and using $B(\phi \to e^+ e^-) = (2.99 \pm 0.08) \times 10^{-4}$.
[45] Using the 1996 and 1998 data.
[46] $(2.3 \pm 0.3)\%$ correction for other decay modes of the $\omega(782)$ applied.
[47] Using the 1996 data.
[48] Using the 1998 data.
[49] Theoretical analysis of BRAMON 00 taking into account phase-space difference, electromagnetic radiatve corrections, as well as isospin breaking, predicts 0.62. FISCHBACH 02 calculates additional corrections caused by the close threshold and predicts 0.68.
[50] Using $B(\eta \to \gamma\gamma) = (39.25 \pm 0.32)\%$, $B(\phi \to \eta\gamma) = (1.26 \pm 0.06)\%$, and $B(\phi \to e^+ e^-) = (3.00 \pm 0.06) \times 10^{-4}$.
[51] The average of the branching ratios separately obtained from the $\eta \to \gamma\gamma$, $3\pi^0$, $\pi^+ \pi^- \pi^0$ decays.
[52] From $\eta \to \gamma\gamma$ decays and using $B(\eta \to \gamma\gamma) = (39.33 \pm 0.25) \times 10^{-2}$, $B(\eta \to \pi^+ \pi^- \gamma) = (4.75 \pm 11) \times 10^{-2}$, and $B(\phi \to \eta\gamma) = (1.297 \pm 0.033) \times 10^{-2}$.
[53] From $\eta \to 3\pi^0$ decays and using $B(\pi^0 \to \gamma\gamma) = (98.798 \pm 0.033) \times 10^{-2}$, $B(\eta \to 3\pi^0) = (32.24 \pm 0.29) \times 10^{-2}$, $B(\eta \to \pi^+ \pi^- \gamma) = (4.75 \pm 0.11) \times 10^{-2}$, and $B(\phi \to \eta\gamma) = (1.297 \pm 0.033) \times 10^{-2}$.
[54] From $\eta \to \pi^+ \pi^- \pi^0$ decays and using $B(\pi^0 \to \gamma\gamma) = (98.798 \pm 0.033) \times 10^{-2}$, $B(\pi^0 \to e^+ e^- \gamma) = (1.198 \pm 0.032) \times 10^{-2}$, $B(\eta \to \pi^+ \pi^- \pi^0) = (23.0 \pm 0.4) \times 10^{-2}$, $B(\phi \to \pi^+ \pi^- \pi^0) = (15.5 \pm 0.6) \times 10^{-2}$, and $B(\phi \to \eta\gamma) = (1.297 \pm 0.033) \times 10^{-2}$.
[55] Using the value $B(\eta' \to \eta\pi^+ \pi^-) = (43.7 \pm 1.5) \times 10^{-2}$ and $B(\eta \to \gamma\gamma) = (39.25 \pm 0.31) \times 10^{-2}$.
[56] Using the value $B(\phi \to \eta\gamma) = (1.26 \pm 0.06) \times 10^{-2}$.
[57] Using $B(\phi \to K_L^0 K_S^0) = (33.8 \pm 0.6)\%$.
[58] Averaging AKHMETSHIN 00B with AKHMETSHIN 00F.
[59] Using the value $B(\phi \to \eta\gamma) = (1.338 \pm 0.053) \times 10^{-2}$.
[60] Supersedes ACHASOV 98I. Excluding $\omega\pi^0$.
[61] From the combined fit of the photon spectra in the reactions $e^+ e^- \to \pi^+ \pi^- \gamma$, $\pi^0 \pi^0 \gamma$.

[62] Assuming that the $\pi^0\pi^0\gamma$ final state is completely determined by the $f_0\gamma$ mechanism, neglecting the decay B($\phi \rightarrow K\overline{K}\gamma$) and using B($f_0 \rightarrow \pi^+\pi^-$)= 2B($f_0 \rightarrow \pi^0\pi^0$).

[63] For $E_\gamma > 20$ MeV. Supersedes AKHMETSHIN 97C.

[64] Neglecting other intermediate mechanisms ($\rho\pi$, $\sigma\gamma$).

[65] A narrow pole fit taking into account $f_0(980)$ and $f_0(1200)$ intermediate mechanisms.

[66] For destructive interference with the Bremsstrahlung process

[67] For constructive interference with the Bremsstrahlung process

[68] Using B($\pi^0 \rightarrow \gamma\gamma$) = 0.98798 ± 0.00032, B($\phi \rightarrow \eta\gamma$) = (1.297 ± 0.033) × 10^{-2}, and B($\eta \rightarrow \pi^+\pi^-\gamma$) = (4.75 ± 0.11) × 10^{-2}.

[69] Supersedes ACHASOV 98B.

[70] Assuming $a_0(980)\gamma$ dominance in the $\eta\pi^0\gamma$ final state.

[71] Using various branching ratios of K^0_S, K^0_L, η, η' from the 2000 edition (The European Physical Journal **C15** 1 (2000)) of this Review.

[72] Superseded by AKHMETSHIN 00B.

[73] For $E_\gamma > 20$ MeV.

[74] Neglecting the interference between the $\rho\pi$ and $\pi^+\pi^-\pi^0$.

$\pi^+\pi^-\pi^0$ / $\rho\pi$ AMPLITUDE RATIO a_1 IN DECAY OF $\phi \rightarrow \pi^+\pi^-\pi^0$

VALUE	CL%	EVTS	DOCUMENT ID		TECN	COMMENT
$-0.06 < a_1 < 0.06$		500k	[76] ACHASOV	02	SND	$e^+e^- \rightarrow \pi^+\pi^-\pi^0$
$= 0.16 < a_1 < 0.11$	90		[75] AKHMETSHIN	98	CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma\gamma$

[75] Dalitz plot analysis of 9735 events taking into account interference between the contact and $\rho\pi$ terms and assuming zero phase for the contact term.

[76] Recalculated by the authors to match the notations of AKHMETSHIN 98.

$\phi(1020)$ REFERENCES

ACHASOV	02	PR D65 032002	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
FISCHBACH	02	PL B525 335	E. Fischbach, A.W. Overhauser, B. Woodahl	
ACHASOV	01B	PL B504 275	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
ACHASOV	01E	PR D63 072002	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
ACHASOV	01G	PRL 86 1698	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
AKHMETSHIN	01	PL B501 191	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	01B	PL B509 217	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	01C	PL B503 237	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	01D	PL B508 217 (erratum)	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
Also	99D	PL B466 385	R.R. Akhmetshin *et al.*	
ACHASOV	00	EPJ C12 25	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
ACHASOV	00B	JETP 90 17	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
		Translated from ZETF 117 22.		
ACHASOV	00C	PL B474 188	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
ACHASOV	00D	JETPL 72 282	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
		Translated from ZETFP 72 411.		
ACHASOV	00E	NP B569 158	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
ACHASOV	00F	PL B479 53	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
ACHASOV	00H	PL B485 349	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
AKHMETSHIN	00B	PL B473 337	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	00E	PL B491 81	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	00F	PL B494 26	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
AULCHENKO	00A	JETP 90 927	V.M. Aulchenko *et al.*	(Novosibirsk SND Collab.)
		Translated from ZETF 117 1067.		

BRAMON	00	PL B486 406	A. Bramon *et al.*	
PDG	00	EPJ C15 1	D.E. Groom *et al.*	
ACHASOV	99	PL B449 122	M.N. Achasov *et al.*	
ACHASOV	99C	PL B456 304	M.N. Achasov *et al.*	
AKHMETSHIN	99B	PL B462 371	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99C	PL B462 380	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99D	PL B466 385	R.R. Akhmetshin *et al.*	
AKHMETSHIN	99F	PL B460 242	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
AULCHENKO	99	JETPL 69 97	V.M. Aulchenko *et al.*	
		Translated from ZETFP 69 87.		
ACHASOV	98B	PL B438 441	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
ACHASOV	98F	JETPL 68 573	M.N. Achasov *et al.*	(Novosibirsk SND Collab.)
ACHASOV	98I	PL B440 442	M.N. Achasov *et al.*	
AKHMETSHIN	98	PL B434 426	R.R. Akhmetshin *et al.*	
AULCHENKO	98	PL B436 199	V.M. Aulchenko *et al.*	(Novosibirsk SND Collab.)
BARBERIS	98	PL B432 436	D. Barberis *et al.*	(Omega expt.)
AKHMETSHIN	97B	PL B415 445	R.R. Akhmetshin *et al.*	(NOVO, BOST, PITT+)
AKHMETSHIN	97C	PL B415 452	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
BENAYOUN	96	ZPHY C72 221	M. Benayoun *et al.*	(IPNP, NOVO)
AKHMETSHIN	95	PL B364 199	R.R. Akhmetshin *et al.*	(Novosibirsk CMD-2 Collab.)
DOLINSKY	91	PRPL 202 99	S.I. Dolinsky *et al.*	(NOVO)
DOLINSKY	89	ZPHY C42 511	S.I. Dolinsky *et al.*	(NOVO)
BARKOV	88	SJNP 47 248	L.M. Barkov *et al.*	(NOVO)
		Translated from YAF 47 393.		
DOLINSKY	88	SJNP 48 277	S.I. Dolinsky *et al.*	(NOVO)
		Translated from YAF 48 442.		
DRUZHININ	87	ZPHY C37 1	V.P. Druzhinin *et al.*	(NOVO)
ARMSTRONG	86	PL 166B 245	T.A. Armstrong *et al.*	(ATHU, BARI, BIRM+)
ATKINSON	86	ZPHY C30 521	M. Atkinson *et al.*	(BONN, CERN, GLAS+)
BEBEK	86	PRL 56 1893	C. Bebek *et al.*	(CLEO Collab.)
DAVENPORT	86	PR 33 2519	T.F. Davenport	(TUFTS, ARIZ, FNAL, FSU, NDAM+)
DIJKSTRA	86	ZPHY C31 375	H. Dijkstra *et al.*	(ANIK, BRIS, CERN+)
FRAME	86	NP B276 667	D. Frame *et al.*	(GLAS)
GOLUBEV	86	SJNP 44 409	V.B. Golubev *et al.*	(NOVO)
		Translated from YAF 44 633.		
ALBRECHT	85D	PL 153B 343	H. Albrecht *et al.*	(ARGUS Collab.)
GOLUBEV	85	SJNP 41 756	V.B. Golubev *et al.*	(NOVO)
		Translated from YAF 41 1183.		
DRUZHININ	84	PL 144B 136	V.P. Druzhinin *et al.*	(NOVO)
ARMSTRONG	83B	NP B224 193	T.A. Armstrong *et al.*	(BARI, BIRM, CERN+)
BARATE	83	PL 121B 449	R. Barate *et al.*	(SACL, LOIC, SHMP, IND)
KURDADZE	83C	JETPL 38 366	L.M. Kurdadze *et al.*	(NOVO)
		Translated from ZETFP 38 306.		
ARENTON	82	PR D25 2241	M.W. Arenton *et al.*	(ANL, ILL)
PELLINEN	82	PS 25 599	A. Pellinen, M. Roos	(HELS)
DAUM	81	PL 100B 439	C. Daum *et al.*	(AMST, BRIS, CERN, CRAC+)
IVANOV	81	PL 107B 297	P.M. Ivanov *et al.*	(NOVO)
Also	82	Private Comm.	S.I. Eidelman	(NOVO)
VASSERMAN	81	PL 99B 62	I.B. Vasserman *et al.*	(NOVO)
Also	82	SJNP 35 240	L.M. Kurdadze *et al.*	
		Translated from YAF 35 352.		
CORDIER	80	NP B172 13	A. Cordier *et al.*	(LALO)
CORDIER	79	PL 81B 389	A. Cordier *et al.*	(LALO)
BUKIN	78B	SJNP 27 521	A.D. Bukin *et al.*	(NOVO)
		Translated from YAF 27 985.		
BUKIN	78C	SJNP 27 516	A.D. Bukin *et al.*	(NOVO)
		Translated from YAF 27 976.		
COOPER	78B	NP B146 1	A.M. Cooper *et al.*	(TATA, CERN, CDEF+)
LOSTY	78	NP B133 38	M.J. Losty *et al.*	(CERN, AMST, NIJM+)
AKERLOF	77	PRL 39 861	C.W. Akerlof *et al.*	(FNAL, MICH, PURD)
ANDREWS	77	PRL 38 198	D.E. Andrews *et al.*	(ROCH)
BALDI	77	PL 68B 381	R. Baldi *et al.*	(GEVA)
CERRADA	77B	NP B126 241	M. Cerrada *et al.*	(AMST, CERN, NIJM+)
COHEN	77	PRL 38 269	D. Cohen *et al.*	(ANL)
LAVEN	77	NP B127 43	H. Laven *et al.*	(AACH3, BERL, CERN, LOIC+)
LYONS	77	NP B125 207	L. Lyons, A.M. Cooper, A.G. Clark	(OXF)
COSME	76	PL 63B 352	G. Cosme *et al.*	(ORSAY)
KALBFLEISCH	76	PR D13 22	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)
PARROUR	76	PL 63B 357	G. Parrour *et al.*	(ORSAY)
PARROUR	76B	PL 63B 362	G. Parrour *et al.*	(ORSAY)
KALBFLEISCH	75	PR D11 987	G.R. Kalbfleisch, R.C. Strand, J.W. Chapman	(BNL+)
AYRES	74	PRL 32 1463	D.S. Ayres *et al.*	(ANL)

BESCH	74	NP B70 257	H.J. Besch *et al.*	(BONN)
COSME	74	PL 48B 155	G. Cosme *et al.*	(ORSAY)
COSME	74B	PL 48B 159	G. Cosme *et al.*	(ORSAY)
DEGROOT	74	NP B74 77	A.J. de Groot *et al.*	(AMST, NIJM)
AUGUSTIN	73	PRL 30 462	J.E. Augustin *et al.*	(ORSAY)
BALLAM	73	PR D7 3150	J. Ballam *et al.*	(SLAC, LBL)
BINNIE	73B	PR D8 2789	D.M. Binnie *et al.*	(LOIC, SHMP)
AGUILAR-...	72B	PR D6 29	M. Aguilar-Benitez *et al.*	(BNL)
ALVENSLEB...	72	PRL 28 66	H. Alvensleben *et al.*	(MIT, DESY)
BORENSTEIN	72	PR D5 1559	S.R. Borenstein *et al.*	(BNL, MICH)
COLLEY	72	NP B50 1	D.C. Colley *et al.*	(BIRM, GLAS)
BALAKIN	71	PL 34B 328	V.E. Balakin *et al.*	(NOVO)
CHATELUS	71	Thesis LAL 1247	Y. Chatelus	(STRB)
Also	70	PL 32 416	J.C. Bizot *et al.*	(ORSAY)
HAYES	71	PR D4 899	S. Hayes *et al.*	(CORN)
STOTTLE...	71	Thesis ORO 2504 170	A.R. Stottlemyer	(UMD)
BIZOT	70	PL 32 416	J.C. Bizot *et al.*	(ORSAY)
Also	69	Liverpool Sym. 69	J.P. Perez-y-Jorba	
EARLES	70	PRL 25 1312	D.R. Earles *et al.*	(NEAS)
LINDSEY	66	PR 147 913	J.S. Lindsey, G. Smith	(LRL)
LONDON	66	PR 143 1034	G.W. London *et al.*	(BNL, SYRA) IGJPC
BADIER	65B	PL 17 337	J. Badier *et al.*	(EPOL, SACL, AMST)
LINDSEY	65	PRL 15 221	J.S. Lindsey, G.A. Smith	(LRL)
LINDSEY 65 data included in LINDSEY 66.				
SCHLEIN	63	PRL 10 368	P.E. Schlein *et al.*	(UCLA) IGJP

OTHER RELATED PAPERS

ACHASOV	01F	PR D63 094007	N.N. Achasov *et al.*	(Novosibirsk SND Collab.)
ANISOVICH	01H	EPJ A12 103	A.V. Anisovich, V.V. Anisovich, V.A. Nikonov	
BENAYOUN	01	EPJ C22 503	M. Benayoun, H.B. O'Connell	
CLOSE	01	PL B515 13	F.E. Close, A. Kirk	
GOKALP	01	PR D64 053017	A. Gokalp, O. Yilmaz	
MARKUSHIN	00	EPJ A8 389	V.E. Markushin	
ACHASOV	99B	PAN 62 442	M.N. Achasov *et al.*	
		Translated from YAF 62 484.		
MARCO	99	PL B470 20	E. Marco *et al.*	
OLLER	98B	PL B426 7	J.A. Oller	
ACHASOV	95	PLB 363 106	N.N. Achasov, V.V. Gubin	(NOVM)
KAMAL	92	PL B284 421	A.N. Kamal, Q.P. Xu	(ALBE)
GEORGIO...	85	PL 152B 428	C. Georgiopoulos *et al.*	(TUFTS, ARIZ, FNAL+)
GELFAND	63B	PRL 11 438	N. Gelfand *et al.*	(COLU, RUTG)
BERTANZA	62	PRL 9 180	L. Bertanza *et al.*	(BNL, SYRA)