

$D^*(2007)^0$

$$I(J^P) = \frac{1}{2}(1^-)$$

I, J, P need confirmation.

J consistent with 1, value 0 ruled out (NGUYEN 77).

$D^*(2007)^0$ MASS

The fit includes $D^\pm, D^0, D_s^\pm, D^{*\pm}, D^{*0}$, and $D_s^{*\pm}$ mass and mass difference measurements.

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|-------------------------------------|------|-----------|
| 2006.7±0.5 OUR FIT | Error includes scale factor of 1.1. | | |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 2006 ±1.5 | ¹ GOLDHABER 77 | MRK1 | $e^+ e^-$ |
| ¹ From simultaneous fit to $D^*(2010)^+, D^*(2007)^0, D^+$, and D^0 . | | | |

$m_{D^*(2007)^0} - m_{D^0}$

The fit includes $D^\pm, D^0, D_s^\pm, D^{*\pm}, D^{*0}$, and $D_s^{*\pm}$ mass and mass difference measurements.

| VALUE (MeV) | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|------|---------------------------|------|--------------------------------|
| 142.12±0.07 OUR FIT | | | | |
| 142.12±0.07 OUR AVERAGE | | | | |
| 142.2 ±0.3 ±0.2 | 145 | ALBRECHT 95F | ARG | $e^+ e^- \rightarrow$ hadrons |
| 142.12±0.05±0.05 | 1176 | BORTOLETTO92B | CLE2 | $e^+ e^- \rightarrow$ hadrons |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| 142.2 ±2.0 | | SADROZINSKI 80 | CBAL | $D^{*0} \rightarrow D^0 \pi^0$ |
| 142.7 ±1.7 | | ² GOLDHABER 77 | MRK1 | $e^+ e^-$ |
| ² From simultaneous fit to $D^*(2010)^+, D^*(2007)^0, D^+$, and D^0 . | | | | |

$D^*(2007)^0$ WIDTH

| VALUE (MeV) | CL% | DOCUMENT ID | TECN | COMMENT |
|--|-----|-------------------------|------|--------------------------------|
| <2.1 | 90 | ³ ABACHI 88B | HRS | $D^{*0} \rightarrow D^+ \pi^-$ |
| ³ Assuming $m_{D^{*0}} = 2007.2 \pm 2.1$ MeV/ c^2 . | | | | |

$D^*(2007)^0$ DECAY MODES

$\bar{D}^*(2007)^0$ modes are charge conjugates of modes below.

| Mode | Fraction (Γ_i/Γ) |
|-----------------------------|--------------------------------|
| $\Gamma_1 \quad D^0 \pi^0$ | (61.9±2.9) % |
| $\Gamma_2 \quad D^0 \gamma$ | (38.1±2.9) % |

CONSTRAINED FIT INFORMATION

An overall fit to a branching ratio uses 3 measurements and one constraint to determine 2 parameters. The overall fit has a $\chi^2 = 0.5$ for 2 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

$$x_2 \begin{vmatrix} & -100 \\ & \\ x_1 & \end{vmatrix}$$

$D^*(2007)^0$ BRANCHING RATIOS

$\Gamma(D^0 \pi^0) / \Gamma_{\text{total}}$ Γ_1 / Γ

| VALUE | EVTS | DOCUMENT ID | TECN | COMMENT |
|------------------------------|------|-------------|------|---------|
| 0.619 ± 0.029 OUR FIT | | | | |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|-----------------------|------|-----------------------|---------|-------------------------------|
| 0.596 ± 0.035 ± 0.028 | 858 | ⁴ ALBRECHT | 95F ARG | $e^+ e^- \rightarrow$ hadrons |
| 0.636 ± 0.023 ± 0.033 | 1097 | ⁴ BUTLER | 92 CLE2 | $e^+ e^- \rightarrow$ hadrons |

$\Gamma(D^0 \gamma) / \Gamma_{\text{total}}$ Γ_2 / Γ

| VALUE | EVTS | DOCUMENT ID | TECN | COMMENT |
|----------------------------------|------|-------------|------|---------|
| 0.381 ± 0.029 OUR FIT | | | | |
| 0.381 ± 0.029 OUR AVERAGE | | | | |

| | | | | |
|-----------------------|-----|-----------------------|----------|-------------------------------|
| 0.404 ± 0.035 ± 0.028 | 456 | ⁴ ALBRECHT | 95F ARG | $e^+ e^- \rightarrow$ hadrons |
| 0.364 ± 0.023 ± 0.033 | 621 | ⁴ BUTLER | 92 CLE2 | $e^+ e^- \rightarrow$ hadrons |
| 0.37 ± 0.08 ± 0.08 | | ADLER | 88D MRK3 | $e^+ e^-$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|-------------|--|-----------|----------|---------------------|
| 0.47 ± 0.23 | | LOW | 87 HRS | 29 GeV $e^+ e^-$ |
| 0.53 ± 0.13 | | BARTEL | 85G JADE | $e^+ e^-$, hadrons |
| 0.47 ± 0.12 | | COLES | 82 MRK2 | $e^+ e^-$ |
| 0.45 ± 0.15 | | GOLDHABER | 77 MRK1 | $e^+ e^-$ |

⁴ The BUTLER 92 and ALBRECHT 95F branching ratios are not independent, they have been constrained by the authors to sum to 100%.

$D^*(2007)^0$ REFERENCES

| | | |
|----------------------------------|----------------------------------|-------------------------|
| ALBRECHT 95F ZPHY C66 63 | H. Albrecht <i>et al.</i> | (ARGUS Collab.) |
| BORTOLETTO 92B PRL 69 2046 | D. Bortoletto <i>et al.</i> | (CLEO Collab.) |
| BUTLER 92 PRL 69 2041 | F. Butler <i>et al.</i> | (CLEO Collab.) |
| ABACHI 88B PL B212 533 | S. Abachi <i>et al.</i> | (ANL, IND, MICH, PURD+) |
| ADLER 88D PL B208 152 | J. Adler <i>et al.</i> | (Mark III Collab.) |
| LOW 87 PL B183 232 | E.H. Low <i>et al.</i> | (HRS Collab.) |
| BARTEL 85G PL 161B 197 | W. Bartel <i>et al.</i> | (JADE Collab.) |
| COLES 82 PR D26 2190 | M.W. Coles <i>et al.</i> | (LBL, SLAC) |
| SADROZINSKI 80 Madison Conf. 681 | H.F.W. Sadrozinski <i>et al.</i> | (PRIN, CIT+) |
| GOLDHABER 77 PL 69B 503 | G. Goldhaber <i>et al.</i> | (Mark I Collab.) |
| NGUYEN 77 PRL 39 262 | H.K. Nguyen <i>et al.</i> | (LBL, SLAC) J |

————— **OTHER RELATED PAPERS** —————

| | | | | |
|-----------|----|-----------------------------|----------------------------|------------------|
| EDWARDS | 02 | PR D65 012002 | K.W. Edwards <i>et al.</i> | (CLEO Collab.) |
| SEMENOV | 99 | SPU 42 847 | S.V. Semenov | |
| | | Translated from UFN 42 937. | | |
| KAMAL | 92 | PL B284 421 | A.N. Kamal, Q.P. Xu | (ALBE) |
| TRILLING | 81 | PRPL 75 57 | G.H. Trilling | (LBL, UCB) |
| GOLDHABER | 76 | PRL 37 255 | G. Goldhaber <i>et al.</i> | (Mark I Collab.) |
