

# $\Sigma(1840) P_{13}$

$$I(J^P) = 1(\frac{3}{2}^+) \text{ Status: } *$$

## OMITTED FROM SUMMARY TABLE

For the time being, we list together here all resonance claims in the  $P_{13}$  wave between 1700 and 1900 MeV.

### $\Sigma(1840)$ MASS

| <u>VALUE (MeV)</u>                            | <u>DOCUMENT ID</u>   | <u>TECN</u> | <u>COMMENT</u>                         |
|---|----------------------|-------------|--|
| <b><math>\approx 1840</math> OUR ESTIMATE</b> |                      |             |  |
| 1798 or 1802                                  | <sup>1</sup> MARTIN  | 77          | DPWA $\bar{K}N$ multichannel           |
| $1720 \pm 30$                                 | <sup>2</sup> BAILLON | 75          | IPWA $\bar{K}N \rightarrow \Lambda\pi$ |
| $1925 \pm 200$                                | VANHORN              | 75          | DPWA $K^- p \rightarrow \Lambda\pi^0$  |
| $1840 \pm 10$                                 | LANGBEIN             | 72          | IPWA $\bar{K}N$ multichannel           |

### $\Sigma(1840)$ WIDTH

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u>   | <u>TECN</u> | <u>COMMENT</u>                         |
|--------------------|----------------------|-------------|--|
| 93 or 93           | <sup>1</sup> MARTIN  | 77          | DPWA $\bar{K}N$ multichannel           |
| $120 \pm 30$       | <sup>2</sup> BAILLON | 75          | IPWA $\bar{K}N \rightarrow \Lambda\pi$ |
| $65^{+50}_{-20}$   | VANHORN              | 75          | DPWA $K^- p \rightarrow \Lambda\pi^0$  |
| $120 \pm 10$       | LANGBEIN             | 72          | IPWA $\bar{K}N$ multichannel           |

### $\Sigma(1840)$ DECAY MODES

| Mode       |              |
|------------|--------------|
| $\Gamma_1$ | $N\bar{K}$   |
| $\Gamma_2$ | $\Lambda\pi$ |
| $\Gamma_3$ | $\Sigma\pi$  |

### $\Sigma(1840)$ BRANCHING RATIOS

See "Sign conventions for resonance couplings" in the Note on  $\Lambda$  and  $\Sigma$  Resonances.

| $\Gamma(N\bar{K})/\Gamma_{\text{total}}$ |                     |             |                              | $\Gamma_1/\Gamma$ |
|--|---------------------|-------------|------------------------------|-------------------|
| <u>VALUE</u>                             | <u>DOCUMENT ID</u>  | <u>TECN</u> | <u>COMMENT</u>               |                   |
| 0 or 0                                   | <sup>1</sup> MARTIN | 77          | DPWA $\bar{K}N$ multichannel |                   |
| $0.37 \pm 0.13$                          | LANGBEIN            | 72          | IPWA $\bar{K}N$ multichannel |                   |

| $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1840) \rightarrow \Lambda\pi$ |                      |             |  | $(\Gamma_1\Gamma_2)^{1/2}/\Gamma$ |
|--|----------------------|-------------|--|-----------------------------------|
| <u>VALUE</u>   | <u>DOCUMENT ID</u>   | <u>TECN</u> | <u>COMMENT</u>                         |                                   |
| $+0.03$ or $+0.03$   | <sup>1</sup> MARTIN  | 77          | DPWA $\bar{K}N$ multichannel           |                                   |
| $+0.11 \pm 0.02$   | <sup>2</sup> BAILLON | 75          | IPWA $\bar{K}N \rightarrow \Lambda\pi$ |                                   |
| $+0.06 \pm 0.04$   | VANHORN              | 75          | DPWA $K^- p \rightarrow \Lambda\pi^0$  |                                   |
| $+0.122 \pm 0.078$   | DEVENISH             | 74B         | Fixed- $t$ dispersion rel.             |                                   |
| $0.20 \pm 0.04$  | LANGBEIN             | 72          | IPWA $\bar{K}N$ multichannel           |                                   |

| $(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1840) \rightarrow \Sigma\pi$ |                     |      |         | $(\Gamma_1 \Gamma_3)^{1/2} / \Gamma$ |
|--|---------------------|------|---------|--------------------------------------|
| VALUE  | DOCUMENT ID         | TECN | COMMENT |                                      |
| -0.04 or -0.04   | <sup>1</sup> MARTIN | 77   | DPWA    | $\bar{K}N$ multichannel              |
| 0.15 ± 0.04  | LANGBEIN            | 72   | IPWA    | $\bar{K}N$ multichannel              |

### $\Sigma(1840)$ FOOTNOTES

<sup>1</sup> The two MARTIN 77 values are from a T-matrix pole and from a Breit-Wigner fit.

<sup>2</sup> From solution 1 of BAILLON 75; not present in solution 2.

### $\Sigma(1840)$ REFERENCES

|          |     |             |   |                  |
|----------|-----|-------------|---|------------------|
| MARTIN   | 77  | NP B127 349 | B.R. Martin, M.K. Pidcock, R.G. Moorhouse   | (LOUC+) IJP      |
| Also     | 77B | NP B126 266 | B.R. Martin, M.K. Pidcock                   | (LOUC)           |
| Also     | 77C | NP B126 285 | B.R. Martin, M.K. Pidcock                   | (LOUC) IJP       |
| BAILLON  | 75  | NP B94 39   | P.H. Baillon, P.J. Litchfield               | (CERN, RHEL) IJP |
| VANHORN  | 75  | NP B87 145  | A.J. van Horn                               | (LBL) IJP        |
| Also     | 75B | NP B87 157  | A.J. van Horn                               | (LBL) IJP        |
| DEVENISH | 74B | NP B81 330  | R.C.E. Devenish, C.D. Froggatt, B.R. Martin | (DESY+)          |
| LANGBEIN | 72  | NP B47 477  | W. Langbein, F. Wagner                      | (MPIM) IJP       |