

$f_0(980)$ $I^G(J^{PC}) = 0^+(0^{++})$

See also the minireview on scalar mesons under $f_0(600)$. (See the index for the page number.)

 $f_0(980)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
980 ±10 OUR ESTIMATE				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
973 ± 1	2438	¹ ALOISIO	02D KLOE	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
977 ± 3 ±2	848	² AITALA	01A E791	$D_s^+ \rightarrow \pi^-\pi^+\pi^+$
969.8± 4.5	419	³ ACHASOV	00H SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
985 ± 16 -12	419	^{4,5} ACHASOV	00H SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
976 ± 5 ±6		⁶ AKHMETSHIN	99B CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
977 ± 3 ±6	268	⁶ AKHMETSHIN	99C CMD2	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
975 ± 4 ±6		⁷ AKHMETSHIN	99C CMD2	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
975 ± 4 ±6		⁸ AKHMETSHIN	99C CMD2	$e^+e^- \rightarrow \pi^+\pi^-\gamma, \pi^0\pi^0\gamma$
985 ±10		BARBERIS	99 OMEG	$450 pp \rightarrow p_s p_f K^+ K^-$
982 ± 3		BARBERIS	99B OMEG	$450 pp \rightarrow p_s p_f \pi^+\pi^-$
982 ± 3		BARBERIS	99C OMEG	$450 pp \rightarrow p_s p_f \pi^0\pi^0$
987 ± 6 ±6		⁹ BARBERIS	99D OMEG	$450 pp \rightarrow K^+K^-, \pi^+\pi^-$
989 ±15		BELLAZZINI	99 GAM4	$450 pp \rightarrow pp\pi^0\pi^0$
991 ± 3		¹⁰ KAMINSKI	99 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \sigma\sigma$
~ 980		¹⁰ OLLER	99 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
~ 993.5		OLLER	99B RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
~ 987		¹⁰ OLLER	99C RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \eta\eta$
957 ± 6		¹¹ ACKERSTAFF	98Q OPAL	$Z \rightarrow f_0 X$
960 ±10		ALDE	98 GAM4	
1015 ±15		¹⁰ ANISOVICH	98B RVUE	Compilation
1008		¹² LOCHER	98 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
955 ±10		¹¹ ALDE	97 GAM2	$450 pp \rightarrow pp\pi^0\pi^0$
994 ± 9		¹³ BERTIN	97C OBLX	$0.0 \bar{p}p \rightarrow \pi^+\pi^-\pi^0$
993.2± 6.5±6.9		¹⁴ ISHIDA	96 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
1006		TORNQVIST	96 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, K\pi, \eta\pi$
997 ± 5	3k	¹⁵ ALDE	95B GAM2	$38 \pi^- p \rightarrow \pi^0\pi^0 n$
960 ±10	10k	¹⁶ ALDE	95B GAM2	$38 \pi^- p \rightarrow \pi^0\pi^0 n$
994 ± 5		AMSLER	95B CBAR	$0.0 \bar{p}p \rightarrow 3\pi^0$
~ 996		¹⁷ AMSLER	95D CBAR	$0.0 \bar{p}p \rightarrow \pi^0\pi^0\pi^0, \pi^0\eta\eta, \pi^0\pi^0\eta$
987 ± 6		¹⁸ ANISOVICH	95 RVUE	

1015	JANSSEN	95	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
983	BUGG	94	RVUE	$\bar{p}p \rightarrow \eta 2\pi^0$
973 \pm 2	KAMINSKI	94	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
988	ZOU	94B	RVUE	
988 \pm 10	MORGAN	93	RVUE	$\pi\pi(K\bar{K}) \rightarrow \pi\pi(K\bar{K}), J/\psi \rightarrow \phi\pi\pi(K\bar{K}), D_s \rightarrow \pi(\pi\pi)$
971.1 \pm 4.0	AGUILAR-...	91	EHS	400 $p\bar{p}$
979 \pm 4	ARMSTRONG	91	OMEG	$300 p\bar{p} \rightarrow p\bar{p}\pi\pi, p\bar{p}K\bar{K}$
956 \pm 12	BREAKSTONE	90	SFM	$p\bar{p} \rightarrow p\bar{p}\pi^+\pi^-$
959.4 \pm 6.5	AUGUSTIN	89	DM2	$J/\psi \rightarrow \omega\pi^+\pi^-$
978 \pm 9	ABACHI	86B	HRS	$e^+e^- \rightarrow \pi^+\pi^-X$
985.0 \pm 9.0	ETKIN	82B	MPS	$23 \pi^- p \rightarrow n2K_S^0$
974 \pm 4	GIDAL	81	MRK2	$J/\psi \rightarrow \pi^+\pi^-X$
975	ACHASOV	80	RVUE	
986 \pm 10	AGUILAR-...	78	HBC	$0.7 \bar{p}p \rightarrow K_S^0 K_S^0$
969 \pm 5	LLEEPER	77	ASPK	$2-2.4 \pi^- p \rightarrow \pi^+\pi^-n, K^+K^-n$
987 \pm 7	BINNIE	73	CNTR	$\pi^- p \rightarrow nMM$
1012 \pm 6	GRAYER	73	ASPK	$17 \pi^- p \rightarrow \pi^+\pi^-n$
1007 \pm 20	HYAMS	73	ASPK	$17 \pi^- p \rightarrow \pi^+\pi^-n$
997 \pm 6	PROTOPOP...	73	HBC	$7 \pi^+ p \rightarrow \pi^+\rho\pi^+\pi^-$

¹ From the negative interference with the $f_0(600)$ meson of AITALA 01B using the ACHASOV 89 parameterization for the $f_0(980)$, a Breit-Wigner for the $f_0(600)$, and ACHASOV 01F for the $\rho\pi$ contribution.

² Coupled-channel Breit-Wigner, couplings $g_\pi = 0.09 \pm 0.01 \pm 0.01$, $g_K = 0.02 \pm 0.04 \pm 0.03$.

³ Supersedes ACHASOV 98I. Using the model of ACHASOV 89.

⁴ Supersedes ACHASOV 98I.

⁵ In the “narrow resonance” approximation.

⁶ Assuming $\Gamma(f_0) = 40$ MeV.

⁷ From a narrow pole fit taking into account $f_0(980)$ and $f_0(1200)$ intermediate mechanisms.

⁸ From the combined fit of the photon spectra in the reactions $e^+e^- \rightarrow \pi^+\pi^-\gamma, \pi^0\pi^0\gamma$.

⁹ Supersedes BARBERIS 99 and BARBERIS 99B

¹⁰ T-matrix pole.

¹¹ From invariant mass fit.

¹² On sheet II in a 2 pole solution. The other pole is found on sheet III at $(1039 - 93i)$ MeV.

¹³ On sheet II in a 2 pole solution. The other pole is found on sheet III at $(963 - 29i)$ MeV.

¹⁴ Reanalysis of data from HYAMS 73, GRAYER 74, SRINIVASAN 75, and ROSSELET 77 using the interfering amplitude method.

¹⁵ At high $|t|$.

¹⁶ At low $|t|$.

¹⁷ On sheet II in a 4-pole solution, the other poles are found on sheet III at $(953 - 55i)$ MeV and on sheet IV at $(938 - 35i)$ MeV.

¹⁸ Combined fit of ALDE 95B, ANISOVICH 94, AMSLER 94D.

¹⁹ On sheet II in a 2 pole solution. The other pole is found on sheet III at $(996 - 103i)$ MeV.

²⁰ From sheet II pole position.

- 21 On sheet II in a 2 pole solution. The other pole is found on sheet III at $(797 - 185i)$ MeV and can be interpreted as a shadow pole.
 22 On sheet II in a 2 pole solution. The other pole is found on sheet III at $(978 - 28i)$ MeV.
 23 From coupled channel analysis.
 24 Coupled channel analysis with finite width corrections.
 25 Included in AGUILAR-BENITEZ 78 fit.

$f_0(980)$ WIDTH

Width determination very model dependent. Peak width in $\pi\pi$ is about 50 MeV, but decay width can be much larger.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
40 to 100 OUR ESTIMATE				
• • • We do not use the following data for averages, fits, limits, etc. • • •				
~ 70	26	BRAMON	02 RVUE	$1.02 \frac{e^+ e^-}{\pi^0 \pi^0 \gamma} \rightarrow$
44 ± 2 ± 2	848	27 AITALA	01A E791	$D_s^+ \rightarrow \pi^- \pi^+ \pi^+$
201 ± 28	419	28 ACHASOV	00H SND	$e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
122 ± 13	419	29,30 ACHASOV	00H SND	$e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
56 ± 20	31 AKHMETSHIN	99C CMD2	$e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$	
65 ± 20	BARBERIS	99 OMEG	450 $p p \rightarrow$	
				$p_s p_f K^+ K^-$
80 ± 10	BARBERIS	99B OMEG	450 $p p \rightarrow$	
				$p_s p_f \pi^+ \pi^-$
80 ± 10	BARBERIS	99C OMEG	450 $p p \rightarrow$	
				$p_s p_f \pi^0 \pi^0$
48 ± 12 ± 8	32 BARBERIS	99D OMEG	450 $p p \rightarrow K^+ K^-$	
				$\pi^+ \pi^-$
65 ± 25	BELLAZZINI	99 GAM4	450 $p p \rightarrow p p \pi^0 \pi^0$	
71 ± 14	33 KAMINSKI	99 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \sigma\sigma$	
~ 28	33 OLLER	99 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$	
~ 25	OLLER	99B RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$	
~ 14	33 OLLER	99C RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \eta\eta$	
70 ± 20	ALDE	98 GAM4		
86 ± 16	33 ANISOVICH	98B RVUE	Compilation	
54	34 LOCHER	98 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$	
69 ± 15	35 ALDE	97 GAM2	450 $p p \rightarrow p p \pi^0 \pi^0$	
38 ± 20	36 BERTIN	97C OBLX	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$	
~ 100	37 ISHIDA	96 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$	
34	TORNQVIST	96 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, K\pi, \eta\pi$	
48 ± 10	38 ALDE	95B GAM2	$38 \pi^- p \rightarrow \pi^0 \pi^0 n$	
95 ± 20	39 ALDE	95B GAM2	$38 \pi^- p \rightarrow \pi^0 \pi^0 n$	
26 ± 10	AMSLER	95B CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0$	
~ 112	40 AMSLER	95D CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta\eta, \pi^0 \pi^0 \eta$	
80 ± 12	41 ANISOVICH	95 RVUE		
30	JANSSEN	95 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$	
74	42 BUGG	94 RVUE	$\bar{p}p \rightarrow \eta 2\pi^0$	
29 ± 2	43 KAMINSKI	94 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$	

46	⁴⁴ ZOU	94B	RVUE
48 ± 12	⁴⁵ MORGAN	93	RVUE $\pi\pi(K\bar{K}) \rightarrow \pi\pi(K\bar{K}), J/\psi \rightarrow \phi\pi\pi(K\bar{K}), D_s \rightarrow \pi(\pi\pi)$
37.4 ± 10.6	35 AGUILAR...	91	EHS 400 pp
72 ± 8	46 ARMSTRONG	91	OMEG $300 pp \rightarrow pp\pi\pi, ppK\bar{K}$
110 ± 30	BREAKSTONE	90	SFM $pp \rightarrow pp\pi^+\pi^-$
29 ± 13	35 ABACHI	86B	HRS $e^+e^- \rightarrow \pi^+\pi^-X$
120 ± 281 ± 20	ETKIN	82B	MPS $23\pi^-p \rightarrow n2K_S^0$
28 ± 10	46 GIDAL	81	MRK2 $J/\psi \rightarrow \pi^+\pi^-X$
70 to 300	47 ACHASOV	80	RVUE
100 ± 80	48 AGUILAR...	78	HBC $0.7\bar{p}p \rightarrow K_S^0K_S^0$
30 ± 8	46 LEEPER	77	ASPK $2-2.4\pi^-p \rightarrow \pi^+\pi^-n, K^+K^-n$
48 ± 14	46 BINNIE	73	CNTR $\pi^-p \rightarrow nMM$
32 ± 10	49 GRAYER	73	ASPK $17\pi^-p \rightarrow \pi^+\pi^-n$
30 ± 10	49 HYAMS	73	ASPK $17\pi^-p \rightarrow \pi^+\pi^-n$
54 ± 16	49 PROTOPOP...	73	HBC $7\pi^+p \rightarrow \pi^+\rho\pi^+\pi^-$

26 Using the data of AKHMETSHIN 99C, ACHASOV 00H, and ALOISIO 02D.

27 Breit-Wigner width.

28 Supersedes ACHASOV 98I. Using the model of ACHASOV 89.

29 Supersedes ACHASOV 98I.

30 In the “narrow resonance” approximation.

31 From the combined fit of the photon spectra in the reactions $e^+e^- \rightarrow \pi^+\pi^-\gamma, \pi^0\pi^0\gamma$.

32 Supersedes BARBERIS 99 and BARBERIS 99B

33 T-matrix pole.

34 On sheet II in a 2 pole solution. The other pole is found on sheet III at (1039–93*i*) MeV.

35 From invariant mass fit.

36 On sheet II in a 2 pole solution. The other pole is found on sheet III at (963–29*i*) MeV.

37 Reanalysis of data from HYAMS 73, GRAYER 74, SRINIVASAN 75, and ROSSELET 77 using the interfering amplitude method.

38 At high $|t|$.

39 At low $|t|$.

40 On sheet II in a 4-pole solution, the other poles are found on sheet III at (953–55*i*) MeV and on sheet IV at (938–35*i*) MeV.

41 Combined fit of ALDE 95B, ANISOVICH 94,

42 On sheet II in a 2 pole solution. The other pole is found on sheet III at (996–103*i*) MeV.

43 From sheet II pole position.

44 On sheet II in a 2 pole solution. The other pole is found on sheet III at (797–185*i*) MeV and can be interpreted as a shadow pole.

45 On sheet II in a 2 pole solution. The other pole is found on sheet III at (978–28*i*) MeV.

46 From coupled channel analysis.

47 Coupled channel analysis with finite width corrections.

48 From coupled channel fit to the HYAMS 73 and PROTOPOPESCU 73 data. With a simultaneous fit to the $\pi\pi$ phase-shifts, inelasticity and to the $K_S^0K_S^0$ invariant mass.


49 Included in AGUILAR-BENITEZ 78 fit.

$f_0(980)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \pi\pi$	dominant
$\Gamma_2 K\bar{K}$	seen
$\Gamma_3 \gamma\gamma$	
$\Gamma_4 e^+e^-$	

$f_0(980)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$	Γ_3
<i>VALUE (keV)</i>	<i>EVTS</i>
$0.39^{+0.10}_{-0.13}$ OUR AVERAGE	Error includes scale factor of 1.5. See the ideogram below.
$0.28^{+0.09}_{-0.13}$	50 BOGLIONE 99 RVUE $\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$
0.63 ± 0.14	51 MORGAN 90 RVUE $\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$
$0.42 \pm 0.06 \pm 0.18$	60 52 OEST 90 JADE $e^+e^- \rightarrow e^+e^-\pi^0\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
$0.29 \pm 0.07 \pm 0.12$	53,54 BOYER 90 MRK2 $e^+e^- \rightarrow e^+e^-\pi^+\pi^-$
$0.31 \pm 0.14 \pm 0.09$	53,54 MARSISKE 90 CBAL $e^+e^- \rightarrow e^+e^-\pi^0\pi^0$
50 Supersedes MORGAN 90.	
51 From amplitude analysis of BOYER 90 and MARSISKE 90, data corresponds to resonance parameters $m = 989$ MeV, $\Gamma = 61$ MeV.	
52 OEST 90 quote systematic errors $^{+0.08}_{-0.18}$. We use ± 0.18 .	
53 From analysis allowing arbitrary background unconstrained by unitarity.	
54 Data included in MORGAN 90, BOGLIONE 99 analyses.	



$\Gamma(\gamma\gamma)$

Γ_3

$\Gamma(e^+ e^-)$

Γ_4

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<8.4	90	VOROBIEV	88	$e^+ e^- \rightarrow \pi^0 \pi^0$

$f_0(980)$ BRANCHING RATIOS

$\Gamma(\pi\pi)/[\Gamma(\pi\pi) + \Gamma(K\bar{K})]$

$\Gamma_1/(\Gamma_1+\Gamma_2)$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.84±0.02	55 ANISOVICH	02D SPEC	Combined fit
~0.68	OLLER	99B RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
0.67±0.09	56 LOVERRE	80 HBC	$4\pi^- p \rightarrow n2K_S^0$
0.81 ^{+0.09} _{-0.04}	56 CASON	78 STRC	$7\pi^- p \rightarrow n2K_S^0$
0.78±0.03	56 WETZEL	76 OSPK	$8.9\pi^- p \rightarrow n2K_S^0$

⁵⁵ From a combined K-matrix analysis of Crystal Barrel ($0. p\bar{p} \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta\eta, \pi^0 \pi^0 \eta$), GAMS ($\pi p \rightarrow \pi^0 \pi^0 n, \eta\eta n, \eta\eta' n$), and BNL ($\pi p \rightarrow K\bar{K} n$) data.

⁵⁶ Measure $\pi\pi$ elasticity assuming two resonances coupled to the $\pi\pi$ and $K\bar{K}$ channels only.

$f_0(980)$ REFERENCES

ALOISIO	02D	PL B537 21	A. Aloisio <i>et al.</i>	(KLOE Collab.)
ANISOVICH	02D	PAN 65 1545 Translated from YAF 65	V.V. Anisovich <i>et al.</i> 1583.	
BRAMON	02	EPJ C26 253	A. Bramon <i>et al.</i>	
ACHASOV	01F	PR D63 094007	N.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AITALA	01A	PRL 86 765	E.M. Aitala <i>et al.</i>	(FNAL E791 Collab.)
AITALA	01B	PRL 86 770	E.M. Aitala <i>et al.</i>	(FNAL E791 Collab.)
ACHASOV	00H	PL B485 349	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AKHMETSHIN	99B	PL B462 371	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	99C	PL B462 380	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
BARBERIS	99	PL B453 305	D. Barberis <i>et al.</i>	(Omega Expt.)
BARBERIS	99B	PL B453 316	D. Barberis <i>et al.</i>	(Omega Expt.)
BARBERIS	99C	PL B453 325	D. Barberis <i>et al.</i>	(Omega Expt.)
BARBERIS	99D	PL B462 462	D. Barberis <i>et al.</i>	(Omega Expt.)
BELLAZZINI	99	PL B467 296	R. Bellazzini <i>et al.</i>	
BOGLIONE	99	EPJ C9 11	M. Boglione, M.R. Pennington	
KAMINSKI	99	EPJ C9 141	R. Kaminski, L. Lesniak, B. Loiseau	(CRAC, PARIN)
OLLER	99	PR D60 099906 (erratum)	J.A. Oller <i>et al.</i>	
OLLER	99B	NP A652 407 (erratum)	J.A. Oller, E. Oset	
OLLER	99C	PR D60 074023	J.A. Oller, E. Oset	
ACHASOV	98I	PL B440 442	M.N. Achasov <i>et al.</i>	
ACKERSTAFF	98Q	EPJ C4 19	K. Ackerstaff <i>et al.</i>	(OPAL Collab.)
ALDE	98	EPJ A3 361	D. Alde <i>et al.</i>	(GAM4 Collab.)
Also	99	PAN 62 405 Translated from YAF 62	D. Alde <i>et al.</i> 446.	(GAMS Collab.)
ANISOVICH	98B	UFN 41 419	V.V. Anisovich <i>et al.</i>	
LOCHER	98	EPJ C4 317	M.P. Locher <i>et al.</i>	(PSI)
ALDE	97	PL B397 350	D.M. Alde <i>et al.</i>	(GAMS Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ISHIDA	96	PTP 95 745	S. Ishida <i>et al.</i>	(TOKY, MIYA, KEK)
TORNQVIST	96	PRL 76 1575	N.A. Tornqvist, M. Roos	(HELS)
ALDE	95B	ZPHY C66 375	D.M. Alde <i>et al.</i>	(GAMS Collab.)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	95	PL B355 363	V.V. Anisovich <i>et al.</i>	(PNPI, SERP)
JANSSEN	95	PR D52 2690	G. Janssen <i>et al.</i>	(STON, ADLD, JULI)
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	V.V. Anisovich <i>et al.</i>	(Crystal Barrel Collab.)
BUGG	94	PR D50 4412	D.V. Bugg <i>et al.</i>	(LOQM)
KAMINSKI	94	PR D50 3145	R. Kaminski, L. Lesniak, J.P. Maillet	(CRAC+)
ZOU	94B	PR D50 591	B.S. Zou, D.V. Bugg	(LOQM)
MORGAN	93	PR D48 1185	D. Morgan, M.R. Pennington	(RAL, DURH)
AGUILAR-...	91	ZPHY C50 405	M. Aguilar-Benitez <i>et al.</i>	(LEBC-EHS Collab.)
ARMSTRONG	91	ZPHY C51 351	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
BOYER	90	PR D42 1350	J. Boyer <i>et al.</i>	(Mark II Collab.)
BREAKSTONE	90	ZPHY C48 569	A.M. Breakstone <i>et al.</i>	(ISU, BGNA, CERN+)
MARSISKE	90	PR D41 3324	H. Marsiske <i>et al.</i>	(Crystal Ball Collab.)
MORGAN	90	ZPHY C48 623	D. Morgan, M.R. Pennington	(RAL, DURH)
OEST	90	ZPHY C47 343	T. Oest <i>et al.</i>	(JADE Collab.)
ACHASOV	89	NP B315 465	N.N. Achasov, V.N. Ivanchenko	
AUGUSTIN	89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
VOROBIEV	88	SJNP 48 273 Translated from YAF 48	P.V. Vorobiev <i>et al.</i>	(NOVO)
ABACHI	86B	PRL 57 1990	S. Abachi <i>et al.</i>	(PURD, ANL, IND, MICH+)
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
GIDAL	81	PL 107B 153	G. Gidal <i>et al.</i>	(SLAC, LBL)
ACHASOV	80	SJNP 32 566 Translated from YAF 32	N.N. Achasov, S.A. Devyanin, G.N. Shestakov	(NOVM)
LOVERRE	80	ZPHY C6 187	P.F. Loverre <i>et al.</i>	(CERN, CDEF, MADR+) IJP
AGUILAR-...	78	NP B140 73	M. Aguilar-Benitez <i>et al.</i>	(MADR, BOMB+)
CASON	78	PRL 41 271	N.M. Cason <i>et al.</i>	(NDAM, ANL)
LEEPER	77	PR D16 2054	R.J. Leeper <i>et al.</i>	(ISU)
ROSSELET	77	PR D15 574	L. Rosselet <i>et al.</i>	(GEVA, SACL)
WETZEL	76	NP B115 208	W. Wetzel <i>et al.</i>	(ETH, CERN, LOIC)
SRINIVASAN	75	PR D12 681	V. Srinivasan <i>et al.</i>	(NDAM, ANL)
GRAYER	74	NP B75 189	G. Grayer <i>et al.</i>	(CERN, MPIM)
BINNIE	73	PRL 31 1534	D.M. Binnie <i>et al.</i>	(LOIC, SHMP)
GRAYER	73	Tallahassee	G. Grayer <i>et al.</i>	(CERN, MPIM)
HYAMS	73	NP B64 134	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
PROTOPOP...	73	PR D7 1279	S.D. Protopopescu <i>et al.</i>	(LBL)

 OTHER RELATED PAPERS

ACHASOV	02G	PL B534 83	N.N Achasov, A.V. Kiselev
ACHASOV	02I	PAN 65 546	N.N. Achasov
		Translated from YAF 65	573.
ACHASOV	02K	PAN 65 1528	N.N. Achasov <i>et al.</i>
		Translated from YAF 65	1566.
ANISOVICH	02C	PAN 65 497	A.V. Anisovich <i>et al.</i>
		Translated from YAF 65	523.
BLACK	02	PRL 88 181603	D. Black, M. Harada, J. Schechter
KAMINSKI	02	EPJ Direct C4 1	R. Kaminski, L. Lesniak, K. Rybicki
KLEEFELD	02	PR D66 034007	F. Kleefeld, E. van Beveren, G. Rupp
RUPP	02	PR D65 078501	G. Rupp, E. van Beveren, M.D. Scadron
SHAKIN	02	PR D65 078502	C.M. Shakin, H. Wang
TESHIMA	02	JPG 28 1391	T. Teshima, I. Kitamura, N. Morisita
VOLKOV	02	PAN 65 1657	M.K. Volkov, V.L. Yudichev
		Translated from YAF 65	1701.
ACHASOV	01F	PR D63 094007	N.N. Achasov <i>et al.</i> (Novosibirsk SND Collab.)
ANISOVICH	01H	EPJ A12 103	A.V. Anisovich, V.V. Anisovich, V.A. Nikonov
CLOSE	01	PL B515 13	F.E. Close, A. Kirk
GOKALP	01	PR D64 053017	A. Gokalp, O. Yilmaz
SUROVTSEV	01	PR D63 054024	Y.S. Surovtsev, D. Krupa, M. Nagy
BEVEREN	00	PL B495 300	E. van Beveren, G. Rupp, M.D. Scadron
Also	01	PL B509 365 (erratum)	E. van Beveren, G. Rupp, M.D. Scadron
MARKUSHIN	00	EPJ A8 389	V.E. Markushin
WANG	00A	PR D62 017503	Z. Wang
ABREU	99J	PL B449 364	P. Abreu <i>et al.</i> (DELPHI Collab.)
ANISOVICH	99D	PL B452 180	A.V. Anisovich <i>et al.</i>
Also	99F	NP A651 253	A.V. Anisovich <i>et al.</i>
ANISOVICH	99H	PL B467 289	A.V. Anisovich, V.V. Anisovich
BLACK	99	PR D59 074026	D. Black <i>et al.</i>
DELBOURGO	99	PL B446 332	R. Delbourgo, D. Liu, M. Scadron
MARCO	99	PL B470 20	E. Marco <i>et al.</i>
MINKOWSKI	99	EPJ C9 283	P. Minkowski, W. Ochs
ACHASOV	98G	JETPL 67 464	N.N. Achasov <i>et al.</i>
ACHASOV	98J	SPU 41 1149	N.N. Achasov
CHLIAPNIK...	98	PL B423 401	P.V. Chliapnikov, V.A. Uvarov
ACHASOV	97E	IJMP A12 5019	N.N. Achasov <i>et al.</i>
PROKOSHKIN	97	SPD 42 117	Y.D. Prokoshkin <i>et al.</i> (SERP)
		Translated from DANS	353 323.
AU	87	PR D35 1633	K.L. Au, D. Morgan, M.R. Pennington (DURH, RAL)
AKESSON	86	NP B264 154	T. Akesson <i>et al.</i> (Axial Field Spec. Collab.)
BEVEREN	86	ZPHY C30 615	E. van Beveren <i>et al.</i> (NIJM, BIEL)
MENNESSIER	83	ZPHY C16 241	G. Mennessier (MONP)
BARBER	82	ZPHY C12 1	D.P. Barber <i>et al.</i> (DARE, LANC, SHEF)
ETKIN	82C	PR D25 2446	A. Etkin <i>et al.</i> (BNL, CUNY, TUFTS, VAND)
SRINIVASAN	75	PR D12 681	V. Srinivasan <i>et al.</i> (NDAM, ANL)
BIGI	62	CERN Conf. 247	A. Bigi <i>et al.</i> (CERN)
BINGHAM	62	CERN Conf. 240	H.H. Bingham <i>et al.</i> (EPOL, CERN)
ERWIN	62	PRL 9 34	A.R. Erwin <i>et al.</i> (WISC, BNL)
WANG	61	JETP 13 323	K.-C. Wang <i>et al.</i> (JINR)
		Translated from ZETF 40 464.	
