

$\rho(1450)$

$$I^G(J^{PC}) = 1^+(1^-)$$

See the mini-review under the $\rho(1700)$. **$\rho(1450)$ MASS**

VALUE (MeV) _____ DOCUMENT ID _____
1465 ± 25 OUR ESTIMATE This is only an educated guess; the error given is larger than the error on the average of the published values.
1452 ± 8 OUR AVERAGE Includes data from the 2 datablocks that follow this one.

 $\eta\rho^0$ MODE

VALUE (MeV) _____ DOCUMENT ID _____ TECN _____ COMMENT _____
 The data in this block is included in the average printed for a previous datablock.

1470 ± 20		ANTONELLI	88	DM2	$e^+e^- \rightarrow \eta\pi^+\pi^-$
1446 ± 10		FUKUI	88	SPEC	$8.95 \pi^- p \rightarrow \eta\pi^+\pi^- n$
• • •		We do not use the following data for averages, fits, limits, etc. • • •			
1497 ± 14		¹³ AKHMETSHIN	01B	CMD2	$e^+e^- \rightarrow \eta\gamma$
1421 ± 15		¹ AKHMETSHIN	00D	CMD2	$e^+e^- \rightarrow \eta\pi^+\pi^-$

¹ Using the data of ANTONELLI 88, DOLINSKY 91, and AKHMETSHIN 00D. The energy-independent width of the $\rho(1450)$ and $\rho(1700)$ mesons assumed.

 $\omega\pi$ MODE

VALUE (MeV) _____ EVTS _____ DOCUMENT ID _____ TECN _____ COMMENT _____
 The data in this block is included in the average printed for a previous datablock.

1463 ± 25		¹⁴ CLEGG	94	RVUE	
• • •		We do not use the following data for averages, fits, limits, etc. • • •			
1349 ± 25 $^{+10}_{-5}$	341	² ALEXANDER	01B	CLE2	$B \rightarrow D^{(*)}\omega\pi^-$
1523 ± 10		³ EDWARDS	00A	CLE2	$\tau^- \rightarrow \omega\pi^- \nu_\tau$
1250		⁴ ASTON	80C	OMEG	$20-70 \gamma p \rightarrow \omega\pi^0 p$
1290 ± 40		⁴ BARBER	80C	SPEC	$3-5 \gamma p \rightarrow \omega\pi^0 p$

² Using Breit-Wigner parameterization of the $\rho(1450)$ and assuming the $\omega\pi^-$ mass dependence for the total width.

³ Mass-independent width parameterization. $\rho(1700)$ mass and width fixed at 1700 MeV and 235 MeV respectively.

⁴ Not separated from $b_1(1235)$, not pure $J^P = 1^-$ effect.

 4π MODE

VALUE (MeV) _____ DOCUMENT ID _____ TECN _____ COMMENT _____

• • • We do not use the following data for averages, fits, limits, etc. • • •

1435 ± 40		ABELE	01B	CBAR	$0.0 \bar{p}n \rightarrow 2\pi^- 2\pi^0 \pi^+$
1350 ± 50		ACHASOV	97	RVUE	$e^+e^- \rightarrow 2(\pi^+\pi^-)$
1449 ± 4		⁵ ARMSTRONG	89E	OMEG	$300 p p \rightarrow$ $p p 2(\pi^+\pi^-)$

⁵ Not clear whether this observation has $l=1$ or 0.

$\pi\pi$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1406 ± 15	87k	^{6,15} ANDERSON	00A CLE2	$\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$
~ 1368		⁷ ABELE	99C CBAR	$0.0 \bar{p}d \rightarrow \pi^+ \pi^- \pi^- p$
1348 ± 33		BERTIN	98 OBLX	$0.05-0.405 \bar{n}p \rightarrow$ $\pi^+ \pi^+ \pi^-$
1411 ± 14		⁸ ABELE	97 CBAR	$\bar{p}n \rightarrow \pi^- \pi^0 \pi^0$
1370^{+90}_{-70}		ACHASOV	97 RVUE	$e^+ e^- \rightarrow \pi^+ \pi^-$
1380 ± 24		¹⁶ BARATE	97M ALEP	$\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$
1359 ± 40		¹⁵ BERTIN	97C OBLX	$0.0 \bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
1282 ± 37		BERTIN	97D OBLX	$0.05 \bar{p}p \rightarrow 2\pi^+ 2\pi^-$
1424 ± 25		BISELLO	89 DM2	$e^+ e^- \rightarrow \pi^+ \pi^-$
1292 ± 17		⁹ KURDADZE	83 OLYA	$0.64-1.4 e^+ e^- \rightarrow$ $\pi^+ \pi^-$

⁶ From the GOUNARIS 68 parametrization of the pion form factor.

⁷ $\rho(1700)$ mass and width fixed at 1780 MeV and 275 MeV respectively.

⁸ T-matrix pole.

⁹ Using for $\rho(1700)$ mass and width 1600 ± 20 and 300 ± 10 MeV respectively.

$\phi\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1480 ± 40	^{10,11} BITYUKOV	87 SPEC	0	$32.5 \pi^- p \rightarrow$ $\phi \pi^0 n$

¹⁰ DONNACHIE 91 suggests this is a different particle.

¹¹ Not seen by ABELE 97H.

$K\bar{K}$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
1422.8 ± 6.5	27k	¹² ABELE	99D CBAR	\pm	$0.0 \bar{p}p \rightarrow$ $K^+ K^- \pi^0$

¹² K-matrix pole. Isospin not determined, could be $\omega(1420)$.

MIXED MODES

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1265.5 ± 75.3	DUBNICKA	89 RVUE	$e^+ e^- \rightarrow \pi^+ \pi^-$

¹³ Using the data of AKHMETSHIN 01B on $e^+ e^- \rightarrow \eta\gamma$, AKHMETSHIN 00D and ANTONELLI 88 on $e^+ e^- \rightarrow \eta\pi^+\pi^-$.

¹⁴ Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.

¹⁵ $\rho(1700)$ mass and width fixed at 1700 MeV and 235 MeV, respectively.

¹⁶ Fixing $\rho(1450)$ width to 310 MeV and $\rho(1700)$ mass and width to 1700 MeV and 235 MeV respectively.

$\rho(1450)$ WIDTH

VALUE (MeV)DOCUMENT ID**310±60 OUR ESTIMATE** This is only an educated guess; the error given is larger than the error on the average of the published values.

$\eta\rho^0$ MODE

VALUE (MeV)DOCUMENT IDTECNCOMMENT

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

226±44	27	AKHMETSHIN 01B	CMD2	$e^+e^- \rightarrow \eta\gamma$
211±31	17	AKHMETSHIN 00D	CMD2	$e^+e^- \rightarrow \eta\pi^+\pi^-$
230±30		ANTONELLI 88	DM2	$e^+e^- \rightarrow \eta\pi^+\pi^-$
60±15		FUKUI 88	SPEC	$8.95 \pi^- p \rightarrow \eta\pi^+\pi^- n$

¹⁷ Using the data of ANTONELLI 88, DOLINSKY 91, and AKHMETSHIN 00D. The energy-independent width of the $\rho(1450)$ and $\rho(1700)$ mesons assumed.

$\omega\pi$ MODE

VALUE (MeV)EVTSDOCUMENT IDTECNCOMMENT

The data in this block is included in the average printed for a previous datablock.

311± 62 28 CLEGG 94 RVUE

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

547± 86 ⁺⁴⁶ ₋₄₅	341	18 ALEXANDER 01B	CLE2	$B \rightarrow D^{(*)}\omega\pi^-$
400± 35		19 EDWARDS 00A	CLE2	$\tau^- \rightarrow \omega\pi^- \nu_\tau$
300		20 ASTON 80C	OMEG	$20-70 \gamma p \rightarrow \omega\pi^0 p$
320±100		20 BARBER 80C	SPEC	$3-5 \gamma p \rightarrow \omega\pi^0 p$

¹⁸ Using Breit-Wigner parameterization of the $\rho(1450)$ and assuming the $\omega\pi^-$ mass dependence for the total width.¹⁹ Mass-independent width parameterization. $\rho(1700)$ mass and width fixed at 1700 MeV and 235 MeV respectively.²⁰ Not separated from $b_1(1235)$, not pure $J^P = 1^-$ effect.

4 π MODE

VALUE (MeV)DOCUMENT IDTECNCOMMENT

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

325±100 ABELE 01B CBAR 0.0 $\bar{p}n \rightarrow 2\pi^- 2\pi^0 \pi^+$

$\pi\pi$ MODE

VALUE (MeV)EVTSDOCUMENT IDTECNCOMMENT

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

455±41	87k	21,29 ANDERSON 00A	CLE2	$\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$
~ 374		22 ABELE 99C	CBAR	$0.0 \bar{p}d \rightarrow \pi^+ \pi^- \pi^- p$
275±10		BERTIN 98	OBLX	$0.05-0.405 \bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
343±20		30 ABELE 97	CBAR	$\bar{p}n \rightarrow \pi^- \pi^0 \pi^0$
310±40		29 BERTIN 97C	OBLX	$0.0 \bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
236±36		BERTIN 97D	OBLX	$0.05 \bar{p}p \rightarrow 2\pi^+ 2\pi^-$
269±31		BISELLO 89	DM2	$e^+e^- \rightarrow \pi^+ \pi^-$
218±46		23 KURDADZE 83	OLYA	$0.64-1.4 e^+e^- \rightarrow \pi^+ \pi^-$

²¹ From the GOUNARIS 68 parametrization of the pion form factor.

²² $\rho(1700)$ mass and width fixed at 1780 MeV and 275 MeV respectively.

²³ Using for $\rho(1700)$ mass and width 1600 ± 20 and 300 ± 10 MeV respectively.

$\phi\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT	
130 ± 60	^{24,25} BITYUKOV	87	SPEC	0	$32.5 \pi^- p \rightarrow \phi \pi^0 n$

²⁴ DONNACHIE 91 suggests this is a different particle.

²⁵ Not seen by ABELE 97H.

$K\bar{K}$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT	
146.5 ± 10.5	27k	²⁶ ABELE	99D	CBAR	\pm	$0.0 \bar{p} p \rightarrow K^+ K^- \pi^0$

²⁶ K-matrix pole. Isospin not determined, could be $\omega(1420)$.

MIXED MODES

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
391 ± 70	DUBNICKA	89	RVUE $e^+ e^- \rightarrow \pi^+ \pi^-$

²⁷ Using the data of AKHMETSHIN 01B on $e^+ e^- \rightarrow \eta\gamma$, AKHMETSHIN 00D and ANTONELLI 88 on $e^+ e^- \rightarrow \eta\pi^+\pi^-$.

²⁸ Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.

²⁹ $\rho(1700)$ mass and width fixed at 1700 MeV and 235 MeV, respectively.

³⁰ T-matrix pole.

$\rho(1450)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Confidence level
Γ_1 $\pi\pi$	seen	
Γ_2 4π	seen	
Γ_3 $\omega\pi$	$<2.0\%$	95%
Γ_4 $a_1(1260)\pi$		
Γ_5 $h_1(1170)\pi$		
Γ_6 $\pi(1300)\pi$		
Γ_7 $\rho\rho$		
Γ_8 $\rho(\pi\pi)$ S-wave		
Γ_9 $e^+ e^-$	seen	
Γ_{10} $\eta\rho$	$<4\%$	
Γ_{11} $a_2(1320)\pi$	not seen	
Γ_{12} $\phi\pi$	$<1\%$	
Γ_{13} $K\bar{K}$	$<1.6 \times 10^{-3}$	95%
Γ_{14} $\eta\gamma$	possibly seen	

$\rho(1450) \Gamma(i)\Gamma(e^+e^-)/\Gamma(\text{total})$

$\Gamma(\pi\pi) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_1\Gamma_9/\Gamma$

<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.12	³¹ DIEKMAN	88	RVUE $e^+e^- \rightarrow \pi^+\pi^-$
$0.027^{+0.015}_{-0.010}$	³² KURDADZE	83	OLYA $0.64\text{--}1.4 e^+e^- \rightarrow \pi^+\pi^-$

$\Gamma(\eta\rho) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{10}\Gamma_9/\Gamma$

<u>VALUE (eV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
91±19	ANTONELLI	88	DM2 $e^+e^- \rightarrow \eta\pi^+\pi^-$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
74 ± 20	³³ AKHMETSHIN 00D	CMD2	$e^+e^- \rightarrow \eta\pi^+\pi^-$

$\Gamma(\phi\pi) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{12}\Gamma_9/\Gamma$

<u>VALUE (eV)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<70	90	³⁴ AULCHENKO	87B	ND $e^+e^- \rightarrow K_S^0 K_L^0 \pi^0$

$\Gamma(\eta\gamma) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{14}\Gamma_9/\Gamma$

<u>VALUE (units 10^{-9})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$10.0 \pm 2.2 \pm 1.5$	³⁵ AKHMETSHIN 01B	CMD2	$e^+e^- \rightarrow \eta\gamma$

³¹ Using total width = 235 MeV.

³² Using for $\rho(1700)$ mass and width 1600 ± 20 and 300 ± 10 MeV respectively.

³³ Using the data of ANTONELLI 88, DOLINSKY 91, and AKHMETSHIN 00D. The energy-independent width of the $\rho(1450)$ and $\rho(1700)$ mesons assumed.

³⁴ Using mass 1480 ± 40 MeV and total width 130 ± 60 MeV of BITYUKOV 87.

³⁵ Using the data of AKHMETSHIN 01B on $e^+e^- \rightarrow \eta\gamma$, AKHMETSHIN 00D and ANTONELLI 88 on $e^+e^- \rightarrow \eta\pi^+\pi^-$.

$\rho(1450)$ BRANCHING RATIOS

$\Gamma(\eta\rho)/\Gamma_{\text{total}} \quad \Gamma_{10}/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.04	DONNACHIE	87B	RVUE

$\Gamma(a_2(1320)\pi)/\Gamma_{\text{total}} \quad \Gamma_{11}/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
not seen	AMELIN	00	VES $37 \pi^- p \rightarrow \eta\pi^+\pi^- n$

$\Gamma(\phi\pi)/\Gamma(\omega\pi) \quad \Gamma_{12}/\Gamma_3$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
>0.5	95	BITYUKOV	87	SPEC	0 $32.5 \pi^- p \rightarrow \phi\pi^0 n$

$\Gamma(\omega\pi)/\Gamma(4\pi)$

Γ_3/Γ_2

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<0.14	CLEGG	88	RVUE

$\Gamma(a_1(1260)\pi)/\Gamma(4\pi)$

Γ_4/Γ_2

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.27 ± 0.08	³⁶ ABELE	01B	CBAR 0.0 $\bar{p}n \rightarrow 5\pi$

$\Gamma(h_1(1170)\pi)/\Gamma(4\pi)$

Γ_5/Γ_2

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.08 ± 0.04	³⁶ ABELE	01B	CBAR 0.0 $\bar{p}n \rightarrow 5\pi$

$\Gamma(\pi(1300)\pi)/\Gamma(4\pi)$

Γ_6/Γ_2

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.37 ± 0.13	³⁶ ABELE	01B	CBAR 0.0 $\bar{p}n \rightarrow 5\pi$

$\Gamma(\rho\rho)/\Gamma(4\pi)$

Γ_7/Γ_2

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.11 ± 0.05	³⁶ ABELE	01B	CBAR 0.0 $\bar{p}n \rightarrow 5\pi$

$\Gamma(\rho(\pi\pi)_{S\text{-wave}})/\Gamma(4\pi)$

Γ_8/Γ_2

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.17 ± 0.09	³⁶ ABELE	01B	CBAR 0.0 $\bar{p}n \rightarrow 5\pi$

$\Gamma(\pi\pi)/\Gamma(4\pi)$

Γ_1/Γ_2

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.37 ± 0.10	^{36,37} ABELE	01B	CBAR 0.0 $\bar{p}n \rightarrow 5\pi$

$\Gamma(\eta\rho)/\Gamma(\omega\pi)$

Γ_{10}/Γ_3

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
~ 0.24	³⁸ DONNACHIE	91	RVUE
• • • We do not use the following data for averages, fits, limits, etc. • • •			
>2	FUKUI	91	SPEC 8.95 $\pi^- p \rightarrow \omega\pi^0 n$

$\Gamma(\omega\pi)/\Gamma_{\text{total}}$

Γ_3/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
~ 0.21	CLEGG	94	RVUE

$\Gamma(\pi\pi)/\Gamma(\omega\pi)$

Γ_1/Γ_3

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
~ 0.32	CLEGG	94	RVUE

$\Gamma(\phi\pi)/\Gamma_{\text{total}}$	DOCUMENT ID	TECN	COMMENT	Γ_{12}/Γ
VALUE				
<0.01	38 DONNACHIE	91 RVUE		
• • • We do not use the following data for averages, fits, limits, etc. • • •				
not seen	ABELE	97H CBAR	$\bar{p}p \rightarrow K_L^0 K_S^0 \pi^0 \pi^0$	

$\Gamma(K\bar{K})/\Gamma(\omega\pi)$	DOCUMENT ID	TECN		Γ_{13}/Γ_3
VALUE				
<0.08	38 DONNACHIE	91 RVUE		
³⁶ $\omega\pi$ not included.				
³⁷ Using ABELE 97.				
³⁸ Using data from BISELLO 91B, DOLINSKY 86 and ALBRECHT 87L.				

$\rho(1450)$ REFERENCES

ABELE	01B	EPJ C21 261	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AKHMETSHIN	01B	PL B509 217	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
ALEXANDER	01B	PR D64 092001	J.P. Alexander <i>et al.</i>	(CLEO Collab.)
AKHMETSHIN	00D	PL B489 125	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AMELIN	00	NP A668 83	D. Amelin <i>et al.</i>	(VES Collab.)
ANDERSON	00A	PR D61 112002	S. Anderson <i>et al.</i>	(CLEO Collab.)
EDWARDS	00A	PR D61 072003	K.W. Edwards <i>et al.</i>	(CLEO Collab.)
ABELE	99C	PL B450 275	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	99D	PL B468 178	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BERTIN	98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	97	PL B391 191	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	97H	PL B415 280	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACHASOV	97	PR D55 2663	N.N. Achasov <i>et al.</i>	(NOVM)
BARATE	97M	ZPHY C76 15	R. Barate <i>et al.</i>	(ALEPH Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
BERTIN	97D	PL B414 220	A. Bertin <i>et al.</i>	(OBELIX Collab.)
CLEGG	94	ZPHY C62 455	A.B. Clegg, A. Donnachie	(LANC, MCHS)
BISELLO	91B	NPBPS B21 111	D. Bisello	(DM2 Collab.)
DOLINSKY	91	PRPL 202 99	S.I. Dolinsky <i>et al.</i>	(NOVO)
DONNACHIE	91	ZPHY C51 689	A. Donnachie, A.B. Clegg	(MCHS, LANC)
FUKUI	91	PL B257 241	S. Fukui <i>et al.</i>	(SUGI, NAGO, KEK, KYOT+)
ARMSTRONG	89E	PL B228 536	T.A. Armstrong, M. Benayoun	(ATHU, BARI, BIRM+)
BISELLO	89	PL B220 321	D. Bisello <i>et al.</i>	(DM2 Collab.)
DUBNICKA	89	JPG 15 1349	S. Dubnicka <i>et al.</i>	(JINR, SLOV)
ANTONELLI	88	PL B212 133	A. Antonelli <i>et al.</i>	(DM2 Collab.)
CLEGG	88	ZPHY C40 313	A.B. Clegg, A. Donnachie	(MCHS, LANC)
DIEKMANN	88	PRPL 159 101	B. Diekmann	(BONN)
FUKUI	88	PL B202 441	S. Fukui <i>et al.</i>	(SUGI, NAGO, KEK, KYOT+)
ALBRECHT	87L	PL B185 223	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
AULCHENKO	87B	JETPL 45 145	V.M. Aulchenko <i>et al.</i>	(NOVO)
		Translated from ZETFP 45 118.		
BITYUKOV	87	PL B188 383	S.I. Bityukov <i>et al.</i>	(SERP)
DONNACHIE	87B	ZPHY C34 257	A. Donnachie, A.B. Clegg	(MCHS, LANC)
DOLINSKY	86	PL B174 453	S.I. Dolinsky <i>et al.</i>	(NOVO)
KURDADZE	83	JETPL 37 733	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 37 613.		
ASTON	80C	PL 92B 211	D. Aston	(BONN, CERN, EPOL, GLAS, LANC+)
BARBER	80C	ZPHY C4 169	D.P. Barber <i>et al.</i>	(DARE, LANC, SHEF)
GOUNARIS	68	PRL 21 244	G.J. Gounaris, J.J. Sakurai	

OTHER RELATED PAPERS

ACHASOV	02B	PAN 65 153	N.N. Achasov, A.A. Kozhevnikov	
		Translated from YAF 65 158.		
CLOSE	02	PR D65 092003	F.E. Close, A. Donnachie, Yu.S. Kalashnikova	
ACHASOV	00E	NP B569 158	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00I	PL B486 29	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00J	PR D62 117503	N.N. Achasov, A.A. Kozhevnikov	
AULCHENKO	00A	JETP 90 927	V.M. Aulchenko <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETF 117 1067.		

BELOZEROVA	98	PPN 29 63	T.S. Belozerova, V.K. Henner	
		Translated from FECA	29 148.	
ABELE	97H	PL B415 280	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BARNES	97	PR D55 4157	T. Barnes <i>et al.</i>	(ORNL, RAL, MCHS)
CLOSE	97C	PR D56 1584	F.E. Close <i>et al.</i>	(RAL, MCHS)
URHEIM	97	NPBPS 55C 359	J. Urheim	(CLEO Collab.)
ACHASOV	96B	PAN 59 1262	N.N. Achasov, G.N. Shestakov	(NOVM)
		Translated from YAF	59 1319.	
MURADOV	94	PAN 57 864	R.K. Muradov	(BAKU)
LANDSBERG	92	SJNP 55 1051	L.G. Landsberg	(SERP)
		Translated from YAF	55 1896.	
BRAU	88	PR D37 2379	J.E. Brau <i>et al.</i>	
ASTON	87	NP B292 693	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
KURDADZE	86	JETPL 43 643	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP	43 497.	
BARKOV	85	NP B256 365	L.M. Barkov <i>et al.</i>	(NOVO)
BISELLO	85	LAL 85-15	D. Bisello <i>et al.</i>	(PADO, LALO, CLER+)
ABE	84B	PRL 53 751	K. Abe <i>et al.</i>	
ATKINSON	84C	NP B243 1	M. Atkinson <i>et al.</i>	(BONN, CERN, GLAS+)
CORDIER	82	PL 109B 129	A. Cordier <i>et al.</i>	(LALO)
KILLIAN	80	PR D21 3005	T.J. Killian <i>et al.</i>	(CORN)
COSME	76	PL 63B 352	G. Cosme <i>et al.</i>	(ORSAY)
BINGHAM	72B	PL 41B 635	H.H. Bingham <i>et al.</i>	(LBL, UCB, SLAC)
FRENKIEL	72	NP B47 61	P. Frenkiel <i>et al.</i>	(CDEF, CERN)
LAYSSAC	71	NC 6A 134	J. Layssac, F.M. Renard	(MONP)