

# N(1900) $P_{13}$

$$I(J^P) = \frac{1}{2}(\frac{3}{2}^+) \text{ Status: } **$$

OMITTED FROM SUMMARY TABLE

## N(1900) BREIT-WIGNER MASS

| VALUE (MeV)   | DOCUMENT ID | TECN | COMMENT                                    |
|---|-------------|------|--|
| <b>≈ 1900 OUR ESTIMATE</b>  |             |      |  |
| 1879±17   | MANLEY      | 92   | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |             |      |  |
| 1951±53   | PENNER      | 02C  | DPWA Multichannel                          |

## N(1900) BREIT-WIGNER WIDTH

| VALUE (MeV)   | DOCUMENT ID | TECN | COMMENT                                    |
|---|-------------|------|--|
| 498±78  | MANLEY      | 92   | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |             |      |  |
| 622±42  | PENNER      | 02C  | DPWA Multichannel                          |

## N(1900) DECAY MODES

| Mode                                     | Fraction ( $\Gamma_i/\Gamma$ ) |
|--|--------------------------------|
| $\Gamma_1$ $N\pi$                        |                                |
| $\Gamma_2$ $N\pi\pi$                     |                                |
| $\Gamma_3$ $N\rho, S=1/2, P\text{-wave}$ |                                |
| $\Gamma_4$ $N\eta$                       | (14±5) %                       |
| $\Gamma_5$ $N\omega$                     | (39±9) %                       |
| $\Gamma_6$ $\Lambda K$                   |                                |
| $\Gamma_7$ $\Sigma K$                    |                                |

## N(1900) BRANCHING RATIOS

|   |             |                                       |
|---|-------------|---------------------------------------|
| <b><math>\Gamma(N\pi)/\Gamma_{\text{total}}</math></b>                        |             | <b><math>\Gamma_1/\Gamma</math></b>   |
| VALUE   | DOCUMENT ID | TECN                                  |
| 0.26±0.06   | MANLEY      | 92                                    |
|   | IPWA        | $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |             |                                       |
| 0.16±0.02   | PENNER      | 02C DPWA Multichannel                 |
| <b><math>\Gamma(N\eta)/\Gamma_{\text{total}}</math></b>                       |             | <b><math>\Gamma_4/\Gamma</math></b>   |
| VALUE   | DOCUMENT ID | TECN                                  |
| <b>0.14±0.05</b>  | PENNER      | 02C DPWA Multichannel                 |
| <b><math>\Gamma(N\omega)/\Gamma_{\text{total}}</math></b>                     |             | <b><math>\Gamma_5/\Gamma</math></b>   |
| VALUE   | DOCUMENT ID | TECN                                  |
| <b>0.39±0.09</b>  | PENNER      | 02C DPWA Multichannel                 |

| $(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1900) \rightarrow N\rho, S=1/2, P\text{-wave}$ | $(\Gamma_1 \Gamma_3)^{1/2} / \Gamma$                 |
|---|--|
| VALUE   | DOCUMENT ID TECN COMMENT                             |
| $-0.34 \pm 0.03$  | MANLEY 92 IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |

| $\Gamma(\Lambda K) / \Gamma_{\text{total}}$                                   | $\Gamma_6 / \Gamma$          |
|---|------------------------------|
| VALUE   | DOCUMENT ID TECN COMMENT     |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                              |
| $0.001 \pm 0.001$   | PENNER 02C DPWA Multichannel |

| $\Gamma(\Sigma K) / \Gamma_{\text{total}}$                                    | $\Gamma_7 / \Gamma$          |
|---|------------------------------|
| VALUE   | DOCUMENT ID TECN COMMENT     |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                              |
| $0.01 \pm 0.01$   | PENNER 02C DPWA Multichannel |

### N(1900) PHOTON DECAY AMPLITUDES

#### N(1900) → $p\gamma$ , helicity-1/2 amplitude $A_{1/2}$

| VALUE (GeV <sup>-1/2</sup> )  | DOCUMENT ID TECN COMMENT     |
|---|------------------------------|
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                              |
| $-0.017$  | PENNER 02D DPWA Multichannel |

#### N(1900) → $p\gamma$ , helicity-3/2 amplitude $A_{3/2}$

| VALUE (GeV <sup>-1/2</sup> )  | DOCUMENT ID TECN COMMENT     |
|---|------------------------------|
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                              |
| $0.031$   | PENNER 02D DPWA Multichannel |

#### N(1900) → $n\gamma$ , helicity-1/2 amplitude $A_{1/2}$

| VALUE (GeV <sup>-1/2</sup> )  | DOCUMENT ID TECN COMMENT     |
|---|------------------------------|
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                              |
| $-0.016$  | PENNER 02D DPWA Multichannel |

#### N(1900) → $n\gamma$ , helicity-3/2 amplitude $A_{3/2}$

| VALUE (GeV <sup>-1/2</sup> )  | DOCUMENT ID TECN COMMENT     |
|---|------------------------------|
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                              |
| $-0.002$  | PENNER 02D DPWA Multichannel |

### N(1900) REFERENCES

|                          |                           |        |
|--------------------------|---------------------------|--------|
| PENNER 02C PR C66 055211 | G. Penner, U. Mosel       | (GIES) |
| PENNER 02D PR C66 055212 | G. Penner, U. Mosel       | (GIES) |
| MANLEY 92 PR D45 4002    | D.M. Manley, E.M. Saleski | (KENT) |
| Also 84 PR D30 904       | D.M. Manley <i>et al.</i> | (VPI)  |