

$f_0(980)$

$$I^G(J^{PC}) = 0^+(0^{++})$$

See also the minireview on scalar mesons under $f_0(600)$. (See the index for the page number.)

$f_0(980)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
980 ± 10 OUR ESTIMATE				
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
1031 ± 8		¹ ANISOVICH 03	RVUE	
1037 ± 31		TIKHOMIROV 03	SPEC	40.0 $\pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
973 ± 1	2438	² ALOISIO 02D	KLOE	$e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
977 ± 3 ± 2	848	³ AITALA 01A	E791	$D_s^+ \rightarrow \pi^- \pi^+ \pi^+$
969.8 ± 4.5	419	⁴ ACHASOV 00H	SND	$e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
985 $\begin{smallmatrix} +16 \\ -12 \end{smallmatrix}$	419	^{5,6} ACHASOV 00H	SND	$e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
976 ± 5 ± 6		⁷ AKHMETSHIN 99B	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma$
977 ± 3 ± 6	268	⁷ AKHMETSHIN 99C	CMD2	$e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
975 ± 4 ± 6		⁸ AKHMETSHIN 99C	CMD2	$e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
975 ± 4 ± 6		⁹ AKHMETSHIN 99C	CMD2	$e^+ e^- \rightarrow \pi^+ \pi^- \gamma, \pi^0 \pi^0 \gamma$
985 ± 10		BARBERIS 99	OMEG	450 $pp \rightarrow p_s p_f K^+ K^-$
982 ± 3		BARBERIS 99B	OMEG	450 $pp \rightarrow p_s p_f \pi^+ \pi^-$
982 ± 3		BARBERIS 99C	OMEG	450 $pp \rightarrow p_s p_f \pi^0 \pi^0$
987 ± 6 ± 6		¹⁰ BARBERIS 99D	OMEG	450 $pp \rightarrow K^+ K^-, \pi^+ \pi^-$
989 ± 15		BELLAZZINI 99	GAM4	450 $pp \rightarrow pp \pi^0 \pi^0$
991 ± 3		¹¹ KAMINSKI 99	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \sigma\sigma$
~ 980		¹¹ OLLER 99	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
~ 993.5		OLLER 99B	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
~ 987		¹¹ OLLER 99C	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \eta\eta$
957 ± 6		¹² ACKERSTAFF 98Q	OPAL	$Z \rightarrow f_0 X$
960 ± 10		ALDE 98	GAM4	
1015 ± 15		¹¹ ANISOVICH 98B	RVUE	Compilation
1008		¹³ LOCHER 98	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
955 ± 10		¹² ALDE 97	GAM2	450 $pp \rightarrow pp \pi^0 \pi^0$
994 ± 9		¹⁴ BERTIN 97C	OBLX	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
993.2 ± 6.5 ± 6.9		¹⁵ ISHIDA 96	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
1006		TORNQVIST 96	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, K\pi, \eta\pi$
997 ± 5	3k	¹⁶ ALDE 95B	GAM2	38 $\pi^- p \rightarrow \pi^0 \pi^0 n$
960 ± 10	10k	¹⁷ ALDE 95B	GAM2	38 $\pi^- p \rightarrow \pi^0 \pi^0 n$
994 ± 5		AMSLER 95B	CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0$

~ 996	18 AMSLER	95D CBAR	$0.0 \bar{p}p \rightarrow \pi^0 \pi^0 \pi^0,$ $\pi^0 \eta \eta, \pi^0 \pi^0 \eta$
987 ± 6	19 ANISOVICH	95 RVUE	
1015	JANSSEN	95 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
983	20 BUGG	94 RVUE	$\bar{p}p \rightarrow \eta 2\pi^0$
973 ± 2	21 KAMINSKI	94 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
988	22 ZOU	94B RVUE	
988 ± 10	23 MORGAN	93 RVUE	$\pi\pi(K\bar{K}) \rightarrow$ $\pi\pi(K\bar{K}), J/\psi \rightarrow$ $\phi\pi\pi(K\bar{K}), D_s \rightarrow$ $\pi(\pi\pi)$
971.1 ± 4.0	12 AGUILAR-...	91 EHS	400 pp
979 ± 4	24 ARMSTRONG	91 OMEG	300 $pp \rightarrow pp\pi\pi,$ $ppK\bar{K}$
956 ± 12	BREAKSTONE	90 SFM	$pp \rightarrow pp\pi^+\pi^-$
959.4 ± 6.5	12 AUGUSTIN	89 DM2	$J/\psi \rightarrow \omega\pi^+\pi^-$
978 ± 9	12 ABACHI	86B HRS	$e^+e^- \rightarrow \pi^+\pi^-X$
985.0 ^{+9.0} _{-39.0}	ETKIN	82B MPS	23 $\pi^-p \rightarrow n 2K_S^0$
974 ± 4	24 GIDAL	81 MRK2	$J/\psi \rightarrow \pi^+\pi^-X$
975	25 ACHASOV	80 RVUE	
986 ± 10	24 AGUILAR-...	78 HBC	0.7 $\bar{p}p \rightarrow K_S^0 K_S^0$
969 ± 5	24 LEEPER	77 ASPK	2-2.4 $\pi^-p \rightarrow$ $\pi^+\pi^-n, K^+K^-n$
987 ± 7	24 BINNIE	73 CNTR	$\pi^-p \rightarrow nMM$
1012 ± 6	26 GRAYER	73 ASPK	17 $\pi^-p \rightarrow \pi^+\pi^-n$
1007 ± 20	26 HYAMS	73 ASPK	17 $\pi^-p \rightarrow \pi^+\pi^-n$
997 ± 6	26 PROTOPOP...	73 HBC	7 $\pi^+p \rightarrow$ $\pi^+p\pi^+\pi^-$

¹ K-matrix pole from combined analysis of $\pi^-p \rightarrow \pi^0\pi^0n$, $\pi^-p \rightarrow K\bar{K}n$, $\pi^+\pi^- \rightarrow \pi^+\pi^-$, $\bar{p}p \rightarrow \pi^0\pi^0\pi^0$, $\pi^0\eta\eta$, $\pi^0\pi^0\eta$, $\pi^+\pi^-\pi^0$, $K^+K^-\pi^0$, $K_S^0K_S^0\pi^0$, $K^+K_S^0\pi^-$ at rest, $\bar{p}n \rightarrow \pi^-\pi^-\pi^+$, $K_S^0K^-\pi^0$, $K_S^0K_S^0\pi^-$ at rest.

² From the negative interference with the $f_0(600)$ meson of AITALA 01B using the ACHASOV 89 parameterization for the $f_0(980)$, a Breit-Wigner for the $f_0(600)$, and ACHASOV 01F for the $\rho\pi$ contribution.

³ Coupled-channel Breit-Wigner, couplings $g_\pi=0.09\pm 0.01\pm 0.01$, $g_K=0.02\pm 0.04\pm 0.03$.

⁴ Supersedes ACHASOV 98i. Using the model of ACHASOV 89.

⁵ Supersedes ACHASOV 98i.

⁶ In the "narrow resonance" approximation.

⁷ Assuming $\Gamma(f_0)=40$ MeV.

⁸ From a narrow pole fit taking into account $f_0(980)$ and $f_0(1200)$ intermediate mechanisms.

⁹ From the combined fit of the photon spectra in the reactions $e^+e^- \rightarrow \pi^+\pi^-\gamma$, $\pi^0\pi^0\gamma$.

¹⁰ Supersedes BARBERIS 99 and BARBERIS 99B

¹¹ T-matrix pole.

¹² From invariant mass fit.

¹³ On sheet II in a 2 pole solution. The other pole is found on sheet III at $(1039-93i)$ MeV.

¹⁴ On sheet II in a 2 pole solution. The other pole is found on sheet III at $(963-29i)$ MeV.

¹⁵ Reanalysis of data from HYAMS 73, GRAYER 74, SRINIVASAN 75, and ROSSELET 77 using the interfering amplitude method.

- ¹⁶ At high $|t|$.
- ¹⁷ At low $|t|$.
- ¹⁸ On sheet II in a 4-pole solution, the other poles are found on sheet III at (953–55*i*) MeV and on sheet IV at (938–35*i*) MeV.
- ¹⁹ Combined fit of ALDE 95B, ANISOVICH 94, AMSLER 94D.
- ²⁰ On sheet II in a 2 pole solution. The other pole is found on sheet III at (996–103*i*) MeV.
- ²¹ From sheet II pole position.
- ²² On sheet II in a 2 pole solution. The other pole is found on sheet III at (797–185*i*) MeV and can be interpreted as a shadow pole.
- ²³ On sheet II in a 2 pole solution. The other pole is found on sheet III at (978–28*i*) MeV.
- ²⁴ From coupled channel analysis.
- ²⁵ Coupled channel analysis with finite width corrections.
- ²⁶ Included in AGUILAR-BENITEZ 78 fit.

$f_0(980)$ WIDTH

Width determination very model dependent. Peak width in $\pi\pi$ is about 50 MeV, but decay width can be much larger.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
40 to 100 OUR ESTIMATE				
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
64 ± 16		²⁷ ANISOVICH 03	RVUE	
121 ± 23		TIKHOMIROV 03	SPEC	40.0 $\pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
~ 70		²⁸ BRAMON 02	RVUE	1.02 $e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
44 ± 2 ± 2	848	²⁹ AITALA 01A	E791	$D_s^+ \rightarrow \pi^- \pi^+ \pi^+$
201 ± 28	419	³⁰ ACHASOV 00H	SND	$e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
122 ± 13	419	^{31,32} ACHASOV 00H	SND	$e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
56 ± 20		³³ AKHMETSHIN 99C	CMD2	$e^+ e^- \rightarrow \pi^0 \pi^0 \gamma$
65 ± 20		BARBERIS 99	OMEG	450 $p p \rightarrow p_s p_f K^+ K^-$
80 ± 10		BARBERIS 99B	OMEG	450 $p p \rightarrow p_s p_f \pi^+ \pi^-$
80 ± 10		BARBERIS 99C	OMEG	450 $p p \rightarrow p_s p_f \pi^0 \pi^0$
48 ± 12 ± 8		³⁴ BARBERIS 99D	OMEG	450 $p p \rightarrow K^+ K^-, \pi^+ \pi^-$
65 ± 25		BELLAZZINI 99	GAM4	450 $p p \rightarrow p p \pi^0 \pi^0$
71 ± 14		³⁵ KAMINSKI 99	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \sigma\sigma$
~ 28		³⁵ OLLER 99	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
~ 25		OLLER 99B	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
~ 14		³⁵ OLLER 99C	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \eta\eta$
70 ± 20		ALDE 98	GAM4	
86 ± 16		³⁵ ANISOVICH 98B	RVUE	Compilation
54		³⁶ LOCHER 98	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
69 ± 15		³⁷ ALDE 97	GAM2	450 $p p \rightarrow p p \pi^0 \pi^0$
38 ± 20		³⁸ BERTIN 97C	OBLX	0.0 $\bar{p} p \rightarrow \pi^+ \pi^- \pi^0$
~ 100		³⁹ ISHIDA 96	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
34		TORNQVIST 96	RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, K\pi, \eta\pi$

48 ± 10	3k	40 ALDE	95B GAM2	38 $\pi^- p \rightarrow \pi^0 \pi^0 n$
95 ± 20	10k	41 ALDE	95B GAM2	38 $\pi^- p \rightarrow \pi^0 \pi^0 n$
26 ± 10		AMSLER	95B CBAR	0.0 $\bar{p} p \rightarrow 3\pi^0$
~ 112		42 AMSLER	95D CBAR	0.0 $\bar{p} p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta \eta, \pi^0 \pi^0 \eta$
80 ± 12		43 ANISOVICH	95 RVUE	
30		JANSSEN	95 RVUE	$\pi \pi \rightarrow \pi \pi, K \bar{K}$
74		44 BUGG	94 RVUE	$\bar{p} p \rightarrow \eta 2\pi^0$
29 ± 2		45 KAMINSKI	94 RVUE	$\pi \pi \rightarrow \pi \pi, K \bar{K}$
46		46 ZOU	94B RVUE	
48 ± 12		47 MORGAN	93 RVUE	$\pi \pi (K \bar{K}) \rightarrow \pi \pi (K \bar{K}), J/\psi \rightarrow \phi \pi \pi (K \bar{K}), D_s \rightarrow \pi (\pi \pi)$
37.4 ± 10.6		37 AGUILAR-...	91 EHS	400 pp
72 ± 8		48 ARMSTRONG	91 OMEG	300 $pp \rightarrow pp\pi\pi, ppK\bar{K}$
110 ± 30		BREAKSTONE	90 SFM	$pp \rightarrow pp\pi^+\pi^-$
29 ± 13		37 ABACHI	86B HRS	$e^+ e^- \rightarrow \pi^+\pi^- X$
120 ± 281 ± 20		ETKIN	82B MPS	23 $\pi^- p \rightarrow n 2K_S^0$
28 ± 10		48 GIDAL	81 MRK2	$J/\psi \rightarrow \pi^+\pi^- X$
70 to 300		49 ACHASOV	80 RVUE	
100 ± 80		50 AGUILAR-...	78 HBC	0.7 $\bar{p} p \rightarrow K_S^0 K_S^0$
30 ± 8		48 LEEPER	77 ASPK	2-2.4 $\pi^- p \rightarrow \pi^+\pi^- n, K^+ K^- n$
48 ± 14		48 BINNIE	73 CNTR	$\pi^- p \rightarrow nMM$
32 ± 10		51 GRAYER	73 ASPK	17 $\pi^- p \rightarrow \pi^+\pi^- n$
30 ± 10		51 HYAMS	73 ASPK	17 $\pi^- p \rightarrow \pi^+\pi^- n$
54 ± 16		51 PROTOPOP...	73 HBC	7 $\pi^+ p \rightarrow \pi^+ p \pi^+ \pi^-$

27 K-matrix pole from combined analysis of $\pi^- p \rightarrow \pi^0 \pi^0 n$, $\pi^- p \rightarrow K \bar{K} n$, $\pi^+ \pi^- \rightarrow \pi^+ \pi^-$, $\bar{p} p \rightarrow \pi^0 \pi^0 \pi^0$, $\pi^0 \eta \eta$, $\pi^0 \pi^0 \eta$, $\pi^+ \pi^- \pi^0$, $K^+ K^- \pi^0$, $K_S^0 K_S^0 \pi^0$, $K^+ K_S^0 \pi^-$ at rest, $\bar{p} n \rightarrow \pi^- \pi^- \pi^+$, $K_S^0 K^- \pi^0$, $K_S^0 K_S^0 \pi^-$ at rest.

28 Using the data of AKHMETSHIN 99C, ACHASOV 00H, and ALOISIO 02D.

29 Breit-Wigner width.

30 Supersedes ACHASOV 98I. Using the model of ACHASOV 89.

31 Supersedes ACHASOV 98I.

32 In the "narrow resonance" approximation.

33 From the combined fit of the photon spectra in the reactions $e^+ e^- \rightarrow \pi^+ \pi^- \gamma$, $\pi^0 \pi^0 \gamma$.

34 Supersedes BARBERIS 99 and BARBERIS 99B

35 T-matrix pole.

36 On sheet II in a 2 pole solution. The other pole is found on sheet III at (1039-93i) MeV.

37 From invariant mass fit.

38 On sheet II in a 2 pole solution. The other pole is found on sheet III at (963-29i) MeV.

39 Reanalysis of data from HYAMS 73, GRAYER 74, SRINIVASAN 75, and ROSSELET 77 using the interfering amplitude method.

40 At high $|t|$.

41 At low $|t|$.

- 42 On sheet II in a 4-pole solution, the other poles are found on sheet III at (953–55*i*) MeV and on sheet IV at (938–35*i*) MeV.
 43 Combined fit of ALDE 95B, ANISOVICH 94,
 44 On sheet II in a 2 pole solution. The other pole is found on sheet III at (996–103*i*) MeV.
 45 From sheet II pole position.
 46 On sheet II in a 2 pole solution. The other pole is found on sheet III at (797–185*i*) MeV and can be interpreted as a shadow pole.
 47 On sheet II in a 2 pole solution. The other pole is found on sheet III at (978–28*i*) MeV.
 48 From coupled channel analysis.
 49 Coupled channel analysis with finite width corrections.
 50 From coupled channel fit to the HYAMS 73 and PROTOPOPESCU 73 data. With a simultaneous fit to the $\pi\pi$ phase-shifts, inelasticity and to the $K_S^0 K_S^0$ invariant mass.
 51 Included in AGUILAR-BENITEZ 78 fit.

$f_0(980)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $\pi\pi$	dominant
Γ_2 $K\bar{K}$	seen
Γ_3 $\gamma\gamma$	seen
Γ_4 e^+e^-	

$f_0(980)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$					Γ_3
VALUE (keV)	EPTS	DOCUMENT ID	TECN	COMMENT	
$0.39^{+0.10}_{-0.13}$		OUR AVERAGE		Error includes scale factor of 1.5. See the ideogram below.	
$0.28^{+0.09}_{-0.13}$		52 BOGLIONE	99 RVUE	$\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$	
0.63 ± 0.14		53 MORGAN	90 RVUE	$\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$	
$0.42 \pm 0.06 \pm 0.18$	60	54 OEST	90 JADE	$e^+e^- \rightarrow e^+e^-\pi^0\pi^0$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
$0.29 \pm 0.07 \pm 0.12$		55,56 BOYER	90 MRK2	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-$	
$0.31 \pm 0.14 \pm 0.09$		55,56 MARSISKE	90 CBAL	$e^+e^- \rightarrow e^+e^-\pi^0\pi^0$	


52 Supersedes MORGAN 90.

53 From amplitude analysis of BOYER 90 and MARSISKE 90, data corresponds to resonance parameters $m = 989$ MeV, $\Gamma = 61$ MeV.

54 OEST 90 quote systematic errors $^{+0.08}_{-0.18}$. We use ± 0.18 .

55 From analysis allowing arbitrary background unconstrained by unitarity.

56 Data included in MORGAN 90, BOGLIONE 99 analyses.



$\Gamma(e^+e^-)$ Γ_4

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<8.4	90	VOROBYEV 88	ND	$e^+e^- \rightarrow \pi^0\pi^0$

$f_0(980)$ BRANCHING RATIOS

$\Gamma(\pi\pi)/[\Gamma(\pi\pi) + \Gamma(K\bar{K})]$ $\Gamma_1/(\Gamma_1+\Gamma_2)$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.84±0.02	57 ANISOVICH	02D SPEC	Combined fit
~ 0.68	OLLER	99B RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
0.67±0.09	58 LOVERRE	80 HBC	$4 \pi^- p \rightarrow n2K_S^0$
0.81 ^{+0.09} _{-0.04}	58 CASON	78 STRC	$7 \pi^- p \rightarrow n2K_S^0$
0.78±0.03	58 WETZEL	76 OSPK	$8.9 \pi^- p \rightarrow n2K_S^0$

⁵⁷ From a combined K-matrix analysis of Crystal Barrel ($\rho\bar{p} \rightarrow \pi^0\pi^0\pi^0, \pi^0\eta\eta, \pi^0\pi^0\eta$), GAMS ($\pi p \rightarrow \pi^0\pi^0 n, \eta\eta n, \eta\eta' n$), and BNL ($\pi p \rightarrow K\bar{K}n$) data.

⁵⁸ Measure $\pi\pi$ elasticity assuming two resonances coupled to the $\pi\pi$ and $K\bar{K}$ channels only.

$f_0(980)$ REFERENCES

- ANISOVICH 03 EPJ A16 229 V.V. Anisovich *et al.*
TIKHOMIROV 03 PAN 66 828 G.D. Tikhomirov *et al.*
Translated from YAF 66 860.
ALOISIO 02D PL B537 21 A. Aloisio *et al.* (KLOE Collab.)
ANISOVICH 02D PAN 65 1545 V.V. Anisovich *et al.*
Translated from YAF 65 1583.
BRAMON 02 EPJ C26 253 A. Bramon *et al.*
ACHASOV 01F PR D63 094007 N.N. Achasov *et al.* (Novosibirsk SND Collab.)
AITALA 01A PRL 86 765 E.M. Aitala *et al.* (FNAL E791 Collab.)
AITALA 01B PRL 86 770 E.M. Aitala *et al.* (FNAL E791 Collab.)
ACHASOV 00H PL B485 349 M.N. Achasov *et al.* (Novosibirsk SND Collab.)
AKHMETSHIN 99B PL B462 371 R.R. Akhmetshin *et al.* (Novosibirsk CMD-2 Collab.)
AKHMETSHIN 99C PL B462 380 R.R. Akhmetshin *et al.* (Novosibirsk CMD-2 Collab.)
BARBERIS 99 PL B453 305 D. Barberis *et al.* (Omega Expt.)
BARBERIS 99B PL B453 316 D. Barberis *et al.* (Omega Expt.)
BARBERIS 99C PL B453 325 D. Barberis *et al.* (Omega Expt.)
BARBERIS 99D PL B462 462 D. Barberis *et al.* (Omega Expt.)
BELLAZZINI 99 PL B467 296 R. Bellazzini *et al.*
BOGLIONE 99 EPJ C9 11 M. Boglione, M.R. Pennington
KAMINSKI 99 EPJ C9 141 R. Kaminski, L. Lesniak, B. Loiseau (CRAC, PARIN)
OLLER 99 PR D60 099906 (erratum) J.A. Oller *et al.*
OLLER 99B NP A652 407 (erratum) J.A. Oller, E. Oset
OLLER 99C PR D60 074023 J.A. Oller, E. Oset
ACHASOV 981 PL B440 442 M.N. Achasov *et al.*
ACKERSTAFF 98Q EPJ C4 19 K. Ackerstaff *et al.* (OPAL Collab.)
ALDE 98 EPJ A3 361 D. Alde *et al.* (GAM4 Collab.)
Also 99 PAN 62 405 D. Alde *et al.* (GAMS Collab.)
Translated from YAF 62 446.
ANISOVICH 98B UFN 41 419 V.V. Anisovich *et al.*
LOCHER 98 EPJ C4 317 M.P. Locher *et al.* (PSI)
ALDE 97 PL B397 350 D.M. Alde *et al.* (GAMS Collab.)
BERTIN 97C PL B408 476 A. Bertin *et al.* (OBELIX Collab.)
ISHIDA 96 PTP 95 745 S. Ishida *et al.* (TOKY, MIYA, KEK)
TORNQVIST 96 PRL 76 1575 N.A. Tornqvist, M. Roos (HELS)
ALDE 95B ZPHY C66 375 D.M. Alde *et al.* (GAMS Collab.)
AMSLER 95B PL B342 433 C. Amsler *et al.* (Crystal Barrel Collab.)
AMSLER 95D PL B355 425 C. Amsler *et al.* (Crystal Barrel Collab.)
ANISOVICH 95 PL B355 363 V.V. Anisovich *et al.* (PNPI, SERP)
JANSEN 95 PR D52 2690 G. Jansen *et al.* (STON, ADLD, JULI)
AMSLER 94D PL B333 277 C. Amsler *et al.* (Crystal Barrel Collab.)
ANISOVICH 94 PL B323 233 V.V. Anisovich *et al.* (Crystal Barrel Collab.)
BUGG 94 PR D50 4412 D.V. Bugg *et al.* (LOQM)
KAMINSKI 94 PR D50 3145 R. Kaminski, L. Lesniak, J.P. Maillet (CRAC+)
ZOU 94B PR D50 591 B.S. Zou, D.V. Bugg (LOQM)
MORGAN 93 PR D48 1185 D. Morgan, M.R. Pennington (RAL, DURH)
AGUILAR-... 91 ZPHY C50 405 M. Aguilar-Benitez *et al.* (LEBC-EHS Collab.)
ARMSTRONG 91 ZPHY C51 351 T.A. Armstrong *et al.* (ATHU, BARI, BIRM+)
BOYER 90 PR D42 1350 J. Boyer *et al.* (Mark II Collab.)
BREAKSTONE 90 ZPHY C48 569 A.M. Breakstone *et al.* (ISU, BGNA, CERN+)
MARSISKE 90 PR D41 3324 H. Marsiske *et al.* (Crystal Ball Collab.)
MORGAN 90 ZPHY C48 623 D. Morgan, M.R. Pennington (RAL, DURH)
OEST 90 ZPHY C47 343 T. Oest *et al.* (JADE Collab.)
ACHASOV 89 NP B315 465 N.N. Achasov, V.N. Ivanchenko
AUGUSTIN 89 NP B320 1 J.E. Augustin, G. Cosme (DM2 Collab.)
VOROBYEV 88 SJNP 48 273 P.V. Vorobiev *et al.* (NOVO)
Translated from YAF 48 436.
ABACHI 86B PRL 57 1990 S. Abachi *et al.* (PURD, ANL, IND, MICH+)
ETKIN 82B PR D25 1786 A. Etkin *et al.* (BNL, CUNY, TUFTS, VAND)
GIDAL 81 PL 107B 153 G. Gidal *et al.* (SLAC, LBL)
ACHASOV 80 SJNP 32 566 N.N. Achasov, S.A. Devyanin, G.N. Shestakov (NOVM)
Translated from YAF 32 1098.
LOVERRE 80 ZPHY C6 187 P.F. Loverre *et al.* (CERN, CDEF, MADR+ IJP)
AGUILAR-... 78 NP B140 73 M. Aguilar-Benitez *et al.* (MADR, BOMB+)
CASON 78 PRL 41 271 N.M. Cason *et al.* (NDAM, ANL)
LEEPER 77 PR D16 2054 R.J. Leeper *et al.* (ISU)
ROSSELET 77 PR D15 574 L. Rosselet *et al.* (GEVA, SACL)
WETZEL 76 NP B115 208 W. Wetzel *et al.* (ETH, CERN, LOIC)
SRINIVASAN 75 PR D12 681 V. Srinivasan *et al.* (NDAM, ANL)
GRAYER 74 NP B75 189 G. Grayer *et al.* (CERN, MPIM)

BINNIE	73	PRL 31 1534	D.M. Binne <i>et al.</i>	(LOIC, SHMP)
GRAYER	73	Tallahassee	G. Grayer <i>et al.</i>	(CERN, MPIM)
HYAMS	73	NP B64 134	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
PROTOPOP...	73	PR D7 1279	S.D. Protopopescu <i>et al.</i>	(LBL)

OTHER RELATED PAPERS

ACHASOV	03E	NP A728 425	N.N. Achasov	
ANISOVICH	03B	PAN 66 741	V.V. Anisovich, V.A. Nikonov, A.V. Sarantsev	
		Translated from YAF 66	772.	
ANISOVICH	03D	PAN 66 928	V.V. Anisovich, A.V. Sarantsev	
		Translated from YAF 66	960.	
BEDAIGA	03	PR D68 036001	I. Bedaiga, M. Nielsen	
BOGLIONE	03	EPJ C30 503	M. Boglione, M.R. Pennington	
CHEN	03	PR D67 094011	C.-H. Chen	
COLANGELO	03	PL B559 49	P. Colangelo, F. De Fazio	
PALOMAR	03	NP A729 743	J.E. Palomar <i>et al.</i>	
ACHASOV	02G	PL B534 83	N.N. Achasov, A.V. Kiselev	
ANISOVICH	02C	PAN 65 497	A.V. Anisovich <i>et al.</i>	
		Translated from YAF 65	523.	
BLACK	02	PRL 88 181603	D. Black, M. Harada, J. Schechter	
CLOSE	02B	JPG 28 R249	F.E. Close, N. Tornqvist	
KAMINSKI	02	EPJ Direct C4 1	R. Kaminski, L. Lesniak, K. Rybicki	
KLEEFELD	02	PR D66 034007	F. Kleefeld <i>et al.</i>	
RUPP	02	PR D65 078501	G. Rupp, E. vanBeveren, M.D. Scadron	
SHAKIN	02	PR D65 078502	C.M. Shakin, H. Wang	
TESHIMA	02	JPG 28 1391	T. Teshima, I. Kitamura, N. Morisita	
VOLKOV	02	PAN 65 1657	M.K. Volkov, V.L. Yudichev	
		Translated from YAF 65	1701.	
ACHASOV	01F	PR D63 094007	N.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
CLOSE	01	PL B515 13	F.E. Close, A. Kirk	
GOKALP	01	PR D64 053017	A. Gokalp, O. Yilmaz	
SUROVTSEV	01	PR D63 054024	Y.S. Surovtsev, D. Krupa, M. Nagy	
MARKUSHIN	00	EPJ A8 389	V.E. Markushin	
WANG	00A	PR D62 017503	Z. Wang	
ABREU	99J	PL B449 364	P. Abreu <i>et al.</i>	(DELPHI Collab.)
ANISOVICH	99D	PL B452 180	A.V. Anisovich <i>et al.</i>	
Also	99F	NP A651 253	A.V. Anisovich <i>et al.</i>	
ANISOVICH	99H	PL B467 289	A.V. Anisovich, V.V. Anisovich	
BLACK	99	PR D59 074026	D. Black <i>et al.</i>	
DELBOURGO	99	PL B446 332	R. Delbourgo, D. Liu, M. Scadron	
MARCO	99	PL B470 20	E. Marco <i>et al.</i>	
MINKOWSKI	99	EPJ C9 283	P. Minkowski, W. Ochs	
ACHASOV	98G	JETPL 67 464	N.N. Achasov <i>et al.</i>	
ACHASOV	98J	SPU 41 1149	N.N. Achasov	
CHLIAPNIK...	98	PL B423 401	P.V. Chliapnikov, V.A. Uvarov	
PROKOSHKIN	97	SPD 42 117	Y.D. Prokoshkin <i>et al.</i>	(SERP)
		Translated from DANS 353	323.	
AU	87	PR D35 1633	K.L. Au, D. Morgan, M.R. Pennington	(DURH, RAL)
AKESSON	86	NP B264 154	T. Akesson <i>et al.</i>	(Axial Field Spec. Collab.)
BEVEREN	86	ZPHY C30 615	E. van Beveren <i>et al.</i>	(NIJM, BIEL)
MENNESSIER	83	ZPHY C16 241	G. Mennessier	(MONP)
BARBER	82	ZPHY C12 1	D.P. Barber <i>et al.</i>	(DARE, LANC, SHEF)
ETKIN	82C	PR D25 2446	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
SRINIVASAN	75	PR D12 681	V. Srinivasan <i>et al.</i>	(NDAM, ANL)
BIGI	62	CERN Conf. 247	A. Bigi <i>et al.</i>	(CERN)
BINGHAM	62	CERN Conf. 240	H.H. Bingham <i>et al.</i>	(EPOL, CERN)
ERWIN	62	PRL 9 34	A.R. Erwin <i>et al.</i>	(WISC, BNL)
WANG	61	JETP 13 323	K.-C. Wang <i>et al.</i>	(JINR)
		Translated from ZETF 40	464.	