

$\Upsilon(4S)$   
or  $\Upsilon(10580)$

$$I^G(J^{PC}) = 0^-(1^{--})$$

### $\Upsilon(4S)$ MASS

| <u>VALUE (GeV)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>               |
|---|-----------------------|-------------|------------------------------|
| <b>10.5800 ± 0.0035</b>   | <sup>1</sup> BEBEK    | 87 CLEO     | $e^+e^- \rightarrow$ hadrons |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |                       |             |                              |
| 10.5774 ± 0.0010  | <sup>2</sup> LOVELOCK | 85 CUSB     | $e^+e^- \rightarrow$ hadrons |
| <sup>1</sup> Reanalysis of BESSON 85.   |                       |             |                              |
| <sup>2</sup> No systematic error given.                                       |                       |             |                              |

### $\Upsilon(4S)$ WIDTH

| <u>VALUE (MeV)</u>  | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>               |
|---|--------------------|-------------|------------------------------|
| <b>20 ± 2 ± 4</b>   | BESSON             | 85 CLEO     | $e^+e^- \rightarrow$ hadrons |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |                    |             |                              |
| 25 ± 2.5  | LOVELOCK           | 85 CUSB     | $e^+e^- \rightarrow$ hadrons |


### $\Upsilon(4S)$ DECAY MODES

| Mode                                   | Fraction ( $\Gamma_i/\Gamma$ ) | Confidence level |
|--|--------------------------------|------------------|
| $\Gamma_1$ $B\bar{B}$                  | > 96 %                         | 95%              |
| $\Gamma_2$ $B^+B^-$                    |                                |                  |
| $\Gamma_3$ $B^0\bar{B}^0$              |                                |                  |
| $\Gamma_4$ non- $B\bar{B}$             | < 4 %                          | 95%              |
| $\Gamma_5$ $e^+e^-$                    | $(2.8 \pm 0.7) \times 10^{-5}$ |                  |
| $\Gamma_6$ $J/\psi(1S)$ anything       | < 1.9 $\times 10^{-4}$         | 95%              |
| $\Gamma_7$ $D^{*+}$ anything + c.c.    | < 7.4 %                        | 90%              |
| $\Gamma_8$ $\phi$ anything             | < 2.3 $\times 10^{-3}$         | 90%              |
| $\Gamma_9$ $\Upsilon(1S)$ anything     | < 4 $\times 10^{-3}$           | 90%              |
| $\Gamma_{10}$ $\Upsilon(1S)\pi^+\pi^-$ | < 1.2 $\times 10^{-4}$         | 90%              |
| $\Gamma_{11}$ $\Upsilon(2S)\pi^+\pi^-$ | < 3.9 $\times 10^{-4}$         | 90%              |

### $\Upsilon(4S)$ PARTIAL WIDTHS

| $\Gamma(e^+e^-)$                 | $\Gamma_5$  |             |                              |
|----------------------------------|---|-------------|------------------------------|
| <u>VALUE (keV)</u>               | <u>DOCUMENT ID</u>  | <u>TECN</u> | <u>COMMENT</u>               |
| <b>0.248 ± 0.031 OUR AVERAGE</b> | Error includes scale factor of 1.3. See the ideogram below. |             |                              |
| 0.28 ± 0.05 ± 0.01               | <sup>3</sup> ALBRECHT                                       | 95E ARG     | $e^+e^- \rightarrow$ hadrons |
| 0.192 ± 0.007 ± 0.038            | BESSON  | 85 CLEO     | $e^+e^- \rightarrow$ hadrons |
| 0.283 ± 0.037                    | LOVELOCK  | 85 CUSB     | $e^+e^- \rightarrow$ hadrons |

<sup>3</sup> Using LEYAOUANC 77 parametrization of  $\Gamma(s)$ .



### $\Upsilon(4S)$ BRANCHING RATIOS

#### $\Gamma(B^+B^-)/\Gamma(B^0\bar{B}^0)$

$\Gamma_2/\Gamma_3$

| VALUE   | DOCUMENT ID        | TECN | COMMENT                            |
|---|--------------------|------|------------------------------------|
| <b><math>1.029 \pm 0.054 \pm 0.045</math></b> | <sup>4</sup> ATHAR | 02   | CLEO $e^+e^- \rightarrow B\bar{B}$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|                 |                        |    |                                    |
|-----------------|------------------------|----|------------------------------------|
| $1.02 \pm 0.14$ | <sup>5</sup> ALEXANDER | 01 | CLEO $e^+e^- \rightarrow B\bar{B}$ |
|-----------------|------------------------|----|------------------------------------|

<sup>4</sup> Using also data from ALEXANDER 01 and assuming  $\tau_{B^+}/\tau_{B^0} = 1.086 \pm 0.017$ .

<sup>5</sup> Assuming isospin conservation with  $(\tau_{B^+})/(\tau_{B^0}) = 1.09^{+0.11}_{-0.10} \pm 0.08$ . Superseded by ATHAR 02;

#### $\Gamma(e^+e^-)/\Gamma_{\text{total}}$

$\Gamma_5/\Gamma$

| VALUE (units $10^{-5}$ )                   | DOCUMENT ID           | TECN | COMMENT                                 |
|--|-----------------------|------|---|
| <b><math>2.77 \pm 0.50 \pm 0.49</math></b> | <sup>6</sup> ALBRECHT | 95E  | ARG $e^+e^- \rightarrow \text{hadrons}$ |

<sup>6</sup> Using LEYAOUANC 77 parametrization of  $\Gamma(s)$ .

#### $[\Gamma(D^{*+} \text{ anything}) + \Gamma(\text{c.c.})]/\Gamma_{\text{total}}$

$\Gamma_7/\Gamma$

| VALUE            | CL% | DOCUMENT ID            | TECN | COMMENT       |
|------------------|-----|------------------------|------|---------------|
| <b>&lt;0.074</b> | 90  | <sup>7</sup> ALEXANDER | 90C  | CLEO $e^+e^-$ |

<sup>7</sup> For  $x > 0.473$ .

**$\Gamma(\phi \text{ anything})/\Gamma_{\text{total}}$**   **$\Gamma_8/\Gamma$**

| VALUE   | CL% | DOCUMENT ID                | TECN | COMMENT   |
|---------|-----|----------------------------|------|-----------|
| <0.0023 | 90  | <sup>8</sup> ALEXANDER 90C | CLEO | $e^+ e^-$ |

<sup>8</sup> For  $x > 0.52$ .

**$\Gamma(J/\psi(1S) \text{ anything})/\Gamma_{\text{total}}$**   **$\Gamma_6/\Gamma$**

| VALUE (units $10^{-4}$ ) | CL% | DOCUMENT ID          | TECN | COMMENT  |
|--------------------------|-----|----------------------|------|--|
| <1.9                     | 95  | <sup>9</sup> ABE 02D | BELL | $e^+ e^- \rightarrow J/\psi X \rightarrow \ell^+ \ell^- X$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|      |    |                         |      |  |
|------|----|-------------------------|------|--|
| <4.7 | 90 | <sup>9</sup> AUBERT 01C | BABR | $e^+ e^- \rightarrow J/\psi X \rightarrow \ell^+ \ell^- X$ |
|------|----|-------------------------|------|--|

<sup>9</sup> Uses  $B(J/\psi \rightarrow e^+ e^-) = 0.0593 \pm 0.0010$  and  $B(J/\psi \rightarrow \mu^+ \mu^-) = 0.0588 \pm 0.0010$ .

**$\Gamma(\Upsilon(1S) \text{ anything})/\Gamma_{\text{total}}$**   **$\Gamma_9/\Gamma$**

| VALUE  | CL% | DOCUMENT ID   | TECN | COMMENT   |
|--------|-----|---------------|------|-----------|
| <0.004 | 90  | ALEXANDER 90C | CLEO | $e^+ e^-$ |

**$\Gamma(\Upsilon(1S) \pi^+ \pi^-)/\Gamma_{\text{total}}$**   **$\Gamma_{10}/\Gamma$**

| VALUE (units $10^{-4}$ ) | CL% | DOCUMENT ID | TECN | COMMENT   |
|--------------------------|-----|-------------|------|-----------|
| <1.2                     | 90  | GLENN 99    | CLE2 | $e^+ e^-$ |

**$\Gamma(\Upsilon(2S) \pi^+ \pi^-)/\Gamma_{\text{total}}$**   **$\Gamma_{11}/\Gamma$**

| VALUE (units $10^{-4}$ ) | CL% | DOCUMENT ID | TECN | COMMENT   |
|--------------------------|-----|-------------|------|-----------|
| <3.9                     | 90  | GLENN 99    | CLE2 | $e^+ e^-$ |

**$\Gamma(\text{non-}B\bar{B})/\Gamma_{\text{total}}$**   **$\Gamma_4/\Gamma$**

| VALUE | CL% | DOCUMENT ID | TECN | COMMENT   |
|-------|-----|-------------|------|-----------|
| <0.04 | 95  | BARISH 96B  | CLEO | $e^+ e^-$ |

**$\Upsilon(4S)$  REFERENCES**

|                           |                               |                 |
|---------------------------|-------------------------------|-----------------|
| ABE 02D PRL 88 052001     | K. Abe <i>et al.</i>          | (BELLE Collab.) |
| ATHAR 02 PR D66 052003    | S.B. Athar <i>et al.</i>      | (CLEO Collab.)  |
| ALEXANDER 01 PRL 86 2737  | J.P. Alexander <i>et al.</i>  | (CLEO Collab.)  |
| AUBERT 01C PRL 87 162002  | B. Aubert <i>et al.</i>       | (BaBar Collab.) |
| GLENN 99 PR D59 052003    | S. Glenn <i>et al.</i>        |                 |
| BARISH 96B PRL 76 1570    | B.C. Barish <i>et al.</i>     | (CLEO Collab.)  |
| ALBRECHT 95E ZPHY C65 619 | H. Albrecht <i>et al.</i>     | (ARGUS Collab.) |
| ALEXANDER 90C PRL 64 2226 | J. Alexander <i>et al.</i>    | (CLEO Collab.)  |
| BEBEK 87 PR D36 1289      | C. Bebek <i>et al.</i>        | (CLEO Collab.)  |
| BESSON 85 PRL 54 381      | D. Besson <i>et al.</i>       | (CLEO Collab.)  |
| LOVELOCK 85 PRL 54 377    | D.M.J. Lovelock <i>et al.</i> | (CUSB Collab.)  |
| LEYAOUANC 77 PL B71 397   | A. Le Yaouanc <i>et al.</i>   | (ORSAY)         |

**OTHER RELATED PAPERS**

|                           |                              |                 |
|---------------------------|------------------------------|-----------------|
| ABE 01J PR D64 072001     | K. Abe <i>et al.</i>         | (BELLE Collab.) |
| HENDERSON 92 PR D45 2212  | S. Henderson <i>et al.</i>   | (CLEO Collab.)  |
| ANDREWS 80B PRL 45 219    | D. Andrews <i>et al.</i>     | (CLEO Collab.)  |
| FINOCCHI... 80 PRL 45 222 | G. Finocchiaro <i>et al.</i> | (CUSB Collab.)  |