




$$I^G(J^{PC}) = 0^+(0^{-+})$$

We have omitted some results that have been superseded by later experiments. The omitted results may be found in our 1988 edition Physics Letters **B204** (1988).

η MASS

We no longer use the bubble-chamber measurements from the 1960's, which seem to have been systematically high by about 1 MeV. (However, note that the latest measurement is midway between those old values and the newer ones.) Some early results have been omitted altogether.

| <u>VALUE (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-------------|---|-------------|---|
| 547.75 ± 0.12 OUR AVERAGE | | Error includes scale factor of 2.6. See the ideogram below. | | |
| 547.843 ± 0.030 ± 0.041 | 1134 | LAI | 02 NA48 | $\eta \rightarrow 3\pi^0$ |
| 547.12 ± 0.06 ± 0.25 | | KRUSCHE | 95D SPEC | $\gamma p \rightarrow \eta p$, threshold |
| 547.30 ± 0.15 | | PLOUIN | 92 SPEC | $d p \rightarrow \eta {}^3\text{He}$ |
| 547.45 ± 0.25 | | DUANE | 74 SPEC | $\pi^- p \rightarrow n$ neutrals |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| 548.2 ± 0.65 | | FOSTER | 65C HBC | |
| 549.0 ± 0.7 | 148 | FOELSCHE | 64 HBC | |
| 548.0 ± 1.0 | 91 | ALFF-... | 62 HBC | |
| 549.0 ± 1.2 | 53 | BASTIEN | 62 HBC | |



η WIDTH

This is the partial decay rate $\Gamma(\eta \rightarrow \gamma\gamma)$ divided by the fitted branching fraction for that mode. See the note at the start of the $\Gamma(2\gamma)$ data block, next below.

VALUE (keV) DOCUMENT ID
1.29±0.07 OUR FIT

η DECAY MODES

| Mode | Fraction (Γ_i/Γ) | Scale factor/ Confidence level |
|---|---|-----------------------------------|
| Neutral modes | | |
| Γ_1 neutral modes | (72.0 ± 0.5) % | S=1.3 |
| Γ_2 2γ | [a] (39.43± 0.26) % | S=1.2 |
| Γ_3 $3\pi^0$ | (32.51± 0.29) % | S=1.2 |
| Γ_4 $\pi^0 2\gamma$ | (7.2 ± 1.4) × 10 ⁻⁴ | |
| Γ_5 other neutral modes | < 2.8 % | CL=90% |
| Charged modes | | |
| Γ_6 charged modes | (28.0 ± 0.5) % | S=1.3 |
| Γ_7 $\pi^+\pi^-\pi^0$ | (22.6 ± 0.4) % | S=1.3 |
| Γ_8 $\pi^+\pi^-\gamma$ | (4.68± 0.11) % | S=1.2 |
| Γ_9 $e^+e^-\gamma$ | (6.0 ± 0.8) × 10 ⁻³ | S=1.4 |
| Γ_{10} $\mu^+\mu^-\gamma$ | (3.1 ± 0.4) × 10 ⁻⁴ | |
| Γ_{11} e^+e^- | < 7.7 × 10 ⁻⁵ | CL=90% |
| Γ_{12} $\mu^+\mu^-$ | (5.8 ± 0.8) × 10 ⁻⁶ | |
| Γ_{13} $e^+e^-e^+e^-$ | < 6.9 × 10 ⁻⁵ | CL=90% |
| Γ_{14} $\pi^+\pi^-e^+e^-$ | (4.0 ^{+14.0} _{-2.7}) × 10 ⁻⁴ | S=5.8 |
| Γ_{15} $\pi^+\pi^-2\gamma$ | < 2.0 × 10 ⁻³ | |
| Γ_{16} $\pi^+\pi^-\pi^0\gamma$ | < 5 × 10 ⁻⁴ | CL=90% |
| Γ_{17} $\pi^0\mu^+\mu^-\gamma$ | < 3 × 10 ⁻⁶ | CL=90% |
| Charge conjugation (C), Parity (P), Charge conjugation × Parity (CP), or Lepton Family number (LF) violating modes | | |
| Γ_{18} $\pi^+\pi^-$ | <i>P,CP</i> < 3.3 × 10 ⁻⁴ | CL=90% |
| Γ_{19} $\pi^0\pi^0$ | <i>P,CP</i> < 4.3 × 10 ⁻⁴ | CL=90% |
| Γ_{20} 3γ | <i>C</i> < 5 × 10 ⁻⁴ | CL=95% |
| Γ_{21} $4\pi^0$ | <i>P,CP</i> < 6.9 × 10 ⁻⁷ | CL=90% |
| Γ_{22} $\pi^0e^+e^-$ | <i>C</i> [b] < 4 × 10 ⁻⁵ | CL=90% |
| Γ_{23} $\pi^0\mu^+\mu^-$ | <i>C</i> [b] < 5 × 10 ⁻⁶ | CL=90% |
| Γ_{24} $\mu^+e^- + \mu^-e^+$ | <i>LF</i> < 6 × 10 ⁻⁶ | CL=90% |

- [a] Due to removing an old measurement from the average, this is 0.11 keV larger than the width we gave in our 2002 edition, 1.18 ± 0.11 keV. See the $\Gamma(2\gamma)$ data block in the Data Listings.
- [b] C parity forbids this to occur as a single-photon process.

CONSTRAINED FIT INFORMATION

An overall fit to a decay rate and 18 branching ratios uses 41 measurements and one constraint to determine 9 parameters. The overall fit has a $\chi^2 = 17.3$ for 33 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

| | | | | | | | | |
|----------|-------|-------|-------|-------|-------|-------|----------|----------|
| x_3 | 46 | | | | | | | |
| x_4 | 2 | 2 | | | | | | |
| x_7 | -79 | -82 | -5 | | | | | |
| x_8 | -63 | -66 | -4 | 68 | | | | |
| x_9 | -8 | -8 | 0 | -7 | -6 | | | |
| x_{10} | 0 | 0 | 0 | -1 | 0 | 0 | | |
| x_{14} | -7 | -8 | 0 | -17 | -13 | -1 | 0 | |
| Γ | -13 | -6 | 0 | 10 | 8 | 1 | 0 | 1 |
| | x_2 | x_3 | x_4 | x_7 | x_8 | x_9 | x_{10} | x_{14} |

| | Mode | Rate (keV) | Scale factor |
|---------------|-----------------------|--|--------------|
| Γ_2 | 2γ | [a] 0.510 ± 0.026 | |
| Γ_3 | $3\pi^0$ | 0.421 ± 0.022 | |
| Γ_4 | $\pi^0 2\gamma$ | $(9.3 \pm 1.9) \times 10^{-4}$ | |
| Γ_7 | $\pi^+ \pi^- \pi^0$ | 0.293 ± 0.016 | |
| Γ_8 | $\pi^+ \pi^- \gamma$ | 0.0606 ± 0.0035 | |
| Γ_9 | $e^+ e^- \gamma$ | 0.0078 ± 0.0011 | 1.3 |
| Γ_{10} | $\mu^+ \mu^- \gamma$ | $(4.0 \pm 0.6) \times 10^{-4}$ | |
| Γ_{14} | $\pi^+ \pi^- e^+ e^-$ | $(0.52 \pm_{-0.35}^{1.90}) \times 10^{-3}$ | 5.8 |

η DECAY RATES

$\Gamma(2\gamma)$

See the table immediately above giving the fitted decay rates. Following the advice of NEFKENS 02, we have removed the Primakoff-effect measurement from the average. See also the "Note on the Decay Width $\Gamma(\eta \rightarrow \gamma\gamma)$," in our 1994 edition, Phys. Rev. **D50**, 1 August 1994, Part I, p. 1451, for a discussion of the various measurements.

Γ_2

| <u>VALUE (keV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-------------|-----------------------|-------------|---------------------------------|
| 0.510±0.026 OUR FIT | | | | |
| 0.510±0.026 OUR AVERAGE | | | | |
| 0.51 ±0.12 ±0.05 | 36 | BARU | 90 MD1 | $e^+e^- \rightarrow e^+e^-\eta$ |
| 0.490±0.010±0.048 | 2287 | ROE | 90 ASP | $e^+e^- \rightarrow e^+e^-\eta$ |
| 0.514±0.017±0.035 | 1295 | WILLIAMS | 88 CBAL | $e^+e^- \rightarrow e^+e^-\eta$ |
| 0.53 ±0.04 ±0.04 | | BARTEL | 85E JADE | $e^+e^- \rightarrow e^+e^-\eta$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.64 ±0.14 ±0.13 | | AIHARA | 86 TPC | $e^+e^- \rightarrow e^+e^-\eta$ |
| 0.56 ±0.16 | 56 | WEINSTEIN | 83 CBAL | $e^+e^- \rightarrow e^+e^-\eta$ |
| 0.324±0.046 | | BROWMAN | 74B CNTR | Primakoff effect |
| 1.00 ±0.22 | | ¹ BEMPORAD | 67 CNTR | Primakoff effect |

¹BEMPORAD 67 gives $\Gamma(2\gamma) = 1.21 \pm 0.26$ keV assuming $\Gamma(2\gamma)/\Gamma(\text{total}) = 0.314$. Bemporad private communication gives $\Gamma(2\gamma)^2/\Gamma(\text{total}) = 0.380 \pm 0.083$. We evaluate this using $\Gamma(2\gamma)/\Gamma(\text{total}) = 0.38 \pm 0.01$. Not included in average because the uncertainty resulting from the separation of the coulomb and nuclear amplitudes has apparently been underestimated.

η BRANCHING RATIOS

Neutral modes

| $\Gamma(\text{neutral modes})/\Gamma_{\text{total}}$ | | | | $\Gamma_1/\Gamma = (\Gamma_2+\Gamma_3+\Gamma_4)/\Gamma$ |
|---|-------------|--------------------|-------------|---|
| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
| 0.720±0.005 OUR FIT Error includes scale factor of 1.3. | | | | |
| 0.705±0.008 | 16k | BASILE | 71D CNTR | MM spectrometer |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.79 ±0.08 | | BUNIATOV | 67 OSPK | |

| $\Gamma(2\gamma)/\Gamma_{\text{total}}$ | | | | Γ_2/Γ |
|--|-------------|--------------------|-------------|------------------------------------|
| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
| 0.3943±0.0026 OUR FIT Error includes scale factor of 1.2. | | | | |
| 0.3949±0.0017±0.0030 | 65k | ABEGG | 96 SPEC | $pd \rightarrow {}^3\text{He}\eta$ |

| $\Gamma(2\gamma)/\Gamma(\text{neutral modes})$ | | | | $\Gamma_2/\Gamma_1 = \Gamma_2/(\Gamma_2+\Gamma_3+\Gamma_4)$ |
|---|-------------|--------------------|-------------|---|
| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
| 0.5475±0.0021 OUR FIT Error includes scale factor of 1.1. | | | | |
| 0.549 ±0.004 OUR AVERAGE | | | | |
| 0.549 ±0.004 | | ALDE | 84 GAM2 | |
| 0.535 ±0.018 | | BUTTRAM | 70 OSPK | |
| 0.59 ±0.033 | | BUNIATOV | 67 OSPK | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.52 ±0.09 | 88 | ABROSIMOV | 80 HLBC | |
| 0.60 ±0.14 | 113 | KENDALL | 74 OSPK | |
| 0.57 ±0.09 | | STRUGALSKI | 71 HLBC | |
| 0.579 ±0.052 | | FELDMAN | 67 OSPK | |
| 0.416 ±0.044 | | DIGIUGNO | 66 CNTR | Error doubled |
| 0.44 ±0.07 | | GRUNHAUS | 66 OSPK | |
| 0.39 ±0.06 | | ² JONES | 66 CNTR | |

²This result from combining cross sections from two different experiments.

$\Gamma(3\pi^0)/\Gamma(\text{neutral modes})$

$\Gamma_3/\Gamma_1 = \Gamma_3/(\Gamma_2+\Gamma_3+\Gamma_4)$

| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-------------|--------------------|-------------|---|
| 0.4515±0.0021 OUR FIT | | | | Error includes scale factor of 1.1. |
| 0.450 ±0.004 OUR AVERAGE | | | | |
| 0.450 ±0.004 | | ALDE | 84 | GAM2 |
| 0.439 ±0.024 | | BUTTRAM | 70 | OSPK |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| 0.44 ±0.08 | 75 | ABROSIMOV | 80 | HLBC |
| 0.32 ±0.09 | | STRUGALSKI | 71 | HLBC |
| 0.41 ±0.033 | | BUNIATOV | 67 | OSPK Not indep. of $\Gamma(2\gamma)/\Gamma(\text{neutral modes})$ |
| 0.177 ±0.035 | | FELDMAN | 67 | OSPK |
| 0.209 ±0.054 | | DIGIUGNO | 66 | CNTR Error doubled |
| 0.29 ±0.10 | | GRUNHAUS | 66 | OSPK |

$\Gamma(3\pi^0)/\Gamma(2\gamma)$

Γ_3/Γ_2

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| 0.825±0.007 OUR FIT | | | Error includes scale factor of 1.1. |
| 0.832±0.011 OUR AVERAGE | | | |
| 0.826±0.024 | ACHASOV | 00D | SND $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$ |
| 0.832±0.005±0.012 | KRUSCHE | 95D | SPEC $\gamma p \rightarrow \eta p$, threshold |
| 0.841±0.034 | AMSLER | 93 | CBAR $\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 0.796±0.016±0.016 | ACHASOV | 00 | SND See ACHASOV 00D |
| 0.822±0.009 | ³ ALDE | 84 | GAM2 |
| 0.91 ±0.14 | COX | 70B | HBC |
| 0.75 ±0.09 | DEVONS | 70 | OSPK |
| 0.88 ±0.16 | BALTAY | 67D | DBC |
| 1.1 ±0.2 | CENCE | 67 | OSPK |
| 1.25 ±0.39 | BACCI | 63 | CNTR Inverse BR reported |

³This result is not independent of other ALDE 84 results in this Listing, and so is omitted from the fit and average.

$\Gamma(\pi^0 2\gamma)/\Gamma(\text{neutral modes})$

$\Gamma_4/\Gamma_1 = \Gamma_4/(\Gamma_2+\Gamma_3+\Gamma_4)$

| <u>VALUE (units 10⁻³)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|--------------------------------------|--------------------|-------------|
| 1.00±0.20 OUR FIT | | |
| 1.0 ±0.2 | ALDE | 84 |

$\Gamma(\pi^0 2\gamma)/\Gamma_{\text{total}}$

Γ_4/Γ

Early results are summarized in the review by LANDSBERG 85.

| <u>VALUE (units 10⁻⁴)</u> | <u>CL%</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------|-------------|--------------------|-------------|--|
| 7.2±1.4 OUR FIT | | | | | |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | | |
| < 8.4 | 90 | 7 | ACHASOV | 01D | SND $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$ |
| 9.5±2.3 | | 70 | BINON | 82 | GAM2 See ALDE 84 |
| <30 | 90 | 0 | DAVYDOV | 81 | GAM2 $\pi^- p \rightarrow \eta n$ |

$$\frac{\Gamma(\text{neutral modes})}{[\Gamma(\pi^+\pi^-\pi^0) + \Gamma(\pi^+\pi^-\gamma) + \Gamma(e^+e^-\gamma)]} \quad \frac{\Gamma_1/(\Gamma_7+\Gamma_8+\Gamma_9) = (\Gamma_2+\Gamma_3+\Gamma_4)/(\Gamma_7+\Gamma_8+\Gamma_9)}$$

VALUE EVTS DOCUMENT ID TECN

2.58±0.06 OUR FIT Error includes scale factor of 1.3.

2.64±0.23 BALTAY 67B DBC

• • • We do not use the following data for averages, fits, limits, etc. • • •

4.5 ±1.0 280 ⁴ JAMES 66 HBC

3.20±1.26 53 ⁴ BASTIEN 62 HBC

2.5 ±1.0 10 ⁴ PICKUP 62 HBC

⁴ These experiments are not used in the averages as they do not separate clearly $\eta \rightarrow \pi^+\pi^-\pi^0$ and $\eta \rightarrow \pi^+\pi^-\gamma$ from each other. The reported values thus probably contain some unknown fraction of $\eta \rightarrow \pi^+\pi^-\gamma$.

$$\frac{\Gamma(\text{neutral modes})}{\Gamma(\pi^+\pi^-\pi^0)} \quad \frac{\Gamma_1/\Gamma_7 = (\Gamma_2+\Gamma_3+\Gamma_4)/\Gamma_7}$$

VALUE EVTS DOCUMENT ID TECN

3.18±0.08 OUR FIT Error includes scale factor of 1.3.

3.26±0.30 OUR AVERAGE

2.54±1.89 74 KENDALL 74 OSPK

3.4 ±1.1 29 AGUILAR-... 72B HBC

2.83±0.80 70 ⁵ BLOODWO... 72B HBC

3.6 ±0.6 244 FLATTE 67B HBC

2.89±0.56 ALFF-... 66 HBC

3.6 ±0.8 50 KRAEMER 64 DBC

3.8 ±1.1 PAULI 64 DBC

⁵ Error increased from published value 0.5 by Bloodworth (private communication).

$$\frac{\Gamma(2\gamma)}{[\Gamma(\pi^+\pi^-\pi^0) + \Gamma(\pi^+\pi^-\gamma) + \Gamma(e^+e^-\gamma)]} \quad \frac{\Gamma_2/(\Gamma_7+\Gamma_8+\Gamma_9)}$$

VALUE EVTS DOCUMENT ID TECN

1.412±0.033 OUR FIT Error includes scale factor of 1.3.

1.1 ±0.4 OUR AVERAGE

1.51 ±0.93 75 KENDALL 74 OSPK

0.99 ±0.48 CRAWFORD 63 HBC

$$\frac{\Gamma(2\gamma)}{\Gamma(\pi^+\pi^-\pi^0)} \quad \frac{\Gamma_2/\Gamma_7}$$

VALUE EVTS DOCUMENT ID TECN COMMENT

1.74±0.04 OUR FIT Error includes scale factor of 1.3.

1.75±0.13 OUR AVERAGE

1.78±0.10±0.13 1077 AMSLER 95 CBAR $\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest

1.72±0.25 401 BAGLIN 69 HLBC

1.61±0.39 FOSTER 65 HBC

$$\frac{\Gamma(3\pi^0)}{\Gamma(\pi^+\pi^-\pi^0)} \quad \frac{\Gamma_3/\Gamma_7}$$

VALUE EVTS DOCUMENT ID TECN COMMENT

1.44±0.04 OUR FIT Error includes scale factor of 1.3.

1.49±0.06 OUR AVERAGE

1.52±0.04±0.08 23k ⁶ AKHMETSHIN 01B CMD2 $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$

1.44±0.09±0.10 1627 AMSLER 95 CBAR $\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest

1.50^{+0.15}_{-0.29} 199 BAGLIN 69 HLBC

1.47^{+0.20}_{-0.17} BULLOCK 68 HLBC

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | |
|-----------|----------|-----|------|
| 1.3 ±0.4 | BAGLIN | 67B | HLBC |
| 0.90±0.24 | FOSTER | 65 | HBC |
| 2.0 ±1.0 | FOELSCHE | 64 | HBC |
| 0.83±0.32 | CRAWFORD | 63 | HBC |

⁶ AKHMETSHIN 01B uses results from AKHMETSHIN 99F.

$\Gamma(\text{other neutral modes})/\Gamma_{\text{total}}$ **Γ_5/Γ**

These are neutral modes other than $\gamma\gamma$, $3\pi^0$, and $\pi^0\gamma\gamma$. Nearly any such mode one can think of would violate *P*, or *C*, or both.

| <u>VALUE</u> | <u>CL%</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|------------------|------------|--------------------|-------------|---|
| <0.028 | 90 | ABEGG | 96 | SPEC $pd \rightarrow {}^3\text{He}\eta$ |

————— **Charged modes** —————

$\Gamma(\pi^+\pi^-\pi^0)/[\Gamma(2\gamma) + \Gamma(3\pi^0)]$ **$\Gamma_7/(\Gamma_2+\Gamma_3)$**

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------|--------------------|-------------|----------------|
|--------------|--------------------|-------------|----------------|

0.315 ±0.007 OUR FIT Error includes scale factor of 1.3.

0.304 ±0.012 ACHASOV 00D SND $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.3141±0.0081±0.0058 ACHASOV 00B SND See ACHASOV 00D

$\Gamma(\pi^+\pi^-\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ **Γ_8/Γ_7**

| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|--------------|-------------|--------------------|-------------|
|--------------|-------------|--------------------|-------------|

0.207±0.004 OUR FIT Error includes scale factor of 1.1.

0.207±0.004 OUR AVERAGE Error includes scale factor of 1.1.

0.209±0.004 18k THALER 73 ASPK

0.201±0.006 7250 GORMLEY 70 ASPK

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.28 ±0.04 BALTAY 67B DBC

0.25 ±0.035 LITCHFIELD 67 DBC

0.30 ±0.06 CRAWFORD 66 HBC

0.196±0.041 FOSTER 65C HBC

$\Gamma(e^+e^-\gamma)/\Gamma_{\text{total}}$ **Γ_9/Γ**

| <u>VALUE (units 10^{-3})</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-------------|--------------------|-------------|----------------|
|---|-------------|--------------------|-------------|----------------|

6.0 ±0.8 OUR FIT Error includes scale factor of 1.4.

6.3 ±1.0 OUR AVERAGE Error includes scale factor of 1.6.

5.15±0.62±0.74 283 ACHASOV 01B SND $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$

7.10±0.64±0.46 323 AKHMETSHIN 01 CMD2 $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$

$\Gamma(e^+e^-\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ **Γ_9/Γ_7**

| <u>VALUE (units 10^{-2})</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-------------|--------------------|-------------|----------------|
|---|-------------|--------------------|-------------|----------------|

2.65±0.35 OUR FIT Error includes scale factor of 1.5.

2.1 ±0.5 80 JANE 75B OSPK See the erratum

$\Gamma(\mu^+ \mu^- \gamma)/\Gamma_{\text{total}}$ Γ_{10}/Γ

| VALUE (units 10^{-4}) | EVTS | DOCUMENT ID | TECN | COMMENT |
|--------------------------|------|-------------|------|---------|
|--------------------------|------|-------------|------|---------|

3.1±0.4 OUR FIT

| | | | | |
|----------------|-----|---------------|------|------------------------------|
| 3.1±0.4 | 600 | DZHELYADIN 80 | SPEC | $\pi^- p \rightarrow \eta n$ |
|----------------|-----|---------------|------|------------------------------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|----------|-----|------------|------|-------------------|
| 1.5±0.75 | 100 | BUSHNIN 78 | SPEC | See DZHELYADIN 80 |
|----------|-----|------------|------|-------------------|

$\Gamma(e^+ e^-)/\Gamma_{\text{total}}$ Γ_{11}/Γ

| VALUE (units 10^{-4}) | CL% | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|-------------|------|---------|
|--------------------------|-----|-------------|------|---------|

| | | | | |
|-----------------|----|-------------|------|---------------------------|
| <0.77 | 90 | BROWDER 97B | CLE2 | $e^+ e^- \simeq 10.5$ GeV |
|-----------------|----|-------------|------|---------------------------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|----|----|----------|------|------------------------------------|
| <2 | 90 | WHITE 96 | SPEC | $p d \rightarrow \eta^3 \text{He}$ |
|----|----|----------|------|------------------------------------|

| | | | | |
|----|----|-----------|------|---------------|
| <3 | 90 | DAVIES 74 | RVUE | Uses ESTEN 67 |
|----|----|-----------|------|---------------|

$\Gamma(\mu^+ \mu^-)/\Gamma_{\text{total}}$ Γ_{12}/Γ

| VALUE (units 10^{-6}) | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|------|-------------|------|---------|
|--------------------------|-----|------|-------------|------|---------|

5.8±0.8 OUR AVERAGE

| | | | | |
|-------------|-----|----------|------|------------------------------------|
| 5.7±0.7±0.5 | 114 | ABEGG 94 | SPEC | $p d \rightarrow \eta^3 \text{He}$ |
|-------------|-----|----------|------|------------------------------------|

| | | | | |
|---------|----|----------------|------|------------------------------|
| 6.5±2.1 | 27 | DZHELYADIN 80B | SPEC | $\pi^- p \rightarrow \eta n$ |
|---------|----|----------------|------|------------------------------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|--|-----|------------|------|--------------|
| 5.6 ^{+0.6} _{-0.7} ±0.5 | 100 | KESSLER 93 | SPEC | See ABEGG 94 |
|--|-----|------------|------|--------------|

| | | | | |
|-----|----|---|------------|------|
| <20 | 95 | 0 | WEHMANN 68 | OSPK |
|-----|----|---|------------|------|

$\Gamma(\mu^+ \mu^-)/\Gamma(2\gamma)$ Γ_{12}/Γ_2

| VALUE (units 10^{-5}) | DOCUMENT ID | TECN |
|--------------------------|-------------|------|
|--------------------------|-------------|------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | |
|---------|----------|------|
| 5.9±2.2 | HYAMS 69 | OSPK |
|---------|----------|------|

$\Gamma(e^+ e^- e^+ e^-)/\Gamma_{\text{total}}$ Γ_{13}/Γ

| VALUE (units 10^{-5}) | CL% | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|-------------|------|---------|
|--------------------------|-----|-------------|------|---------|

| | | | | |
|----------------|----|---------------|------|--|
| <6.9 | 90 | AKHMETSHIN 01 | CMD2 | $e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$ |
|----------------|----|---------------|------|--|

$\Gamma(\pi^+ \pi^- e^+ e^-)/\Gamma(\pi^+ \pi^- \gamma)$ Γ_{14}/Γ_8

| VALUE (units 10^{-2}) | EVTS | DOCUMENT ID | TECN |
|--------------------------|------|-------------|------|
|--------------------------|------|-------------|------|

0.9^{+3.1}_{-0.6} OUR FIT Error includes scale factor of 5.9.

| | | | |
|----------------|---|-------------|-----|
| 2.6±2.6 | 1 | GROSSMAN 66 | HBC |
|----------------|---|-------------|-----|

$\Gamma(\pi^+ \pi^- e^+ e^-)/\Gamma_{\text{total}}$ Γ_{14}/Γ

| VALUE (units 10^{-4}) | EVTS | DOCUMENT ID | TECN | COMMENT |
|--------------------------|------|-------------|------|---------|
|--------------------------|------|-------------|------|---------|

4.0^{+14.0}_{-2.7} OUR FIT Error includes scale factor of 5.8.

| | | | | |
|--|---|---------------|------|--|
| 3.7^{+2.5}_{-1.8}±0.3 | 4 | AKHMETSHIN 01 | CMD2 | $e^+ e^- \rightarrow \phi \rightarrow \eta \gamma$ |
|--|---|---------------|------|--|

$\Gamma(\pi^+\pi^-\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_{15}/Γ_7

| VALUE | CL% | DOCUMENT ID | TECN |
|-------|-----|-------------|------|
|-------|-----|-------------|------|

| | | | |
|--------|--|-------|--------|
| <0.009 | | PRICE | 67 HBC |
|--------|--|-------|--------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | |
|--------|----|--------|---------|
| <0.016 | 95 | BALTAY | 67B DBC |
|--------|----|--------|---------|

$\Gamma(\pi^+\pi^-\pi^0\gamma)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_{16}/Γ_7

| VALUE (units 10^{-2}) | CL% | EVTS | DOCUMENT ID | TECN |
|--------------------------|-----|------|-------------|------|
|--------------------------|-----|------|-------------|------|

| | | | | |
|-------|----|---|--------|---------|
| <0.24 | 90 | 0 | THALER | 73 ASPK |
|-------|----|---|--------|---------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|------|----|--|--------|---------|
| <1.7 | 90 | | ARNOLD | 68 HLBC |
|------|----|--|--------|---------|

| | | | | |
|------|----|--|--------|---------|
| <1.6 | 95 | | BALTAY | 67B DBC |
|------|----|--|--------|---------|

| | | | | |
|------|--|--|--------|--------|
| <7.0 | | | FLATTE | 67 HBC |
|------|--|--|--------|--------|

| | | | | |
|------|--|--|-------|--------|
| <0.9 | | | PRICE | 67 HBC |
|------|--|--|-------|--------|

$\Gamma(\pi^0\mu^+\mu^-\gamma)/\Gamma_{\text{total}}$ Γ_{17}/Γ

| VALUE (units 10^{-6}) | CL% | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|-------------|------|---------|
|--------------------------|-----|-------------|------|---------|

| | | | | |
|----|----|------------|---------|------------------------------|
| <3 | 90 | DZHELYADIN | 81 SPEC | $\pi^- p \rightarrow \eta n$ |
|----|----|------------|---------|------------------------------|

————— Rare or forbidden modes —————

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$ Γ_{18}/Γ

Forbidden by P and CP invariance.

| VALUE (units 10^{-4}) | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|------|-------------|------|---------|
|--------------------------|-----|------|-------------|------|---------|

| | | | | | |
|-------|----|--|----------------|------|--|
| < 3.3 | 90 | | AKHMETSHIN 99B | CMD2 | $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$ |
|-------|----|--|----------------|------|--|

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | | |
|-----|----|--|----------------|------|--------------------|
| < 9 | 90 | | AKHMETSHIN 97C | CMD2 | See AKHMETSHIN 99B |
|-----|----|--|----------------|------|--------------------|

| | | | | | |
|-----|--|---|--------|---------|--|
| <15 | | 0 | THALER | 73 ASPK | |
|-----|--|---|--------|---------|--|

$\Gamma(\pi^0\pi^0)/\Gamma_{\text{total}}$ Γ_{19}/Γ

Forbidden by P and CP invariance.

| VALUE (units 10^{-4}) | CL% | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|-------------|------|---------|
|--------------------------|-----|-------------|------|---------|

| | | | | |
|------|----|----------------|------|--|
| <4.3 | 90 | AKHMETSHIN 99C | CMD2 | $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$ |
|------|----|----------------|------|--|

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|----|----|----------------------|--------|--|
| <6 | 90 | ⁷ ACHASOV | 98 SND | $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$ |
|----|----|----------------------|--------|--|

⁷ACHASOV 98 observes one event in a $\pm 3\sigma$ region around the η mass, while a Monte Carlo calculation gives 10 ± 5 events. The limit here is the Poisson upper limit for one observed event and no background.

$\Gamma(4\pi^0)/\Gamma_{\text{total}}$ Γ_{21}/Γ

Forbidden by P and CP invariance.

| VALUE (units 10^{-7}) | CL% | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|-------------|------|---------|
|--------------------------|-----|-------------|------|---------|

| | | | | |
|------|----|---------|---------|--|
| <6.9 | 90 | PRAKHOV | 00 CRYB | $\pi^- p \rightarrow n\eta, 720 \text{ MeV}/c$ |
|------|----|---------|---------|--|

$\Gamma(3\gamma)/\Gamma(\text{neutral modes})$ $\Gamma_{20}/\Gamma_1 = \Gamma_{20}/(\Gamma_2+\Gamma_3+\Gamma_4)$

Forbidden by C invariance.

| VALUE (units 10^{-4}) | CL% | DOCUMENT ID | TECN |
|--------------------------|-----|-------------|------|
|--------------------------|-----|-------------|------|

| | | | |
|----|----|------|---------|
| <7 | 95 | ALDE | 84 GAM2 |
|----|----|------|---------|

$\Gamma(\pi^0 e^+ e^-)/\Gamma(\pi^+ \pi^- \pi^0)$

Γ_{22}/Γ_7

C parity forbids this to occur as a single-photon process.

| VALUE (units 10^{-4}) | CL% | EVTS | DOCUMENT ID | TECN |
|--------------------------|-----|------|-------------|---------|
| < 1.9 | 90 | | JANE | 75 OSPK |
| < 42 | 90 | | BAGLIN | 67 HLBC |
| < 16 | 90 | 0 | BILLING | 67 HLBC |
| < 77 | | 0 | FOSTER | 65B HBC |
| <110 | | | PRICE | 65 HBC |

$\Gamma(\pi^0 e^+ e^-)/\Gamma_{\text{total}}$

Γ_{22}/Γ

C parity forbids this to occur as a single-photon process.

| VALUE (units 10^{-2}) | CL% | EVTS | DOCUMENT ID | TECN |
|--------------------------|-----|------|-------------|---------|
| <0.016 | 90 | 0 | MARTYNOV | 76 HLBC |
| <0.084 | 90 | | BAZIN | 68 DBC |
| <0.7 | | | RITTENBERG | 65 HBC |

$\Gamma(\pi^0 \mu^+ \mu^-)/\Gamma_{\text{total}}$

Γ_{23}/Γ

C parity forbids this to occur as a single-photon process.

| VALUE (units 10^{-4}) | CL% | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|-------------|---------|------------------------------|
| <0.05 | 90 | DZHELYADIN | 81 SPEC | $\pi^- p \rightarrow \eta n$ |
| <5 | | WEHMANN | 68 OSPK | |

$[\Gamma(\mu^+ e^-) + \Gamma(\mu^- e^+)]/\Gamma_{\text{total}}$

Γ_{24}/Γ

Forbidden by lepton family number conservation.

| VALUE (units 10^{-6}) | CL% | DOCUMENT ID | TECN | COMMENT |
|--------------------------|-----|-------------|---------|--|
| <6 | 90 | WHITE | 96 SPEC | $pd \rightarrow \eta \text{ } ^3\text{He}$ |

η C-NONCONSERVING DECAY PARAMETERS

$\pi^+ \pi^- \pi^0$ LEFT-RIGHT ASYMMETRY PARAMETER

Measurements with an error $> 1.0 \times 10^{-2}$ have been omitted.

| VALUE (units 10^{-2}) | EVTS | DOCUMENT ID | TECN |
|------------------------------|------|----------------------|----------|
| 0.09±0.17 OUR AVERAGE | | | |
| 0.28±0.26 | 165k | JANE | 74 OSPK |
| -0.05±0.22 | 220k | LAYTER | 72 ASPK |
| 1.5 ±0.5 | 37k | ⁸ GORMLEY | 68C ASPK |

• • • We do not use the following data for averages, fits, limits, etc. • • •

⁸The GORMLEY 68C asymmetry is probably due to unmeasured (**E** × **B**) spark chamber effects. New experiments with (**E** × **B**) controls don't observe an asymmetry.

$\pi^+ \pi^- \pi^0$ SEXTANT ASYMMETRY PARAMETER

Measurements with an error $> 2.0 \times 10^{-2}$ have been omitted.

| VALUE (units 10^{-2}) | EVTS | DOCUMENT ID | TECN |
|------------------------------|------|-------------|----------|
| 0.18±0.16 OUR AVERAGE | | | |
| 0.20±0.25 | 165k | JANE | 74 OSPK |
| 0.10±0.22 | 220k | LAYTER | 72 ASPK |
| 0.5 ±0.5 | 37k | GORMLEY | 68C WIRE |

$\pi^+\pi^-\pi^0$ QUADRANT ASYMMETRY PARAMETER

| <u>VALUE (units 10^{-2})</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|--|-------------|--------------------|-------------|
| -0.17 ± 0.17 OUR AVERAGE | | | |
| -0.30 ± 0.25 | 165k | JANE | 74 OSPK |
| -0.07 ± 0.22 | 220k | LAYTER | 72 ASPK |

$\pi^+\pi^-\gamma$ LEFT-RIGHT ASYMMETRY PARAMETER

Measurements with an error $> 2.0 \times 10^{-2}$ have been omitted.

| <u>VALUE (units 10^{-2})</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|---|-------------|--------------------|-------------|
| 0.9 ± 0.4 OUR AVERAGE | | | |
| 1.2 ± 0.6 | 35k | JANE | 74B OSPK |
| 0.5 ± 0.6 | 36k | THALER | 72 ASPK |
| 1.22 ± 1.56 | 7257 | GORMLEY | 70 ASPK |

$\pi^+\pi^-\gamma$ PARAMETER β (*D*-wave)

Sensitive to a *D*-wave contribution: $dN/d\cos\theta = \sin^2\theta (1 + \beta \cos^2\theta)$.

| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|--|-------------|--------------------|-------------|
| -0.02 ± 0.07 OUR AVERAGE | | | |
| 0.11 ± 0.11 | 35k | JANE | 74B OSPK |
| -0.060 ± 0.065 | 7250 | GORMLEY | 70 WIRE |

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.12 ± 0.06 ⁹ THALER 72 ASPK

⁹ The authors don't believe this indicates *D*-wave because the dependence of β on the γ energy is inconsistent with the theoretical prediction. A $\cos^2\theta$ dependence can also come from *P*- and *F*-wave interference.

ENERGY DEPENDENCE OF $\eta \rightarrow 3\pi$ DALITZ PLOTS

PARAMETERS FOR $\eta \rightarrow \pi^+\pi^-\pi^0$

See the "Note on η Decay Parameters" in our 1994 edition, Phys. Rev. **D50**, 1 August 1994, Part I, p. 1454. The following experiments fit to one or more of the coefficients a , b , c , d , or e for $|\text{matrix element}|^2 = 1 + ay + by^2 + cx + dx^2 + exy$.

| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|---------------|--------------------|-------------|--|
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 3230 | ¹⁰ | ABELE | 98D | CBAR $\bar{p}p \rightarrow \pi^0\pi^0\eta$ at rest |
| 1077 | ¹¹ | AMSLER | 95 | CBAR $\bar{p}p \rightarrow \pi^+\pi^-\eta$ at rest |
| 81k | | LAYTER | 73 | ASPK |
| 220k | | LAYTER | 72 | ASPK |
| 1138 | | CARPENTER | 70 | HBC |
| 349 | | DANBURG | 70 | DBC |
| 7250 | | GORMLEY | 70 | WIRE |
| 526 | | BAGLIN | 69 | HLBC |
| 7170 | | CNOPS | 68 | OSPK |
| 37k | | GORMLEY | 68C | WIRE |
| 1300 | | CLPWY | 66 | HBC |
| 705 | | LARRIBE | 66 | HBC |

¹⁰ ABELE 98D obtains $a = -1.22 \pm 0.07$ and $b = 0.22 \pm 0.11$ when c (our d) is fixed at 0.06.

¹¹ AMSLER 95 fits to $(1+ay+by^2)$ and obtains $a = -0.94 \pm 0.15$ and $b = 0.11 \pm 0.27$.

α PARAMETER FOR $\eta \rightarrow 3\pi^0$

See the "Note on η Decay Parameters" in our 1994 edition, Phys. Rev. **D50**, 1 August 1994, Part I, p. 1454. The value here is of α in $|\text{matrix element}|^2 = 1 + 2\alpha z$.

| VALUE | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|------|-------------|----------|--|
| -0.031±0.004 OUR AVERAGE | | | | Error includes scale factor of 1.1. |
| -0.010±0.021±0.010 | 12k | ACHASOV | 01C SND | $e^+e^- \rightarrow \phi \rightarrow \eta\gamma$ |
| -0.031±0.004 | 1M | TIPPENS | 01 CRYB | $\pi^-p \rightarrow n\eta$, 720 MeV/c |
| -0.052±0.017±0.010 | 98k | ABELE | 98C CBAR | $\bar{p}p \rightarrow 5\pi^0$ |
| -0.022±0.023 | 50k | ALDE | 84 GAM2 | |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| -0.32 ±0.37 | 192 | BAGLIN | 70 HLBC | |

η REFERENCES

| | | | | |
|------------|-----|-------------------------------|-------------------------------|-----------------------------|
| LAI | 02 | PL B533 196 | A. Lai <i>et al.</i> | (CERN NA48 Collab.) |
| NEFKENS | 02 | PS T99 114 | B.M.K. Nefkens, J.W. Price | (UCLA) |
| ACHASOV | 01B | PL B504 275 | M.N. Achasov <i>et al.</i> | (Novosibirsk SND Collab.) |
| ACHASOV | 01C | JETPL 73 451 | M.N. Achasov <i>et al.</i> | (Novosibirsk SND Collab.) |
| | | Translated from ZETFP 73 511. | | |
| ACHASOV | 01D | NP B600 3 | M.N. Achasov <i>et al.</i> | (Novosibirsk SND Collab.) |
| AKHMETSHIN | 01 | PL B501 191 | R.R. Akhmetshin <i>et al.</i> | (Novosibirsk CMD-2 Collab.) |
| AKHMETSHIN | 01B | PL B509 217 | R.R. Akhmetshin <i>et al.</i> | (Novosibirsk CMD-2 Collab.) |
| TIPPENS | 01 | PRL 87 192001 | W.B. Tippens <i>et al.</i> | (BNL Crystal Ball Collab.) |
| ACHASOV | 00 | EPJ C12 25 | M.N. Achasov <i>et al.</i> | (Novosibirsk SND Collab.) |
| ACHASOV | 00B | JETP 90 17 | M.N. Achasov <i>et al.</i> | (Novosibirsk SND Collab.) |
| | | Translated from ZETF 117 22. | | |
| ACHASOV | 00D | JETPL 72 282 | M.N. Achasov <i>et al.</i> | (Novosibirsk SND Collab.) |
| | | Translated from ZETFP 72 411. | | |
| PRAKHOV | 00 | PRL 84 4802 | S. Prakhov <i>et al.</i> | (BNL Crystal Ball Collab.) |
| AKHMETSHIN | 99B | PL B462 371 | R.R. Akhmetshin <i>et al.</i> | (Novosibirsk CMD-2 Collab.) |
| AKHMETSHIN | 99C | PL B462 380 | R.R. Akhmetshin <i>et al.</i> | (Novosibirsk CMD-2 Collab.) |
| AKHMETSHIN | 99F | PL B460 242 | R.R. Akhmetshin <i>et al.</i> | (Novosibirsk CMD-2 Collab.) |
| ABELE | 98C | PL B417 193 | A. Abele <i>et al.</i> | (Crystal Barrel Collab.) |
| ABELE | 98D | PL B417 197 | A. Abele <i>et al.</i> | (Crystal Barrel Collab.) |
| ACHASOV | 98 | PL B425 388 | M.N. Achasov <i>et al.</i> | (Novosibirsk SND Collab.) |
| AKHMETSHIN | 97C | PL B415 452 | R.R. Akhmetshin <i>et al.</i> | (Novosibirsk CMD-2 Collab.) |
| BROWDER | 97B | PR D56 5359 | T.E. Browder <i>et al.</i> | (CLEO Collab.) |
| ABEGG | 96 | PR D53 11 | R. Abegg <i>et al.</i> | (Saturne SPES2 Collab.) |
| WHITE | 96 | PR D53 6658 | D.B. White <i>et al.</i> | (Saturne SPES2 Collab.) |
| AMSLER | 95 | PL B346 203 | C. Amsler <i>et al.</i> | (Crystal Barrel Collab.) |
| KRUSCHE | 95D | ZPHY A351 237 | B. Krusche <i>et al.</i> | (TAPS + A2 Collab.) |
| ABEGG | 94 | PR D50 92 | R. Abegg <i>et al.</i> | (Saturne SPES2 Collab.) |
| AMSLER | 93 | ZPHY C58 175 | C. Amsler <i>et al.</i> | (Crystal Barrel Collab.) |
| KESSLER | 93 | PRL 70 892 | R.S. Kessler <i>et al.</i> | (Saturne SPES2 Collab.) |
| PLOUIN | 92 | PL B276 526 | F. Plouin <i>et al.</i> | (Saturne SPES4 Collab.) |
| BARU | 90 | ZPHY C48 581 | S.E. Baru <i>et al.</i> | (MD-1 Collab.) |
| ROE | 90 | PR D41 17 | N.A. Roe <i>et al.</i> | (ASP Collab.) |
| WILLIAMS | 88 | PR D38 1365 | D.A. Williams <i>et al.</i> | (Crystal Ball Collab.) |
| AIHARA | 86 | PR D33 844 | H. Aihara <i>et al.</i> | (TPC-2 γ Collab.) |
| BARTEL | 85E | PL 160B 421 | W. Bartel <i>et al.</i> | (JADE Collab.) |
| LANDSBERG | 85 | PRPL 128 310 | L.G. Landsberg | (SERP) |
| ALDE | 84 | ZPHY C25 225 | D.M. Alde <i>et al.</i> | (SERP, BELG, LAPP) |
| Also | 84B | SJNP 40 918 | D.M. Alde <i>et al.</i> | (SERP, BELG, LAPP) |
| | | Translated from YAF 40 1447. | | |
| WEINSTEIN | 83 | PR D28 2896 | A.J. Weinstein <i>et al.</i> | (Crystal Ball Collab.) |
| BINON | 82 | SJNP 36 391 | F.G. Binon <i>et al.</i> | (SERP, BELG, LAPP+) |
| | | Translated from YAF 36 670. | | |
| Also | 82B | NC 71A 497 | F.G. Binon <i>et al.</i> | (SERP, BELG, LAPP+) |
| DAVYDOV | 81 | LNC 32 45 | V.A. Davydov <i>et al.</i> | (SERP, BELG, LAPP+) |
| Also | 81B | SJNP 33 825 | V.A. Davydov <i>et al.</i> | (SERP, BELG, LAPP+) |
| | | Translated from YAF 33 1534. | | |
| DZHELADIN | 81 | PL 105B 239 | R.I. Dzhelyadin <i>et al.</i> | (SERP) |
| Also | 81C | SJNP 33 822 | R.I. Dzhelyadin <i>et al.</i> | (SERP) |
| | | Translated from YAF 33 1529. | | |
| ABROSIMOV | 80 | SJNP 31 195 | A.T. Abrosimov <i>et al.</i> | (JINR) |
| | | Translated from YAF 31 371. | | |

| | | | | |
|---------------|-----|-----------------------------------|---|-------------------------------|
| DZHELYADIN | 80 | PL 94B 548 | R.I. Dzheilyadin <i>et al.</i> | (SERP) |
| Also | 80C | SJNP 32 516 | R.I. Dzheilyadin <i>et al.</i> | (SERP) |
| | | Translated from YAF 32 | 998. | |
| DZHELYADIN | 80B | PL 97B 471 | R.I. Dzheilyadin <i>et al.</i> | (SERP) |
| Also | 80D | SJNP 32 518 | R.I. Dzheilyadin <i>et al.</i> | (SERP) |
| | | Translated from YAF 32 | 1002. | |
| BUSHNIN | 78 | PL 79B 147 | Y.B. Bushnin <i>et al.</i> | (SERP) |
| Also | 78B | SJNP 28 775 | Y.B. Bushnin <i>et al.</i> | (SERP) |
| | | Translated from YAF 28 | 1507. | |
| MARTYNOV | 76 | SJNP 23 48 | A.S. Martynov <i>et al.</i> | (JINR) |
| | | Translated from YAF 23 | 93. | |
| JANE | 75 | PL 59B 99 | M.R. Jane <i>et al.</i> | (RHEL, LOWC) |
| JANE | 75B | PL 59B 103 | M.R. Jane <i>et al.</i> | (RHEL, LOWC) |
| Also | 78B | PL 73B 503 | M.R. Jane | |
| | | Erratum in private communication. | | |
| BROWMAN | 74B | PRL 32 1067 | A. Browman <i>et al.</i> | (CORN, BING) |
| DAVIES | 74 | NC 24A 324 | J.D. Davies, J.G. Guy, R.K.P. Zia | (BIRM, RHEL+) |
| DUANE | 74 | PRL 32 425 | A. Duane <i>et al.</i> | (LOIC, SHMP) |
| JANE | 74 | PL 48B 260 | M.R. Jane <i>et al.</i> | (RHEL, LOWC, SUSS) |
| JANE | 74B | PL 48B 265 | M.R. Jane <i>et al.</i> | (RHEL, LOWC, SUSS) |
| KENDALL | 74 | NC 21A 387 | B.N. Kendall <i>et al.</i> | (BROW, BARI, MIT) |
| LAYTER | 73 | PR D7 2565 | J.G. Layter <i>et al.</i> | (COLU) |
| THALER | 73 | PR D7 2569 | J.J. Thaler <i>et al.</i> | (COLU) |
| AGUILAR-... | 72B | PR D6 29 | M. Aguilar-Benitez <i>et al.</i> | (BNL) |
| BLOODWORTH... | 72B | NP B39 525 | I.J. Bloodworth <i>et al.</i> | (TNTO) |
| LAYTER | 72 | PRL 29 316 | J.G. Layter <i>et al.</i> | (COLU) |
| THALER | 72 | PRL 29 313 | J.J. Thaler <i>et al.</i> | (COLU) |
| BASILE | 71D | NC 3A 796 | M. Basile <i>et al.</i> | (CERN, BGNA, STRB) |
| STRUGALSKI | 71 | NP B27 429 | Z.S. Strugalski <i>et al.</i> | (JINR) |
| BAGLIN | 70 | NP B22 66 | C. Baglin <i>et al.</i> | (EPOL, MADR, STRB) |
| BUTTRAM | 70 | PRL 25 1358 | M.T. Buttram, M.N. Kreisler, R.E. Mischke | (PRIN) |
| CARPENTER | 70 | PR D1 1303 | D.W. Carpenter <i>et al.</i> | (DUKE) |
| COX | 70B | PRL 24 534 | B. Cox, L. Fortney, J.P. Golson | (DUKE) |
| DANBURG | 70 | PR D2 2564 | J.S. Danburg <i>et al.</i> | (LRL) |
| DEVONS | 70 | PR D1 1936 | S. Devons <i>et al.</i> | (COLU, SYRA) |
| GORMLEY | 70 | PR D2 501 | M. Gormley <i>et al.</i> | (COLU, BNL) |
| Also | 70B | Thesis Nevis 181 | M. Gormley | (COLU) |
| BAGLIN | 69 | PL 29B 445 | C. Baglin <i>et al.</i> | (EPOL, UCB, MADR, STRB) |
| Also | 70 | NP B22 66 | C. Baglin <i>et al.</i> | (EPOL, MADR, STRB) |
| HYAMS | 69 | PL 29B 128 | B.D. Hyams <i>et al.</i> | (CERN, MPIM) |
| ARNOLD | 68 | PL 27B 466 | R.G. Arnold <i>et al.</i> | (STRB, MADR, EPOL+) |
| BAZIN | 68 | PRL 20 895 | M.J. Bazin <i>et al.</i> | (PRIN, QUKI) |
| BULLOCK | 68 | PL 27B 402 | F.W. Bullock <i>et al.</i> | (LOUC) |
| CNOPS | 68 | PRL 21 1609 | A.M. Cnops <i>et al.</i> | (BNL, ORNL, UCND+) |
| GORMLEY | 68C | PRL 21 402 | M. Gormley <i>et al.</i> | (COLU, BNL) |
| WEHMANN | 68 | PRL 20 748 | A.W. Wehmann <i>et al.</i> | (HARV, CASE, SLAC+) |
| BAGLIN | 67 | PL 24B 637 | C. Baglin <i>et al.</i> | (EPOL, UCB) |
| BAGLIN | 67B | BAPS 12 567 | C. Baglin <i>et al.</i> | (EPOL, UCB) |
| BALTAY | 67B | PRL 19 1498 | C. Baltay <i>et al.</i> | (COLU, STON) |
| BALTAY | 67D | PRL 19 1495 | C. Baltay <i>et al.</i> | (COLU, BRAN) |
| BEMPORAD | 67 | PL 25B 380 | C. Bemporad <i>et al.</i> | (PISA, BONN) |
| Also | 67 | Private Comm. | I. Ion | |
| BILLING | 67 | PL 25B 435 | K.D. Billing <i>et al.</i> | (LOUC, OXF) |
| BUNIATOV | 67 | PL 25B 560 | S.A. Bunyatov <i>et al.</i> | (CERN, KARL) |
| CENCE | 67 | PRL 19 1393 | R.J. Cence <i>et al.</i> | (HAWA, LRL) |
| ESTEN | 67 | PL 24B 115 | M.J. Esten <i>et al.</i> | (LOUC, OXF) |
| FELDMAN | 67 | PRL 18 868 | M. Feldman <i>et al.</i> | (PENN) |
| FLATTE | 67 | PRL 18 976 | S.M. Flatte | (LRL) |
| FLATTE | 67B | PR 163 1441 | S.M. Flatte, C.G. Wohl | (LRL) |
| LITCHFIELD | 67 | PL 24B 486 | P.J. Litchfield <i>et al.</i> | (RHEL, SACL) |
| PRICE | 67 | PRL 18 1207 | L.R. Price, F.S. Crawford | (LRL) |
| ALFF-... | 66 | PR 145 1072 | C. Alff-Steinberger <i>et al.</i> | (COLU, RUTG) |
| CLPWY | 66 | PR 149 1044 | C. Baltay | (SCUC, LRL, PURD, WISC, YALE) |
| CRAWFORD | 66 | PRL 16 333 | F.S. Crawford, L.R. Price | (LRL) |
| DIGIUGNO | 66 | PRL 16 767 | G. di Giugno <i>et al.</i> | (NAPL, TRST, FRAS) |
| GROSSMAN | 66 | PR 146 993 | R.A. Grossman, L.R. Price, F.S. Crawford | (LRL) |
| GRUNHAUS | 66 | Thesis | J. Grunhaus | (COLU) |
| JAMES | 66 | PR 142 896 | F.E. James, H.L. Kraybill | (YALE, BNL) |
| JONES | 66 | PL 23 597 | W.G. Jones <i>et al.</i> | (LOIC, RHEL) |
| LARRIBE | 66 | PL 23 600 | A. Larribe <i>et al.</i> | (SACL, RHEL) |
| FOSTER | 65 | PR 138B 652 | M. Foster <i>et al.</i> | (WISC, PURD) |

| | | | | |
|------------|-----|--------------|---|-------------------|
| FOSTER | 65B | Athens Conf. | M. Foster, M. Good, M. Meer | (WISC) |
| FOSTER | 65C | Thesis | M. Foster | (WISC) |
| PRICE | 65 | PRL 15 123 | L.R. Price, F.S. Crawford | (LRL) |
| RITTENBERG | 65 | PRL 15 556 | A. Rittenberg, G.R. Kalbfleisch | (LRL, BNL) |
| FOELSCH | 64 | PR 134B 1138 | H.W.J. Foelsche, H.L. Kraybill | (YALE) |
| KRAEMER | 64 | PR 136B 496 | R.W. Kraemer <i>et al.</i> | (JHU, NWES, WOOD) |
| PAULI | 64 | PL 13 351 | E. Pauli, A. Muller | (SACL) |
| BACCI | 63 | PRL 11 37 | C. Bacci <i>et al.</i> | (ROMA, FRAS) |
| CRAWFORD | 63 | PRL 10 546 | F.S.Jr. Crawford, L.J. Lloyd, E.C. Fowler | (LRL+) |
| Also | 66B | PRL 16 907 | F.S. Crawford, L.J. Lloyd, E.C. Fowler | (LRL+) |
| ALFF-... | 62 | PRL 9 322 | C. Alff-Steinberger <i>et al.</i> | (COLU, RUTG) |
| BASTIEN | 62 | PRL 8 114 | P.L. Bastien <i>et al.</i> | (LRL) |
| PICKUP | 62 | PRL 8 329 | E. Pickup, D.K. Robinson, E.O. Salant | (CNRC+) |
