

$\Sigma(1750) S_{11}$

$$I(J^P) = 1(\frac{1}{2}^-) \text{ Status: } ***$$

For most results published before 1974 (they are now obsolete), see our 1982 edition Physics Letters **111B** (1982).

There is evidence for this state in many partial-wave analyses, but with wide variations in the mass, width, and couplings. The latest analyses indicated significant couplings to $N\bar{K}$ and $\Lambda\pi$, as well as to $\Sigma\eta$ whose threshold is at 1746 MeV (JONES 74).

 $\Sigma(1750)$ MASS

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|----------------------|-------------|--|
| 1730 to 1800 (≈ 1750) OUR ESTIMATE | | | |
| 1756 \pm 10 | GOPAL | 80 | DPWA $\bar{K}N \rightarrow \bar{K}N$ |
| 1770 \pm 10 | ALSTON-... | 78 | DPWA $\bar{K}N \rightarrow \bar{K}N$ |
| 1770 \pm 15 | GOPAL | 77 | DPWA $\bar{K}N$ multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1800 or 1813 | ¹ MARTIN | 77 | DPWA $\bar{K}N$ multichannel |
| 1715 \pm 10 | ² CARROLL | 76 | DPWA Isospin-1 total σ |
| 1730 | DEBELLEFON | 76 | IPWA $K^-p \rightarrow \Lambda\pi^0$ |
| 1780 \pm 30 | BAILLON | 75 | IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 1) |
| 1700 \pm 30 | BAILLON | 75 | IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 2) |
| 1697 $^{+20}_{-10}$ | VANHORN | 75 | DPWA $K^-p \rightarrow \Lambda\pi^0$ |
| 1785 \pm 12 | CHU | 74 | DBC Fits $\sigma(K^-n \rightarrow \Sigma^-\eta)$ |
| 1760 \pm 5 | ³ JONES | 74 | HBC Fits $\sigma(K^-p \rightarrow \Sigma^0\eta)$ |
| 1739 \pm 10 | PREVOST | 74 | DPWA $K^-N \rightarrow \Sigma(1385)\pi$ |

 $\Sigma(1750)$ WIDTH

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|----------------------|-------------|--|
| 60 to 160 (≈ 90) OUR ESTIMATE | | | |
| 64 \pm 10 | GOPAL | 80 | DPWA $\bar{K}N \rightarrow \bar{K}N$ |
| 161 \pm 20 | ALSTON-... | 78 | DPWA $\bar{K}N \rightarrow \bar{K}N$ |
| 60 \pm 10 | GOPAL | 77 | DPWA $\bar{K}N$ multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 117 or 119 | ¹ MARTIN | 77 | DPWA $\bar{K}N$ multichannel |
| 10 | ² CARROLL | 76 | DPWA Isospin-1 total σ |
| 110 | DEBELLEFON | 76 | IPWA $K^-p \rightarrow \Lambda\pi^0$ |
| 140 \pm 30 | BAILLON | 75 | IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 1) |
| 160 \pm 50 | BAILLON | 75 | IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 2) |
| 66 $^{+14}_{-12}$ | VANHORN | 75 | DPWA $K^-p \rightarrow \Lambda\pi^0$ |
| 89 \pm 33 | CHU | 74 | DBC Fits $\sigma(K^-n \rightarrow \Sigma^-\eta)$ |
| 92 \pm 7 | ³ JONES | 74 | HBC Fits $\sigma(K^-p \rightarrow \Sigma^0\eta)$ |
| 108 \pm 20 | PREVOST | 74 | DPWA $K^-N \rightarrow \Sigma(1385)\pi$ |

Σ(1750) DECAY MODES

| Mode | Fraction (Γ_i/Γ) |
|-------------------------------|--------------------------------|
| Γ_1 $N\bar{K}$ | 10–40 % |
| Γ_2 $\Lambda\pi$ | seen |
| Γ_3 $\Sigma\pi$ | <8 % |
| Γ_4 $\Sigma\eta$ | 15–55 % |
| Γ_5 $\Sigma(1385)\pi$ | |
| Γ_6 $\Lambda(1520)\pi$ | |

The above branching fractions are our estimates, not fits or averages.

Σ(1750) BRANCHING RATIOS

See “Sign conventions for resonance couplings” in the Note on Λ and Σ Resonances.

| $\Gamma(N\bar{K})/\Gamma_{\text{total}}$ | | | | Γ_1/Γ |
|---|---------------------|-------------|--------------------------------------|-------------------|
| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 0.1 to 0.4 OUR ESTIMATE | | | | |
| 0.14±0.03 | GOPAL | 80 | DPWA $\bar{K}N \rightarrow \bar{K}N$ | |
| 0.33±0.05 | ALSTON-... | 78 | DPWA $\bar{K}N \rightarrow \bar{K}N$ | |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| 0.15±0.03 | GOPAL | 77 | DPWA See GOPAL 80 | |
| 0.06 or 0.05 | ¹ MARTIN | 77 | DPWA $\bar{K}N$ multichannel | |

| $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1750) \rightarrow \Lambda\pi$ | | | | $(\Gamma_1\Gamma_2)^{1/2}/\Gamma$ |
|--|---------------------|-------------|---|-----------------------------------|
| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 0.04 ±0.03 | GOPAL | 77 | DPWA $\bar{K}N$ multichannel | |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| −0.10 or −0.09 | ¹ MARTIN | 77 | DPWA $\bar{K}N$ multichannel | |
| −0.12 | DEBELLEFON | 76 | IPWA $K^-p \rightarrow \Lambda\pi^0$ | |
| −0.12 ±0.02 | BAILLON | 75 | IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 1) | |
| −0.13 ±0.03 | BAILLON | 75 | IPWA $\bar{K}N \rightarrow \Lambda\pi$ (sol. 2) | |
| −0.13 ±0.04 | VANHORN | 75 | DPWA $K^-p \rightarrow \Lambda\pi^0$ | |
| −0.120±0.077 | DEVENISH | 74B | Fixed- t dispersion rel. | |

| $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1750) \rightarrow \Sigma\pi$ | | | | $(\Gamma_1\Gamma_3)^{1/2}/\Gamma$ |
|---|---------------------|-------------|------------------------------|-----------------------------------|
| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| −0.09±0.05 | GOPAL | 77 | DPWA $\bar{K}N$ multichannel | |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| +0.06 or +0.06 | ¹ MARTIN | 77 | DPWA $\bar{K}N$ multichannel | |
| 0.13±0.02 | LANGBEIN | 72 | IPWA $\bar{K}N$ multichannel | |

| $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1750) \rightarrow \Sigma\eta$ | | | | $(\Gamma_1\Gamma_4)^{1/2}/\Gamma$ |
|--|--------------------|-------------|--|-----------------------------------|
| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 0.23±0.01 | ³ JONES | 74 | HBC Fits $\sigma(K^-p \rightarrow \Sigma^0\eta)$ | |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| seen | CLINE | 69 | DBC Threshold bump | |

| $(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1750) \rightarrow \Sigma(1385)\pi$ | $(\Gamma_1 \Gamma_5)^{1/2} / \Gamma$ |
|--|---|
| VALUE | DOCUMENT ID TECN COMMENT |
| $+0.18 \pm 0.15$ | PREVOST 74 DPWA $K^- N \rightarrow \Sigma(1385)\pi$ |

| $(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1750) \rightarrow \Lambda(1520)\pi$ | $(\Gamma_1 \Gamma_6)^{1/2} / \Gamma$ |
|---|--------------------------------------|
| VALUE | DOCUMENT ID TECN COMMENT |
| 0.032 ± 0.021 | CAMERON 77 DPWA P -wave decay |

$\Sigma(1750)$ FOOTNOTES

- ¹ The two MARTIN 77 values are from a T-matrix pole and from a Breit-Wigner fit.
² A total cross-section bump with $(J+1/2) \Gamma_{\text{el}} / \Gamma_{\text{total}} = 0.30$.
³ An S-wave Breit-Wigner fit to the threshold cross section with no background and errors statistical only.

$\Sigma(1750)$ REFERENCES

| | | | | |
|------------|-----|-------------------|---|-------------------------|
| PDG | 82 | PL 111B | M. Roos <i>et al.</i> | (HELSE, CIT, CERN) |
| GOPAL | 80 | Toronto Conf. 159 | G.P. Gopal | (RHEL) IJP |
| ALSTON-... | 78 | PR D18 182 | M. Alston-Garnjost <i>et al.</i> | (LBL, MTHO+) IJP |
| Also | 77 | PRL 38 1007 | M. Alston-Garnjost <i>et al.</i> | (LBL, MTHO+) IJP |
| CAMERON | 77 | NP B131 399 | W. Cameron <i>et al.</i> | (RHEL, LOIC) IJP |
| GOPAL | 77 | NP B119 362 | G.P. Gopal <i>et al.</i> | (LOIC, RHEL) IJP |
| MARTIN | 77 | NP B127 349 | B.R. Martin, M.K. Pidcock, R.G. Moorhouse | (LOUC+) IJP |
| Also | 77B | NP B126 266 | B.R. Martin, M.K. Pidcock | (LOUC) |
| Also | 77C | NP B126 285 | B.R. Martin, M.K. Pidcock | (LOUC) IJP |
| CARROLL | 76 | PRL 37 806 | A.S. Carroll <i>et al.</i> | (BNL) I |
| DEBELLEFON | 76 | NP B109 129 | A. de Bellefon, A. Berthon | (CDEF) IJP |
| BAILLON | 75 | NP B94 39 | P.H. Baillon, P.J. Litchfield | (CERN, RHEL) IJP |
| VANHORN | 75 | NP B87 145 | A.J. van Horn | (LBL) IJP |
| Also | 75B | NP B87 157 | A.J. van Horn | (LBL) IJP |
| CHU | 74 | NC 20A 35 | R.Y.L. Chu <i>et al.</i> | (PLAT, TUFTS, BRAN) IJP |
| DEVENISH | 74B | NP B81 330 | R.C.E. Devenish, C.D. Froggatt, B.R. Martin | (DESY+) |
| JONES | 74 | NP B73 141 | M.D. Jones | (CHIC) IJP |
| PREVOST | 74 | NP B69 246 | J. Prevost <i>et al.</i> | (SACL, CERN, HEID) |
| LANGBEIN | 72 | NP B47 477 | W. Langbein, F. Wagner | (MPIM) IJP |
| CLINE | 69 | LNC 2 407 | D. Cline, R. Laumann, J. Mapp | (WISC) |