

**$N(2250) G_{19}$**

$$I(J^P) = \frac{1}{2}(\frac{9}{2}^-) \text{ Status: } ****$$

### **$N(2250)$ BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2200 to 2350 (<math>\approx 2275</math>) OUR ESTIMATE</b>			
2250 $\pm$ 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2268 $\pm$ 15	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
2200 $\pm$ 100	HENDRY	78	MPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2376 $\pm$ 43	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
2291	ARNDT	95	DPWA $\pi N \rightarrow N\pi$

### **$N(2250)$ BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>230 to 800 (<math>\approx 500</math>) OUR ESTIMATE</b>			
480 $\pm$ 120	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
300 $\pm$ 40	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
350 $\pm$ 100	HENDRY	78	MPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
924 $\pm$ 178	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
772	ARNDT	95	DPWA $\pi N \rightarrow N\pi$

### **$N(2250)$ POLE POSITION**

#### **REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2150 to 2250 (<math>\approx 2200</math>) OUR ESTIMATE</b>			
2187	<sup>1</sup> HOEHLER	93	SPED $\pi N \rightarrow \pi N$
2150 $\pm$ 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2238	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
2087	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
2243	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

#### **-2xIMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>350 to 550 (<math>\approx 450</math>) OUR ESTIMATE</b>			
388	<sup>1</sup> HOEHLER	93	SPED $\pi N \rightarrow \pi N$
360 $\pm$ 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
536	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
680	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
650	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

## N(2250) ELASTIC POLE RESIDUE

### MODULUS $|r|$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
21	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
20 ± 6	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
33	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
24	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
47	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

### PHASE $\theta$

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-50 ± 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-25	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
-44	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
-37	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

## N(2250) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	5-15 %
$\Gamma_2$ $N\eta$	
$\Gamma_3$ $\Lambda K$	

## N(2250) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<b>0.05 to 0.15 OUR ESTIMATE</b>	
0.10 ± 0.02	CUTKOSKY 80 IPWA $\pi N \rightarrow \pi N$
0.10 ± 0.02	HOEHLER 79 IPWA $\pi N \rightarrow \pi N$
0.09 ± 0.02	HENDRY 78 MPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●	
0.110 ± 0.004	ARNDT 04 DPWA $\pi N \rightarrow \pi N, \eta N$
0.10	ARNDT 95 DPWA $\pi N \rightarrow N\pi$

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(2250) \rightarrow N\eta$	$(\Gamma_1 \Gamma_2)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●	
-0.043	BAKER 79 DPWA $\pi^- p \rightarrow n\eta$

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(2250) \rightarrow \Lambda K$				$(\Gamma_1 \Gamma_3)^{1/2} / \Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
-0.02	BELL	83	DPWA	$\pi^- p \rightarrow \Lambda K^0$
not seen	SAXON	80	DPWA	$\pi^- p \rightarrow \Lambda K^0$

### N(2250) FOOTNOTES

<sup>1</sup> See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of  $N$  and  $\Delta$  resonances as determined from Argand diagrams of  $\pi N$  elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.

### N(2250) REFERENCES

ARNDT	04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
ARNDT	95	PR C52 2120	R.A. Arndt <i>et al.</i>	(VPI, BRCO)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i>	(VPI, TELE) IJP
BELL	83	NP B222 389	K.W. Bell <i>et al.</i>	(RL) IJP
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also	79	PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
SAXON	80	NP B162 522	D.H. Saxon <i>et al.</i>	(RHEL, BRIS) IJP
BAKER	79	NP B156 93	R.D. Baker <i>et al.</i>	(RHEL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also	80	Toronto Conf. 3	R. Koch	(KARLT) IJP
HENDRY	78	PRL 41 222	A.W. Hendry	(IND, LBL) IJP
Also	81	ANP 136 1	A.W. Hendry	(IND)