

$\Delta(1750) P_{31}$

$$I(J^P) = \frac{3}{2}(\frac{1}{2}^+) \text{ Status: } *$$

OMITTED FROM SUMMARY TABLE

$\Delta(1750)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
≈ 1750 OUR ESTIMATE			
1744 ± 36	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$
••• We do not use the following data for averages, fits, limits, etc. •••			
1712 ± 1	PENNER	02C	DPWA Multichannel
1721 ± 61	VRANA	00	DPWA Multichannel
1715.2 ± 21.0	¹ CHEW	80	BPWA $\pi^+ p \rightarrow \pi^+ p$
1778.4 ± 9.0	¹ CHEW	80	BPWA $\pi^+ p \rightarrow \pi^+ p$

$\Delta(1750)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
300 ± 120	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$
••• We do not use the following data for averages, fits, limits, etc. •••			
643 ± 17	PENNER	02C	DPWA Multichannel
70 ± 50	VRANA	00	DPWA Multichannel
93.3 ± 55.0	¹ CHEW	80	BPWA $\pi^+ p \rightarrow \pi^+ p$
23.0 ± 29.0	¹ CHEW	80	BPWA $\pi^+ p \rightarrow \pi^+ p$

$\Delta(1750)$ POLE POSITION

REAL PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1748	² ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
••• We do not use the following data for averages, fits, limits, etc. •••			
1714	VRANA	00	DPWA Multichannel

-2xIMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
524	² ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
••• We do not use the following data for averages, fits, limits, etc. •••			
68	VRANA	00	DPWA Multichannel

$\Delta(1750)$ ELASTIC POLE RESIDUE

MODULUS $|r|$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
48	² ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$

PHASE θ

<u>VALUE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
158	² ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$

$\Delta(1750)$ DECAY MODES

Mode
Γ_1 $N\pi$
Γ_2 $N\pi\pi$
Γ_3 $N(1440)\pi$
Γ_4 ΣK

$\Delta(1750)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_1/Γ
	0.08±0.03	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$	
	● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
	0.01±0.01	PENNER	02C	DPWA Multichannel	
	0.06±0.09	VRANA	00	DPWA Multichannel	
	0.18	¹ CHEW	80	BPWA $\pi^+ p \rightarrow \pi^+ p$	
	0.20	¹ CHEW	80	BPWA $\pi^+ p \rightarrow \pi^+ p$	

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1700) \rightarrow N(1440)\pi$	<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	$(\Gamma_1 \Gamma_3)^{1/2}/\Gamma$
	+0.15±0.03	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$	

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$	<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_3/Γ
	0.83±0.01	VRANA	00	DPWA Multichannel	

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$	<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_4/Γ
	0.001±0.001	PENNER	02C	DPWA Multichannel	

$\Delta(1750)$ PHOTON DECAY AMPLITUDES

$\Delta(1750) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$	<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
	0.053	PENNER	02D	DPWA Multichannel

$\Delta(1750)$ FOOTNOTES

- ¹ CHEW 80 reports four resonances in the P_{31} wave — see also the $\Delta(1910)$. Problems with this analysis are discussed in section 2.1.11 of HOEHLER 83.
- ² ARNDT 04 gives no corresponding Breit-Wigner parameters for this state, because the mass so obtained is about 500 MeV higher than that suggested by the position of the pole.

$\Delta(1750)$ REFERENCES

ARNDT	04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT)
Also	84	PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
HOEHLER	83	Landolt-Boernstein 1/9B2	G. Hohler	(KARLT)
CHEW	80	Toronto Conf. 123	D.M. Chew	(LBL)
