

$\Delta(1750) P_{31}$

$I(J^P) = \frac{3}{2}(\frac{1}{2}^+)$ Status: *

OMITTED FROM SUMMARY TABLE

 $\Delta(1750)$ BREIT-WIGNER MASS

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| ≈ 1750 OUR ESTIMATE | | | |
| 1744 ± 36 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1712 ± 1 | PENNER | 02C | DPWA Multichannel |
| 1721 ± 61 | VRANA | 00 | DPWA Multichannel |
| 1715.2 ± 21.0 | ¹ CHEW | 80 | BPWA $\pi^+ p \rightarrow \pi^+ p$ |
| 1778.4 ± 9.0 | ¹ CHEW | 80 | BPWA $\pi^+ p \rightarrow \pi^+ p$ |

 $\Delta(1750)$ BREIT-WIGNER WIDTH

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| 300 ± 120 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 643 ± 17 | PENNER | 02C | DPWA Multichannel |
| 70 ± 50 | VRANA | 00 | DPWA Multichannel |
| 93.3 ± 55.0 | ¹ CHEW | 80 | BPWA $\pi^+ p \rightarrow \pi^+ p$ |
| 23.0 ± 29.0 | ¹ CHEW | 80 | BPWA $\pi^+ p \rightarrow \pi^+ p$ |

 $\Delta(1750)$ POLE POSITION**REAL PART**

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| 1748 | ² ARNDT | 04 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1714 | VRANA | 00 | DPWA Multichannel |

-2xIMAGINARY PART

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| 524 | ² ARNDT | 04 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 68 | VRANA | 00 | DPWA Multichannel |

 $\Delta(1750)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------------|--------------------|-------------|--|
| 48 | ² ARNDT | 04 | DPWA $\pi N \rightarrow \pi N, \eta N$ |

PHASE θ

| <u>VALUE ($^\circ$)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|------------------------------------|--------------------|-------------|--|
| 158 | ² ARNDT | 04 | DPWA $\pi N \rightarrow \pi N, \eta N$ |

$\Delta(1750)$ DECAY MODES

| Mode | |
|------------|--------------|
| Γ_1 | $N\pi$ |
| Γ_2 | $N\pi\pi$ |
| Γ_3 | $N(1440)\pi$ |
| Γ_4 | ΣK |

 $\Delta(1750)$ BRANCHING RATIOS

| $\Gamma(N\pi)/\Gamma_{\text{total}}$ | | | | Γ_1/Γ |
|---|-------------------|------|--|-------------------|
| VALUE | DOCUMENT ID | TECN | COMMENT | |
| 0.08 ± 0.03 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.01 ± 0.01 | PENNER | 02C | DPWA Multichannel | |
| 0.06 ± 0.09 | VRANA | 00 | DPWA Multichannel | |
| 0.18 | ¹ CHEW | 80 | BPWA $\pi^+ p \rightarrow \pi^+ p$ | |
| 0.20 | ¹ CHEW | 80 | BPWA $\pi^+ p \rightarrow \pi^+ p$ | |

| $(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow \Delta(1700) \rightarrow N(1440)\pi$ | | | | $(\Gamma_1 \Gamma_3)^{1/2}/\Gamma$ |
|---|-------------|------|--|------------------------------------|
| VALUE | DOCUMENT ID | TECN | COMMENT | |
| $+0.15 \pm 0.03$ | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ | |

| $\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$ | | | | Γ_3/Γ |
|--|-------------|------|-------------------|-------------------|
| VALUE | DOCUMENT ID | TECN | COMMENT | |
| 0.83 ± 0.01 | VRANA | 00 | DPWA Multichannel | |

| $\Gamma(\Sigma K)/\Gamma_{\text{total}}$ | | | | Γ_4/Γ |
|---|-------------|------|-------------------|-------------------|
| VALUE | DOCUMENT ID | TECN | COMMENT | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.001 ± 0.001 | PENNER | 02C | DPWA Multichannel | |

 $\Delta(1750)$ PHOTON DECAY AMPLITUDES **$\Delta(1750) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$**

| VALUE ($\text{GeV}^{-1/2}$) | DOCUMENT ID | TECN | COMMENT |
|---|-------------|------|-------------------|
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 0.053 | PENNER | 02D | DPWA Multichannel |

 $\Delta(1750)$ FOOTNOTES

¹ CHEW 80 reports four resonances in the P_{31} wave — see also the $\Delta(1910)$. Problems with this analysis are discussed in section 2.1.11 of HOEHLER 83.

² ARNDT 04 gives no corresponding Breit-Wigner parameters for this state, because the mass so obtained is about 500 MeV higher than that suggested by the position of the pole.

$\Delta(1750)$ REFERENCES

| | | | | |
|---------|-----|--------------------------|---------------------------------------|-------------|
| ARNDT | 04 | PR C69 035213 | R.A. Arndt <i>et al.</i> | (GWU, TRIU) |
| PENNER | 02C | PR C66 055211 | G. Penner, U. Mosel | (GIES) |
| PENNER | 02D | PR C66 055212 | G. Penner, U. Mosel | (GIES) |
| VRANA | 00 | PRPL 328 181 | T.P. Vrana, S.A. Dytman,, T.-S.H. Lee | (PITT+) |
| MANLEY | 92 | PR D45 4002 | D.M. Manley, E.M. Saleski | (KENT) |
| Also | | PR D30 904 | D.M. Manley <i>et al.</i> | (VPI) |
| HOEHLER | 83 | Landolt-Boernstein 1/9B2 | G. Hohler | (KARLT) |
| CHEW | 80 | Toronto Conf. 123 | D.M. Chew | (LBL) |
