

**$\Upsilon(2S)$** 

$$I^G(J^{PC}) = 0^-(1^{--})$$

 **$\Upsilon(2S)$  MASS**

<u>VALUE (GeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>10.02326 ± 0.00031 OUR AVERAGE</b>			
10.0235 ± 0.0005	<sup>1</sup> ARTAMONOV 00	MD1	$e^+e^- \rightarrow$ hadrons
10.0231 ± 0.0004	BARBER	84 REDE	$e^+e^- \rightarrow$ hadrons
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
10.0236 ± 0.0005	<sup>2,3</sup> BARU	86B REDE	$e^+e^- \rightarrow$ hadrons
<sup>1</sup> Reanalysis of BARU 86B using new electron mass (COHEN 87).			
<sup>2</sup> Reanalysis of ARTAMONOV 84.			
<sup>3</sup> Superseded by ARTAMONOV 00.			

 **$\Upsilon(2S)$  WIDTH**

<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>
<b>31.98 ± 2.63 OUR EVALUATION</b>	See the Note on "Width Determinations of the $\Upsilon$ States"

 **$\Upsilon(2S)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1$ $\Upsilon(1S)\pi^+\pi^-$	(18.8 ± 0.6) %	
$\Gamma_2$ $\Upsilon(1S)\pi^0\pi^0$	(9.0 ± 0.8) %	
$\Gamma_3$ $\tau^+\tau^-$	(1.7 ± 1.6) %	
$\Gamma_4$ $\mu^+\mu^-$	(1.93 ± 0.17) %	S=2.2
$\Gamma_5$ $e^+e^-$	(1.91 ± 0.16) %	
$\Gamma_6$ $\Upsilon(1S)\pi^0$	< 1.1 × 10 <sup>-3</sup>	CL=90%
$\Gamma_7$ $\Upsilon(1S)\eta$	< 2 × 10 <sup>-3</sup>	CL=90%
$\Gamma_8$ $J/\psi(1S)$ anything	< 6 × 10 <sup>-3</sup>	CL=90%

**Radiative decays**

$\Gamma_9$ $\gamma\chi_{b1}(1P)$	(6.9 ± 0.4) %	
$\Gamma_{10}$ $\gamma\chi_{b2}(1P)$	(7.15 ± 0.35) %	
$\Gamma_{11}$ $\gamma\chi_{b0}(1P)$	(3.8 ± 0.4) %	
$\Gamma_{12}$ $\gamma f_0(1710)$	< 5.9 × 10 <sup>-4</sup>	CL=90%
$\Gamma_{13}$ $\gamma f_2'(1525)$	< 5.3 × 10 <sup>-4</sup>	CL=90%
$\Gamma_{14}$ $\gamma f_2(1270)$	< 2.41 × 10 <sup>-4</sup>	CL=90%
$\Gamma_{15}$ $\gamma f_J(2220)$		
$\Gamma_{16}$ $\gamma\eta_b(1S)$	< 5.1 × 10 <sup>-4</sup>	CL=90%

### $\Upsilon(2S) \Gamma(i)\Gamma(e^+e^-)/\Gamma(\text{total})$

$\Gamma(e^+e^-) \times \Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$					$\Gamma_5\Gamma_4/\Gamma$
<u>VALUE (eV)</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>6.5±1.5±1.0</b>		KOBEL	92	CBAL	$e^+e^- \rightarrow \mu^+\mu^-$

$\Gamma(\text{hadrons}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$					$\Gamma_0\Gamma_5/\Gamma$
<u>VALUE (keV)</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.577±0.009 OUR AVERAGE</b>					
0.581±0.004±0.009		<sup>4</sup> ROSNER	06	CLEO	10.0 $e^+e^- \rightarrow \text{hadrons}$
0.552±0.031±0.017		<sup>4</sup> BARU	96	MD1	$e^+e^- \rightarrow \text{hadrons}$
0.54 ±0.04 ±0.02		<sup>4</sup> JAKUBOWSKI	88	CBAL	$e^+e^- \rightarrow \text{hadrons}$
0.58 ±0.03 ±0.04		<sup>5</sup> GILES	84B	CLEO	$e^+e^- \rightarrow \text{hadrons}$
0.60 ±0.12 ±0.07		<sup>5</sup> ALBRECHT	82	DASP	$e^+e^- \rightarrow \text{hadrons}$
0.54 ±0.07 <sup>+0.09</sup> <sub>-0.05</sub>		<sup>5</sup> NICZYPORUK	81C	LENA	$e^+e^- \rightarrow \text{hadrons}$
0.41 ±0.18		<sup>5</sup> BOCK	80	CNTR	$e^+e^- \rightarrow \text{hadrons}$

<sup>4</sup> Radiative corrections evaluated following KURAEV 85.

<sup>5</sup> Radiative corrections reevaluated by BUCHMUELLER 88 following KURAEV 85.

### $\Upsilon(2S)$ PARTIAL WIDTHS

$\Gamma(e^+e^-)$					$\Gamma_5$
<u>VALUE (keV)</u>		<u>DOCUMENT ID</u>			
<b>0.612±0.011 OUR EVALUATION</b>					

### $\Upsilon(2S)$ BRANCHING RATIOS

$\Gamma(J/\psi(1S) \text{ anything})/\Gamma_{\text{total}}$					$\Gamma_8/\Gamma$
<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;0.006</b>	90	MASCHMANN	90	CBAL	$e^+e^- \rightarrow \text{hadrons}$

$\Gamma(\Upsilon(1S)\pi^+\pi^-)/\Gamma_{\text{total}}$					$\Gamma_1/\Gamma$
<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>0.188±0.006 OUR AVERAGE</b>					
0.192±0.002±0.010	52.6k	<sup>6</sup> ALEXANDER	98	CLE2	$\pi^+\pi^-\ell^+\ell^-$ , $\pi^+\pi^-\text{MM}$
0.181±0.005±0.010	11.6k	ALBRECHT	87	ARG	$e^+e^- \rightarrow$ $\pi^+\pi^-\text{MM}$
0.169±0.040		GELPHMAN	85	CBAL	$e^+e^- \rightarrow$ $e^+e^-\pi^+\pi^-$
0.191±0.012±0.006		BESSON	84	CLEO	$\pi^+\pi^-\text{MM}$
0.189±0.026		FONSECA	84	CUSB	$e^+e^- \rightarrow$ $\ell^+\ell^-\pi^+\pi^-$
0.21 ±0.07	7	NICZYPORUK	81B	LENA	$e^+e^- \rightarrow$ $\ell^+\ell^-\pi^+\pi^-$

<sup>6</sup> Using  $B(\Upsilon(1S) \rightarrow e^+e^-) = (2.52 \pm 0.17)\%$  and  $B(\Upsilon(1S) \rightarrow \mu^+\mu^-) = (2.48 \pm 0.07)\%$ .

$\Gamma(\Upsilon(1S)\pi^0\pi^0)/\Gamma_{\text{total}}$   $\Gamma_2/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.090±0.008 OUR AVERAGE</b>				
0.092±0.006±0.008	275	<sup>7</sup> ALEXANDER	98 CLE2	$e^+e^- \rightarrow \ell^+\ell^-\pi^0\pi^0$
0.095±0.019±0.019	25	ALBRECHT	87 ARG	$e^+e^- \rightarrow \pi^0\pi^0\ell^+\ell^-$
0.080±0.015		GELPHMAN	85 CBAL	$e^+e^- \rightarrow \ell^+\ell^-\pi^0\pi^0$
0.103±0.023		FONSECA	84 CUSB	$e^+e^- \rightarrow \ell^+\ell^-\pi^0\pi^0$

<sup>7</sup> Using  $B(\Upsilon(1S) \rightarrow e^+e^-) = (2.52 \pm 0.17)\%$  and  $B(\Upsilon(1S) \rightarrow \mu^+\mu^-) = (2.48 \pm 0.07)\%$ .

$\Gamma(\tau^+\tau^-)/\Gamma_{\text{total}}$   $\Gamma_3/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.017±0.015±0.006</b>	HAAS	84B CLEO	$e^+e^- \rightarrow \tau^+\tau^-$


$\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$   $\Gamma_4/\Gamma$

VALUE	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.0193±0.0017 OUR AVERAGE</b> Error includes scale factor of 2.2. See the ideogram below.					
0.0203±0.0003±0.0008	120k		ADAMS	05 CLEO	$e^+e^- \rightarrow \mu^+\mu^-$
0.0122±0.0028±0.0019			<sup>8</sup> KOBEL	92 CBAL	$e^+e^- \rightarrow \mu^+\mu^-$
0.0138±0.0025±0.0015			KAARSBERG	89 CSB2	$e^+e^- \rightarrow \mu^+\mu^-$
0.009 ±0.006 ±0.006			<sup>9</sup> ALBRECHT	85 ARG	$e^+e^- \rightarrow \mu^+\mu^-$
0.018 ±0.008 ±0.005			HAAS	84B CLEO	$e^+e^- \rightarrow \mu^+\mu^-$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<0.038	90		NICZYPORUK	81C LENA	$e^+e^- \rightarrow \mu^+\mu^-$

<sup>8</sup> Taking into account interference between the resonance and continuum.

<sup>9</sup> Re-evaluated using  $B(\Upsilon(1S) \rightarrow \mu^+\mu^-) = 0.026$ .

WEIGHTED AVERAGE  
0.0193±0.0017 (Error scaled by 2.2)



$\Gamma(\Upsilon(1S)\pi^0)/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;0.0011</b>	90	ALEXANDER	98 CLE2	$e^+e^- \rightarrow \ell^+\ell^-\gamma\gamma$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<0.008	90	LURZ	87 CBAL	$e^+e^- \rightarrow \ell^+\ell^-\gamma\gamma$

$\Gamma(\Upsilon(1S)\eta)/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;0.002</b>	90	FONSECA	84 CUSB	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<0.0028	90	ALEXANDER	98 CLE2	$e^+e^- \rightarrow \ell^+\ell^-\eta$
<0.005	90	ALBRECHT	87 ARG	$e^+e^- \rightarrow \pi^+\pi^-\ell^+\ell^-MM$
<0.007	90	LURZ	87 CBAL	$e^+e^- \rightarrow \ell^+\ell^-(\gamma\gamma, 3\pi^0)$
<0.010	90	BESSION	84 CLEO	

$\Gamma(\gamma\chi_{b1}(1P))/\Gamma_{\text{total}}$   $\Gamma_9/\Gamma$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.069 ± 0.004 OUR AVERAGE</b>				
0.0693 ± 0.0012 ± 0.0041	407k	ARTUSO	05 CLEO	$e^+e^- \rightarrow \gamma X$
0.069 ± 0.005 ± 0.009		EDWARDS	99 CLE2	$\Upsilon(2S) \rightarrow \gamma\chi(1P)$
0.091 ± 0.018 ± 0.022		ALBRECHT	85E ARG	$e^+e^- \rightarrow \gamma\text{conv. } X$
0.065 ± 0.007 ± 0.012		NERNST	85 CBAL	$e^+e^- \rightarrow \gamma X$
0.080 ± 0.017 ± 0.016		HAAS	84 CLEO	$e^+e^- \rightarrow \gamma\text{conv. } X$
0.059 ± 0.014		KLOPFEN...	83 CUSB	$e^+e^- \rightarrow \gamma X$

$\Gamma(\gamma\chi_{b2}(1P))/\Gamma_{\text{total}}$   $\Gamma_{10}/\Gamma$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.0715 ± 0.0035 OUR AVERAGE</b>				
0.0724 ± 0.0011 ± 0.0040	410k	ARTUSO	05 CLEO	$e^+e^- \rightarrow \gamma X$
0.074 ± 0.005 ± 0.008		EDWARDS	99 CLE2	$\Upsilon(2S) \rightarrow \gamma\chi(1P)$
0.098 ± 0.021 ± 0.024		ALBRECHT	85E ARG	$e^+e^- \rightarrow \gamma\text{conv. } X$
0.058 ± 0.007 ± 0.010		NERNST	85 CBAL	$e^+e^- \rightarrow \gamma X$
0.102 ± 0.018 ± 0.021		HAAS	84 CLEO	$e^+e^- \rightarrow \gamma\text{conv. } X$
0.061 ± 0.014		KLOPFEN...	83 CUSB	$e^+e^- \rightarrow \gamma X$

$\Gamma(\gamma\chi_{b0}(1P))/\Gamma_{\text{total}}$   $\Gamma_{11}/\Gamma$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.038 ± 0.004 OUR AVERAGE</b>				
0.0375 ± 0.0012 ± 0.0047	198k	ARTUSO	05 CLEO	$e^+e^- \rightarrow \gamma X$
0.034 ± 0.005 ± 0.006		EDWARDS	99 CLE2	$\Upsilon(2S) \rightarrow \gamma\chi(1P)$
0.064 ± 0.014 ± 0.016		ALBRECHT	85E ARG	$e^+e^- \rightarrow \gamma\text{conv. } X$
0.036 ± 0.008 ± 0.009		NERNST	85 CBAL	$e^+e^- \rightarrow \gamma X$
0.044 ± 0.023 ± 0.009		HAAS	84 CLEO	$e^+e^- \rightarrow \gamma\text{conv. } X$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.035 ± 0.014		KLOPFEN...	83 CUSB	$e^+e^- \rightarrow \gamma X$

$\Gamma(\gamma f_0(1710))/\Gamma_{\text{total}}$   $\Gamma_{12}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

**<59** 90 <sup>10</sup> ALBRECHT 89 ARG  $\Upsilon(2S) \rightarrow \gamma K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 5.9 90 <sup>11</sup> ALBRECHT 89 ARG  $\Upsilon(2S) \rightarrow \gamma \pi^+ \pi^-$

<sup>10</sup> Re-evaluated assuming  $B(f_0(1710) \rightarrow K^+ K^-) = 0.19$ .

<sup>11</sup> Includes unknown branching ratio of  $f_0(1710) \rightarrow \pi^+ \pi^-$ .

$\Gamma(\gamma f'_2(1525))/\Gamma_{\text{total}}$   $\Gamma_{13}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

**<53** 90 <sup>12</sup> ALBRECHT 89 ARG  $\Upsilon(2S) \rightarrow \gamma K^+ K^-$

<sup>12</sup> Re-evaluated assuming  $B(f'_2(1525) \rightarrow K \bar{K}) = 0.71$ .

$\Gamma(\gamma f_2(1270))/\Gamma_{\text{total}}$   $\Gamma_{14}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

**<24.1** 90 <sup>13</sup> ALBRECHT 89 ARG  $\Upsilon(2S) \rightarrow \gamma \pi^+ \pi^-$

<sup>13</sup> Using  $B(f_2(1270) \rightarrow \pi \pi) = 0.84$ .

$\Gamma(\gamma f_J(2220))/\Gamma_{\text{total}}$   $\Gamma_{15}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<6.8 90 <sup>14</sup> ALBRECHT 89 ARG  $\Upsilon(2S) \rightarrow \gamma K^+ K^-$

<sup>14</sup> Includes unknown branching ratio of  $f_J(2220) \rightarrow K^+ K^-$ .

$\Gamma(\gamma \eta_b(1S))/\Gamma_{\text{total}}$   $\Gamma_{16}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

**<5.1** 90 ARTUSO 05 CLEO  $e^+ e^- \rightarrow \gamma X$

**$\Upsilon(2S)$  REFERENCES**

ROSNER	06	PRL 96 092003	J.L. Rosner <i>et al.</i>	(CLEO Collab.)
ADAMS	05	PRL 94 012001	G.S. Adams <i>et al.</i>	(CLEO Collab.)
ARTUSO	05	PRL 94 032001	M. Artuso <i>et al.</i>	(CLEO Collab.)
ARTAMONOV	00	PL B474 427	A.S. Artamonov <i>et al.</i>	
EDWARDS	99	PR D59 032003	K.W. Edwards <i>et al.</i>	(CLEO Collab.)
ALEXANDER	98	PR D58 052004	J.P. Alexander <i>et al.</i>	(CLEO Collab.)
BARU	96	PRPL 267 71	S.E. Baru <i>et al.</i>	(NOVO)
KOBEL	92	ZPHY C53 193	M. Kobel <i>et al.</i>	(Crystal Ball Collab.)
MASCHMANN	90	ZPHY C46 555	W.S. Maschmann <i>et al.</i>	(Crystal Ball Collab.)
ALBRECHT	89	ZPHY C42 349	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
KAARSBERG	89	PRL 62 2077	T.M. Kaarsberg <i>et al.</i>	(CUSB Collab.)
BUCHMUEL...	88	HE $e^+ e^-$ Physics 412	W. Buchmueller, S. Cooper	(HANN, DESY, MIT)
Editors: A. Ali and P. Soeding, World Scientific, Singapore				
JAKUBOWSKI	88	ZPHY C40 49	Z. Jakubowski <i>et al.</i>	(Crystal Ball Collab.) IGJPC
ALBRECHT	87	ZPHY C35 283	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
COHEN	87	RMP 59 1121	E.R. Cohen, B.N. Taylor	(RISC, NBS)
LURZ	87	ZPHY C36 383	B. Lurz <i>et al.</i>	(Crystal Ball Collab.)
BARU	86B	ZPHY C32 622	S.E. Baru <i>et al.</i>	(NOVO)
ALBRECHT	85	ZPHY C28 45	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ALBRECHT	85E	PL 160B 331	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
GELPHMAN	85	PR D11 2893	D. Gelpman <i>et al.</i>	(Crystal Ball Collab.)
KURAEV	85	SJNP 41 466	E.A. Kuraev, V.S. Fadin	(NOVO)
Translated from YAF 41 733.				

NERNST	85	PRL 54 2195	R. Nernst <i>et al.</i>	(Crystal Ball Collab.)
ARTAMONOV	84	PL 137B 272	A.S. Artamonov <i>et al.</i>	(NOVO)
BARBER	84	PL 135B 498	D.P. Barber <i>et al.</i>	
BESSON	84	PR D30 1433	D. Besson <i>et al.</i>	(CLEO Collab.)
FONSECA	84	NP B242 31	V. Fonseca <i>et al.</i>	(CUSB Collab.)
GILES	84B	PR D29 1285	R. Giles <i>et al.</i>	(CLEO Collab.)
HAAS	84	PRL 52 799	J. Haas <i>et al.</i>	(CLEO Collab.)
HAAS	84B	PR D30 1996	J. Haas <i>et al.</i>	(CLEO Collab.)
KLOPFEN...	83	PRL 51 160	C. Klopfenstein <i>et al.</i>	(CUSB Collab.)
ALBRECHT	82	PL 116B 383	H. Albrecht <i>et al.</i>	(DESY, DORT, HEIDH+)
NICZYPORUK	81B	PL 100B 95	B. Niczyporuk <i>et al.</i>	(LENA Collab.)
NICZYPORUK	81C	PL 99B 169	B. Niczyporuk <i>et al.</i>	(LENA Collab.)
BOCK	80	ZPHY C6 125	P. Bock <i>et al.</i>	(HEIDP, MPIM, DESY, HAMB)

### OTHER RELATED PAPERS

GUO	05	NP A761 269	F.-K. Guo <i>et al.</i>	
ALEXANDER	89	NP B320 45	J.P. Alexander <i>et al.</i>	(LBL, MICH, SLAC)
WALK	86	PR D34 2611	W.S. Walk <i>et al.</i>	(Crystal Ball Collab.)
ALBRECHT	84	PL 134B 137	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ARTAMONOV	84	PL 137B 272	A.S. Artamonov <i>et al.</i>	(NOVO)
ANDREWS	83	PRL 50 807	D.E. Andrews <i>et al.</i>	(CLEO Collab.)
GREEN	82	PRL 49 617	J. Green <i>et al.</i>	(CLEO Collab.)
BIENLEIN	78	PL 78B 360	J.K. Bienlein <i>et al.</i>	(DESY, HAMB, HEIDP+)
DARDEN	78	PL 76B 246	C.W. Darden <i>et al.</i>	(DESY, DORT, HEIDH+)
KAPLAN	78	PRL 40 435	D.M. Kaplan <i>et al.</i>	(STON, FNAL, COLU)
YOH	78	PRL 41 684	J.K. Yoh <i>et al.</i>	(COLU, FNAL, STON)
COBB	77	PL 72B 273	J.H. Cobb <i>et al.</i>	(BNL, CERN, SYRA, YALE)
HERB	77	PRL 39 252	S.W. Herb <i>et al.</i>	(COLU, FNAL, STON)
INNES	77	PRL 39 1240	W.R. Innes <i>et al.</i>	(COLU, FNAL, STON)