

**$f_2(1565)$** 

$$I^G(J^{PC}) = 0^+(2^{++})$$


## OMITTED FROM SUMMARY TABLE

Seen in antinucleon-nucleon annihilation at rest. Needs confirmation.

 **$f_2(1565)$  MASS**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1546 ± 12 OUR AVERAGE</b>	Error includes scale factor of 1.6. See the ideogram below.		
1552 ± 13	<sup>1</sup> AMSLER	02 CBAR	0.9 $\bar{p}p \rightarrow \pi^0 \eta \eta$ , $\pi^0 \pi^0 \pi^0$
1550 ± 10 ± 20	AMELIN	00 VES	37 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$
1575 ± 18	BERTIN	98 OBLX	0.05–0.405 $\bar{n}p \rightarrow$ $\pi^+ \pi^+ \pi^-$
1507 ± 15	<sup>1</sup> BERTIN	97C OBLX	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
1565 ± 20	MAY	90 ASTE	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1544.7 ± 3.0	VLADIMIRSKII	00 SPEC	40 $\pi^- p \rightarrow K_S^0 K_S^0 X$
1598 ± 11 ± 9	BAKER	99B SPEC	0 $\bar{p}p \rightarrow \omega \omega \pi^0$
1534 ± 20	<sup>2</sup> ABELE	96C RVUE	Compilation
~ 1552	<sup>3</sup> AMSLER	95D CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0$ , $\pi^0 \eta \eta$ , $\pi^0 \pi^0 \eta$
1598 ± 72	BALOSHIN	95 SPEC	40 $\pi^- C \rightarrow K_S^0 K_S^0 X$
1566 <sup>+80</sup> <sub>-50</sub>	<sup>4</sup> ANISOVICH	94 CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0, \eta \eta \pi^0$
1502 ± 9	ADAMO	93 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1488 ± 10	<sup>5</sup> ARMSTRONG	93C E760	$\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
1508 ± 10	<sup>5</sup> ARMSTRONG	93D E760	$\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$
1525 ± 10	<sup>5</sup> ARMSTRONG	93D E760	$\bar{p}p \rightarrow \eta \pi^0 \pi^0 \rightarrow 6\gamma$
~ 1504	<sup>6</sup> WEIDENAUER	93 ASTE	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$
1540 ± 15	<sup>5</sup> ADAMO	92 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
1515 ± 10	<sup>7</sup> AKER	91 CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0$
1477 ± 5	BRIDGES	86C DBC	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$

<sup>1</sup> T-matrix pole.<sup>2</sup> T-matrix pole, large coupling to  $\rho\rho$  and  $\omega\omega$ , could be  $f_2(1640)$ .<sup>3</sup> Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.<sup>4</sup> From a simultaneous analysis of the annihilations  $\bar{p}p \rightarrow 3\pi^0, \pi^0 \eta \eta$  including AKER 91 data.<sup>5</sup>  $J^P$  not determined, could be partly  $f_0(1500)$ .<sup>6</sup>  $J^P$  not determined.<sup>7</sup> Superseded by AMSLER 95B.



### $f_2(1565)$ WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>126 <math>\pm</math> 12 OUR AVERAGE</b>			
113 $\pm$ 23	<sup>8</sup> AMSLER	02 CBAR	0.9 $\bar{p}p \rightarrow \pi^0 \eta \eta,$ $\pi^0 \pi^0 \pi^0$
130 $\pm$ 20 $\pm$ 40	AMELIN	00 VES	37 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$
119 $\pm$ 24	BERTIN	98 OBLX	0.05–0.405 $\bar{n}p \rightarrow$ $\pi^+ \pi^+ \pi^-$
130 $\pm$ 20	<sup>8</sup> BERTIN	97C OBLX	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
170 $\pm$ 40	MAY	90 ASTE	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
10.3 $\pm$ 3.0	VLADIMIRSKII 00	SPEC	40 $\pi^- p \rightarrow K_S^0 K_S^0 X$
180 $\pm$ 60	<sup>9</sup> ABELE	96C RVUE	Compilation
~ 142	<sup>10</sup> AMSLER	95D CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0,$ $\pi^0 \eta \eta, \pi^0 \pi^0 \eta$
263 $\pm$ 101	BALOSHIN	95 SPEC	40 $\pi^- C \rightarrow K_S^0 K_S^0 X$
166 $+$ 80 $-$ 20	<sup>11</sup> ANISOVICH	94 CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0, \eta \eta \pi^0$
130 $\pm$ 10	<sup>12</sup> ADAMO	93 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
148 $\pm$ 27	<sup>13</sup> ARMSTRONG	93C E760	$\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
103 $\pm$ 15	<sup>13</sup> ARMSTRONG	93D E760	$\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$
111 $\pm$ 10	<sup>13</sup> ARMSTRONG	93D E760	$\bar{p}p \rightarrow \eta \pi^0 \pi^0 \rightarrow 6\gamma$
~ 206	<sup>14</sup> WEIDENAUER	93 ASTE	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$
132 $\pm$ 37	<sup>13</sup> ADAMO	92 OBLX	$\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
120 $\pm$ 10	<sup>15</sup> AKER	91 CBAR	0.0 $\bar{p}p \rightarrow 3\pi^0$
116 $\pm$ 9	BRIDGES	86C DBC	0.0 $\bar{p}N \rightarrow 3\pi^- 2\pi^+$

<sup>8</sup> T-matrix pole.

<sup>9</sup> T-matrix pole, large coupling to  $\rho\rho$  and  $\omega\omega$ , could be  $f_2(1640)$ .

<sup>10</sup> Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D.

<sup>11</sup> From a simultaneous analysis of the annihilations  $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$  including AKER 91 data.

<sup>12</sup> Superseded ADAMO 92.

<sup>13</sup>  $J^P$  not determined, could be partly  $f_0(1500)$ .

<sup>14</sup>  $J^P$  not determined.

<sup>15</sup> Superseded by AMSLER 95B.

## $f_2(1565)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $\pi\pi$	seen
$\Gamma_2$ $\pi^+\pi^-$	seen
$\Gamma_3$ $\pi^0\pi^0$	seen
$\Gamma_4$ $\rho^0\rho^0$	seen
$\Gamma_5$ $2\pi^+2\pi^-$	seen
$\Gamma_6$ $\eta\eta$	seen
$\Gamma_7$ $a_2(1320)\pi$	
$\Gamma_8$ $\omega\omega$	seen

## $f_2(1565)$ BRANCHING RATIOS

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$   $\Gamma_1/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

••• We do not use the following data for averages, fits, limits, etc. •••

seen	BAKER	99B SPEC	$0 \bar{p}p \rightarrow \omega\omega\pi^0$
------	-------	----------	--

$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$   $\Gamma_2/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

••• We do not use the following data for averages, fits, limits, etc. •••

seen	BERTIN	98 OBLX	$0.05-0.405 \bar{p}p \rightarrow \pi^+\pi^+\pi^-$
not seen	<sup>16</sup> ANISOVICH	94B RVUE	$\bar{p}p \rightarrow \pi^+\pi^-\pi^0$
seen	MAY	89 ASTE	$\bar{p}p \rightarrow \pi^+\pi^-\pi^0$

<sup>16</sup> ANISOVICH 94B is from a reanalysis of MAY 90.

$\Gamma(\pi^+\pi^-)/\Gamma(\rho^0\rho^0)$   $\Gamma_2/\Gamma_4$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

••• We do not use the following data for averages, fits, limits, etc. •••

$0.042 \pm 0.013$	BRIDGES	86B DBC	$\bar{p}N \rightarrow 3\pi^-2\pi^+$
-------------------	---------	---------	-------------------------------------

$\Gamma(\pi^0\pi^0)/\Gamma_{\text{total}}$   $\Gamma_3/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

seen	AMSLER	95B CBAR	$0.0 \bar{p}p \rightarrow 3\pi^0$
------	--------	----------	-----------------------------------

$\Gamma(\eta\eta)/\Gamma(\pi^0\pi^0)$

$\Gamma_6/\Gamma_3$

VALUE DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.024 \pm 0.005 \pm 0.012$  <sup>17</sup> ARMSTRONG 93C E760  $\bar{p}p \rightarrow \pi^0\eta\eta \rightarrow 6\gamma$

<sup>17</sup>  $J^P$  not determined, could be partly  $f_0(1500)$ .

$\Gamma(\omega\omega)/\Gamma_{\text{total}}$

$\Gamma_8/\Gamma$

VALUE DOCUMENT ID TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen BAKER 99B SPEC 0  $\bar{p}p \rightarrow \omega\omega\pi^0$

**$f_2(1565)$  REFERENCES**

AMSLER	02	EPJ C23 29	C. Amsler <i>et al.</i>	
AMELIN	00	NP A668 83	D. Amelin <i>et al.</i>	(VES Collab.)
VLADIMIRSKII	00	JETPL 26 486	V.V. Vladimirkii <i>et al.</i>	
		Translated from ZETFP 72 698.		
BAKER	99B	PL B467 147	C.A. Baker <i>et al.</i>	
BERTIN	98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	96C	NP A609 562	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BALOSHIN	95	PAN 58 46	O.N. Baloshin <i>et al.</i>	(ITEP)
		Translated from YAF 58 50.		
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	V.V. Anisovich <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94B	PR D50 1972	V.V. Anisovich <i>et al.</i>	(LOQM)
ADAMO	93	NP A558 13C	A. Adamo <i>et al.</i>	(OBELIX Collab.)
ARMSTRONG	93C	PL B307 394	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
ARMSTRONG	93D	PL B307 399	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
WEIDENAUER	93	ZPHY C59 387	P. Weidenauer <i>et al.</i>	(ASTERIX Collab.)
ADAMO	92	PL B287 368	A. Adamo <i>et al.</i>	(OBELIX Collab.)
AKER	91	PL B260 249	E. Aker <i>et al.</i>	(Crystal Barrel Collab.)
MAY	90	ZPHY C46 203	B. May <i>et al.</i>	(ASTERIX Collab.)
MAY	89	PL B225 450	B. May <i>et al.</i>	(ASTERIX Collab.) IJP
BRIDGES	86B	PRL 56 215	D.L. Bridges <i>et al.</i>	(SYRA, CASE)
BRIDGES	86C	PRL 57 1534	D.L. Bridges <i>et al.</i>	(SYRA)

**OTHER RELATED PAPERS**

ANISOVICH	05	JETPL 80 715	V.V. Anisovich	
		Translated from ZETFP 80 845.		