

$\Sigma(1775) D_{15}$

$$I(J^P) = 1(\frac{5}{2}^-) \text{ Status: } ****$$

Discovered by GALTIERI 63, this resonance plays the same role as cornerstone for isospin-1 analyses in this region as the $\Lambda(1820)F_{05}$ does in the isospin-0 channel.

For most results published before 1974 (they are now obsolete), see our 1982 edition Physics Letters **111B** 1 (1982).

$\Sigma(1775)$ MASS

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|---------------------|-------------|--|
| 1770 to 1780 (\approx 1775) OUR ESTIMATE | | | |
| 1778 \pm 5 | GOPAL | 80 | DPWA $\bar{K}N \rightarrow \bar{K}N$ |
| 1777 \pm 5 | ALSTON-... | 78 | DPWA $\bar{K}N \rightarrow \bar{K}N$ |
| 1774 \pm 5 | GOPAL | 77 | DPWA $\bar{K}N$ multichannel |
| 1775 \pm 10 | BAILLON | 75 | IPWA $\bar{K}N \rightarrow \Lambda\pi$ |
| 1774 \pm 10 | VANHORN | 75 | DPWA $K^-p \rightarrow \Lambda\pi^0$ |
| 1772 \pm 6 | KANE | 74 | DPWA $K^-p \rightarrow \Sigma\pi$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 1772 or 1777 | ¹ MARTIN | 77 | DPWA $\bar{K}N$ multichannel |
| 1765 | DEBELLEFON | 76 | IPWA $K^-p \rightarrow \Lambda\pi^0$ |

$\Sigma(1775)$ WIDTH

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|---------------------|-------------|--|
| 105 to 135 (\approx 120) OUR ESTIMATE | | | |
| 137 \pm 10 | GOPAL | 80 | DPWA $\bar{K}N \rightarrow \bar{K}N$ |
| 116 \pm 10 | ALSTON-... | 78 | DPWA $\bar{K}N \rightarrow \bar{K}N$ |
| 130 \pm 10 | GOPAL | 77 | DPWA $\bar{K}N$ multichannel |
| 125 \pm 15 | BAILLON | 75 | IPWA $\bar{K}N \rightarrow \Lambda\pi$ |
| 146 \pm 18 | VANHORN | 75 | DPWA $K^-p \rightarrow \Lambda\pi^0$ |
| 154 \pm 10 | KANE | 74 | DPWA $K^-p \rightarrow \Sigma\pi$ |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 102 or 103 | ¹ MARTIN | 77 | DPWA $\bar{K}N$ multichannel |
| 120 | DEBELLEFON | 76 | IPWA $K^-p \rightarrow \Lambda\pi^0$ |

$\Sigma(1775)$ DECAY MODES

| Mode | Fraction (Γ_j/Γ) |
|-------------------------|--------------------------------|
| Γ_1 $N\bar{K}$ | 37-43% |
| Γ_2 $\Lambda\pi$ | 14-20% |
| Γ_3 $\Sigma\pi$ | 2-5% |

| | | |
|------------|----------------------------------|--------|
| Γ_4 | $\Sigma(1385)\pi$ | 8–12% |
| Γ_5 | $\Sigma(1385)\pi, D\text{-wave}$ | |
| Γ_6 | $\Lambda(1520)\pi$ | 17–23% |
| Γ_7 | $\Sigma\pi\pi$ | |

The above branching fractions are our estimates, not fits or averages.

CONSTRAINED FIT INFORMATION

An overall fit to 8 branching ratios uses 16 measurements and one constraint to determine 5 parameters. The overall fit has a $\chi^2 = 63.9$ for 12 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

| | | | | |
|-------|-------|-------|-------|-------|
| x_2 | −30 | | | |
| x_3 | −17 | −21 | | |
| x_4 | −37 | −49 | −14 | |
| x_6 | −81 | 6 | 8 | 16 |
| | x_1 | x_2 | x_3 | x_4 |

$\Sigma(1775)$ BRANCHING RATIOS

See “Sign conventions for resonance couplings” in the Note on Λ and Σ Resonances. Also, the errors quoted do not include uncertainties due to the parametrization used in the partial-wave analyses and are thus too small.

| $\Gamma(N\bar{K})/\Gamma_{\text{total}}$ | | | | Γ_1/Γ |
|---|---------------------|------|--------------------------------------|-------------------|
| VALUE | DOCUMENT ID | TECN | COMMENT | |
| 0.37 to 0.43 OUR ESTIMATE | | | | |
| 0.45 ± 0.04 OUR FIT | | | Error includes scale factor of 3.1. | |
| 0.391 ± 0.017 OUR AVERAGE | | | | |
| 0.40 ± 0.02 | GOPAL | 80 | DPWA $\bar{K}N \rightarrow \bar{K}N$ | |
| 0.37 ± 0.03 | ALSTON-... | 78 | DPWA $\bar{K}N \rightarrow \bar{K}N$ | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.41 ± 0.03 | GOPAL | 77 | DPWA See GOPAL 80 | |
| 0.37 or 0.36 | ¹ MARTIN | 77 | DPWA $\bar{K}N$ multichannel | |

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1775) \rightarrow \Lambda\pi$ $(\Gamma_1 \Gamma_2)^{1/2} / \Gamma$

VALUE DOCUMENT ID TECN COMMENT

0.305 ± 0.018 OUR FIT Error includes scale factor of 2.4.
−0.262 ± 0.015 OUR AVERAGE

| | | | | |
|--|----------|-----|------|-----------------------------------|
| −0.28 ± 0.03 | GOPAL | 77 | DPWA | $\bar{K}N$ multichannel |
| −0.25 ± 0.02 | BAILLON | 75 | IPWA | $\bar{K}N \rightarrow \Lambda\pi$ |
| −0.28 $\begin{smallmatrix} +0.04 \\ -0.05 \end{smallmatrix}$ | VANHORN | 75 | DPWA | $K^- p \rightarrow \Lambda\pi^0$ |
| −0.259 ± 0.048 | DEVENISH | 74B | | Fixed- <i>t</i> dispersion rel. |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|----------------|---------------------|----|------|----------------------------------|
| −0.29 or −0.28 | ¹ MARTIN | 77 | DPWA | $\bar{K}N$ multichannel |
| −0.30 | DEBELLEFON | 76 | IPWA | $K^- p \rightarrow \Lambda\pi^0$ |

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1775) \rightarrow \Sigma\pi$ $(\Gamma_1 \Gamma_3)^{1/2} / \Gamma$

VALUE DOCUMENT ID TECN COMMENT

0.105 ± 0.025 OUR FIT Error includes scale factor of 3.1.
0.098 ± 0.016 OUR AVERAGE Error includes scale factor of 1.8.

| | | | | |
|--------------|-------|----|------|-------------------------------|
| +0.13 ± 0.02 | GOPAL | 77 | DPWA | $\bar{K}N$ multichannel |
| 0.09 ± 0.01 | KANE | 74 | DPWA | $K^- p \rightarrow \Sigma\pi$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|----------------|---------------------|----|------|-------------------------|
| +0.08 or +0.08 | ¹ MARTIN | 77 | DPWA | $\bar{K}N$ multichannel |
|----------------|---------------------|----|------|-------------------------|

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1775) \rightarrow \Lambda(1520)\pi$ $(\Gamma_1 \Gamma_6)^{1/2} / \Gamma$

VALUE DOCUMENT ID TECN COMMENT

0.315 $\begin{smallmatrix} +0.010 \\ -0.009 \end{smallmatrix}$ OUR FIT Error includes scale factor of 1.5.
0.303 ± 0.009 OUR AVERAGE Signs on measurements were ignored.

| | | | | |
|----------------|----------------------|-----|--|--|
| −0.305 ± 0.010 | ² CAMERON | 77 | DPWA | $K^- p \rightarrow \Lambda(1520)\pi^0$ |
| 0.31 ± 0.02 | BARLETTA | 72 | DPWA | $K^- p \rightarrow \Lambda(1520)\pi^0$ |
| 0.27 ± 0.03 | ARMENTEROS65C | HBC | $K^- p \rightarrow \Lambda(1520)\pi^0$ | |

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1775) \rightarrow \Sigma(1385)\pi$ $(\Gamma_1 \Gamma_4)^{1/2} / \Gamma$

VALUE DOCUMENT ID TECN COMMENT

0.211 ± 0.022 OUR FIT Error includes scale factor of 2.8.
0.188 ± 0.010 OUR AVERAGE Signs on measurements were ignored.

| | | | | |
|----------------|----------------------|----|------|-------------------------------------|
| −0.184 ± 0.011 | ³ CAMERON | 78 | DPWA | $K^- p \rightarrow \Sigma(1385)\pi$ |
| +0.20 ± 0.02 | PREVOST | 74 | DPWA | $K^- N \rightarrow \Sigma(1385)\pi$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|-------------|---------------|-----|-----------------------------------|-----------------------------------|
| 0.32 ± 0.06 | SIMS | 68 | DBC | $K^- N \rightarrow \Lambda\pi\pi$ |
| 0.24 ± 0.03 | ARMENTEROS67C | HBC | $K^- p \rightarrow \Lambda\pi\pi$ | |

$\Gamma(\Lambda\pi) / \Gamma(N\bar{K})$ Γ_2 / Γ_1

VALUE DOCUMENT ID TECN COMMENT

0.46 ± 0.09 OUR FIT Error includes scale factor of 2.9.
0.33 ± 0.05

| | | | | |
|--|-------|----|-----|-------------------|
| | UHLIG | 67 | HBC | $K^- p$ 0.9 GeV/c |
|--|-------|----|-----|-------------------|

| $\Gamma(\Sigma\pi\pi)/\Gamma_{\text{total}}$ | | | | Γ_7/Γ |
|--|-------------|------|---------|-------------------|
| VALUE | DOCUMENT ID | TECN | COMMENT | |

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.12 ⁴ ARMENTEROS68C HDBC $K^- N \rightarrow \Sigma\pi\pi$

| $\Gamma(\Sigma(1385)\pi)/\Gamma(N\bar{K})$ | | | | Γ_4/Γ_1 |
|--|-------------|------|---------|---------------------|
| VALUE | DOCUMENT ID | TECN | COMMENT | |

0.22±0.07 OUR FIT Error includes scale factor of 3.6.

0.25±0.09 UHLIG 67 HBC $K^- p$ 0.9 GeV/c

| $\Gamma(\Lambda(1520)\pi)/\Gamma(N\bar{K})$ | | | | Γ_6/Γ_1 |
|---|-------------|------|---------|---------------------|
| VALUE | DOCUMENT ID | TECN | COMMENT | |

0.49±0.11 OUR FIT Error includes scale factor of 3.5.

0.28±0.05 UHLIG 67 HBC $K^- p$ 0.9 GeV/c

$\Sigma(1775)$ FOOTNOTES

- ¹ The two MARTIN 77 values are from a T-matrix pole and from a Breit-Wigner fit.
- ² This rate combines *P*-wave- and *F*-wave decays. The CAMERON 77 results for the separate *P*-wave- and *F*-wave decays are -0.303 ± 0.010 and -0.037 ± 0.014 . The published signs have been changed here to be in accord with the baryon-first convention.
- ³ The CAMERON 78 upper limit on *G*-wave decay is 0.03.
- ⁴ For about 3/4 of this, the $\Sigma\pi$ system has $l = 0$ and is almost entirely $\Lambda(1520)$. For the rest, the $\Sigma\pi$ has $l = 1$, which is about what is expected from the known $\Sigma(1775) \rightarrow \Sigma(1385)\pi$ rate, as seen in $\Lambda\pi\pi$.

$\Sigma(1775)$ REFERENCES

| | | | | |
|----------------|-----|-------------------|---|------------------------|
| PDG | 82 | PL 111B 1 | M. Roos <i>et al.</i> | (HELS, CIT, CERN) |
| GOPAL | 80 | Toronto Conf. 159 | G.P. Gopal | (RHEL) IJP |
| ALSTON-... | 78 | PR D18 182 | M. Alston-Garnjost <i>et al.</i> | (LBL, MTHO+) IJP |
| Also | | PRL 38 1007 | M. Alston-Garnjost <i>et al.</i> | (LBL, MTHO+) IJP |
| CAMERON | 78 | NP B143 189 | W. Cameron <i>et al.</i> | (RHEL, LOIC) IJP |
| CAMERON | 77 | NP B131 399 | W. Cameron <i>et al.</i> | (RHEL, LOIC) IJP |
| GOPAL | 77 | NP B119 362 | G.P. Gopal <i>et al.</i> | (LOIC, RHEL) IJP |
| MARTIN | 77 | NP B127 349 | B.R. Martin, M.K. Pidcock, R.G. Moorhouse | (LOUC+) IJP |
| Also | | NP B126 266 | B.R. Martin, M.K. Pidcock | (LOUC) |
| Also | | NP B126 285 | B.R. Martin, M.K. Pidcock | (LOUC) IJP |
| DEBELLEFON | 76 | NP B109 129 | A. de Bellefon, A. Berthon | (CDEF) IJP |
| BAILLON | 75 | NP B94 39 | P.H. Baillon, P.J. Litchfield | (CERN, RHEL) IJP |
| VANHORN | 75 | NP B87 145 | A.J. van Horn | (LBL) IJP |
| Also | | NP B87 157 | A.J. van Horn | (LBL) IJP |
| DEVENISH | 74B | NP B81 330 | R.C.E. Devenish, C.D. Froggatt, B.R. Martin | (DESY+) |
| KANE | 74 | LBL-2452 | D.F. Kane | (LBL) IJP |
| PREVOST | 74 | NP B69 246 | J. Prevost <i>et al.</i> | (SACL, CERN, HEID) |
| BARLETTA | 72 | NP B40 45 | W.A. Barletta | (EFI) IJP |
| Also | | PRL 17 841 | S. Fenster <i>et al.</i> | (CHIC, ANL, CERN) IJP |
| ARMENTEROS 68C | | NP B8 216 | R. Armenteros <i>et al.</i> | (CERN, HEID, SACL) I |
| SIMS | 68 | PRL 21 1413 | W.H. Sims <i>et al.</i> | (FSU, TUFTS, BRAN) |
| ARMENTEROS 67C | | ZPHY 202 486 | R. Armenteros <i>et al.</i> | (CERN, HEID, SACL) |
| UHLIG | 67 | PR 155 1448 | R.P. Uhlig <i>et al.</i> | (UMD, NRL) |
| ARMENTEROS 65C | | PL 19 338 | R. Armenteros <i>et al.</i> | (CERN, HEID, SACL) IJP |
| GALTIERI | 63 | PL 6 296 | A. Galtieri, A. Hussain, R. Tripp | (LRL) IJ |