

# $\psi(2S)$

$$J^{PC} = 0^-(1^{--})$$


See the Review on “ $\psi(2S)$  and  $\chi_c$  branching ratios” before the  $\chi_{c0}(1P)$  Listings.

## $\psi(2S)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>3686.09 ± 0.04 OUR FIT</b>				Error includes scale factor of 1.6.
<b>3686.093 ± 0.034 OUR AVERAGE</b>				Error includes scale factor of 1.4. See the ideogram below.
3686.111 ± 0.025 ± 0.009		AULCHENKO 03	KEDR	$e^+e^- \rightarrow$ hadrons
3685.95 ± 0.10	413	<sup>1</sup> ARTAMONOV 00	OLYA	$e^+e^- \rightarrow$ hadrons
3685.98 ± 0.09 ± 0.04		<sup>2</sup> ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+e^-$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
3686.00 ± 0.10	413	<sup>3</sup> ZHOLENTZ 80	OLYA	$e^+e^-$

- <sup>1</sup> Reanalysis of ZHOLENTZ 80 using new electron mass (COHEN 87) and radiative corrections (KURAEV 85).  
<sup>2</sup> Mass central value and systematic error recalculated by us according to Eq. (16) in ARMSTRONG 93B, using the value for the  $J/\psi(1S)$  mass from AULCHENKO 03.  
<sup>3</sup> Superseded by ARTAMONOV 00.

WEIGHTED AVERAGE  
 3686.093 ± 0.034 (Error scaled by 1.4)



### $m_{\psi(2S)} - m_{J/\psi(1S)}$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>589.188 ± 0.028 OUR AVERAGE</b>			
589.194 ± 0.027 ± 0.011	<sup>4</sup> AULCHENKO	03	KEDR $e^+ e^- \rightarrow$ hadrons
589.7 ± 1.2	LEMOIGNE	82	GOLI $185 \pi^- \text{Be} \rightarrow \gamma \mu^+ \mu^- \text{A}$
589.07 ± 0.13	<sup>4</sup> ZHOLENTZ	80	OLYA $e^+ e^-$
588.7 ± 0.8	LUTH	75	MRK1
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
588 ± 1	<sup>5</sup> BAI	98E	BES $e^+ e^-$

<sup>4</sup> Redundant with data in mass above.

<sup>5</sup> Systematic errors not evaluated.

### $\psi(2S)$ WIDTH

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
<b>327 ± 11 OUR FIT</b>			
<b>284 ± 21 OUR AVERAGE</b>			
331 ± 58 ± 2	ABLIKIM	06L	BES2 $e^+ e^- \rightarrow$ hadrons
264 ± 27	<sup>6</sup> BAI	02B	BES2 $e^+ e^-$
306 ± 36 ± 16	ARMSTRONG	93B	E760 $\bar{p} p \rightarrow e^+ e^-$

<sup>6</sup> From a simultaneous fit to the hadronic and  $\mu^+ \mu^-$  cross section, assuming  $\Gamma = \Gamma_h + \Gamma_e + \Gamma_\mu + \Gamma_\tau$  and lepton universality. Does not include vacuum polarization correction.

### $\psi(2S)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1$ hadrons	(97.85 ± 0.13) %	
$\Gamma_2$ virtual $\gamma \rightarrow$ hadrons	( 1.73 ± 0.14 ) %	S=1.5
$\Gamma_3$ light hadrons		
$\Gamma_4$ $e^+ e^-$	( 7.43 ± 0.18 ) × 10 <sup>-3</sup>	
$\Gamma_5$ $\mu^+ \mu^-$	( 7.4 ± 0.8 ) × 10 <sup>-3</sup>	
$\Gamma_6$ $\tau^+ \tau^-$	( 3.0 ± 0.4 ) × 10 <sup>-3</sup>	

### Decays into $J/\psi(1S)$ and anything

$\Gamma_7$ $J/\psi(1S)$ anything	(56.9 ± 0.9) %	
$\Gamma_8$ $J/\psi(1S)$ neutrals	(23.3 ± 0.4) %	
$\Gamma_9$ $J/\psi(1S) \pi^+ \pi^-$	(32.3 ± 0.5) %	
$\Gamma_{10}$ $J/\psi(1S) \pi^0 \pi^0$	(16.68 ± 0.34) %	
$\Gamma_{11}$ $J/\psi(1S) \eta$	( 3.13 ± 0.08 ) %	
$\Gamma_{12}$ $J/\psi(1S) \pi^0$	( 1.26 ± 0.13 ) × 10 <sup>-3</sup>	S=1.3

### Hadronic decays

$\Gamma_{13}$	$3(\pi^+\pi^-\pi^0)$	$(3.5 \pm 1.6) \times 10^{-3}$	
$\Gamma_{14}$	$2(\pi^+\pi^-\pi^0)$	$(2.66 \pm 0.29) \times 10^{-3}$	
$\Gamma_{15}$	$\rho a_2(1320)$	$(2.6 \pm 0.9) \times 10^{-4}$	
$\Gamma_{16}$	$\rho \bar{p}$	$(2.85 \pm 0.23) \times 10^{-4}$	S=1.6
$\Gamma_{17}$	$\Delta^{++} \bar{\Delta}^{--}$	$(1.28 \pm 0.35) \times 10^{-4}$	
$\Gamma_{18}$	$\Lambda \bar{\Lambda}$	$(2.8 \pm 0.5) \times 10^{-4}$	S=2.6
$\Gamma_{19}$	$\Sigma^+ \bar{\Sigma}^-$	$(2.6 \pm 0.8) \times 10^{-4}$	
$\Gamma_{20}$	$\Sigma^0 \bar{\Sigma}^0$	$(2.2 \pm 0.4) \times 10^{-4}$	S=1.5
$\Gamma_{21}$	$\Sigma(1385)^+ \bar{\Sigma}(1385)^-$	$(1.1 \pm 0.4) \times 10^{-4}$	
$\Gamma_{22}$	$\Xi^- \bar{\Xi}^+$	$(1.8 \pm 0.6) \times 10^{-4}$	S=2.8
$\Gamma_{23}$	$\Xi^0 \bar{\Xi}^0$	$(2.8 \pm 0.9) \times 10^{-4}$	
$\Gamma_{24}$	$\Xi(1530)^0 \bar{\Xi}(1530)^0$	$< 8.1 \times 10^{-5}$	CL=90%
$\Gamma_{25}$	$\Omega^- \bar{\Omega}^+$	$< 7.3 \times 10^{-5}$	CL=90%
$\Gamma_{26}$	$\pi^0 \rho \bar{p}$	$(1.33 \pm 0.17) \times 10^{-4}$	
$\Gamma_{27}$	$\eta \rho \bar{p}$	$(6.0 \pm 1.2) \times 10^{-5}$	
$\Gamma_{28}$	$\omega \rho \bar{p}$	$(6.9 \pm 2.1) \times 10^{-5}$	
$\Gamma_{29}$	$\phi \rho \bar{p}$	$< 2.4 \times 10^{-5}$	CL=90%
$\Gamma_{30}$	$\pi^+\pi^-\rho \bar{p}$	$(6.0 \pm 0.4) \times 10^{-4}$	
$\Gamma_{31}$	$\rho \bar{n} \pi^-$ or c.c.	$(2.48 \pm 0.17) \times 10^{-4}$	
$\Gamma_{32}$	$\rho \bar{n} \pi^- \pi^0$	$(3.2 \pm 0.7) \times 10^{-4}$	
$\Gamma_{33}$	$2(\pi^+\pi^-\pi^0)$	$(4.6 \pm 1.5) \times 10^{-3}$	
$\Gamma_{34}$	$\eta \pi^+\pi^-$	$< 1.6 \times 10^{-4}$	CL=90%
$\Gamma_{35}$	$\eta \pi^+\pi^-\pi^0$	$(9.5 \pm 1.7) \times 10^{-4}$	
$\Gamma_{36}$	$\eta' \pi^+\pi^-\pi^0$	$(4.5 \pm 2.1) \times 10^{-4}$	
$\Gamma_{37}$	$\omega \pi^+\pi^-$	$(6.6 \pm 1.7) \times 10^{-4}$	S=2.7
$\Gamma_{38}$	$b_1^\pm \pi^\mp$	$(3.6 \pm 0.6) \times 10^{-4}$	
$\Gamma_{39}$	$b_1^0 \pi^0$	$(2.4 \pm 0.6) \times 10^{-4}$	
$\Gamma_{40}$	$\omega f_2(1270)$	$(2.0 \pm 0.6) \times 10^{-4}$	
$\Gamma_{41}$	$\pi^+\pi^- K^+ K^-$	$(7.2 \pm 0.5) \times 10^{-4}$	
$\Gamma_{42}$	$\rho^0 K^+ K^-$	$(2.2 \pm 0.4) \times 10^{-4}$	
$\Gamma_{43}$	$K^*(892)^0 \bar{K}_2^*(1430)^0$	$(1.9 \pm 0.5) \times 10^{-4}$	
$\Gamma_{44}$	$K^+ K^- 2(\pi^+\pi^-)$	$(1.8 \pm 0.9) \times 10^{-3}$	
$\Gamma_{45}$	$K_1(1270)^\pm K^\mp$	$(1.00 \pm 0.28) \times 10^{-3}$	
$\Gamma_{46}$	$K_S^0 K_S^0 \pi^+\pi^-$	$(2.2 \pm 0.4) \times 10^{-4}$	
$\Gamma_{47}$	$\rho^0 \rho \bar{p}$	$(5.0 \pm 2.2) \times 10^{-5}$	
$\Gamma_{48}$	$K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.}$	$(6.7 \pm 2.5) \times 10^{-4}$	
$\Gamma_{49}$	$2(\pi^+\pi^-)$	$(2.4 \pm 0.6) \times 10^{-4}$	S=2.2
$\Gamma_{50}$	$\rho^0 \pi^+\pi^-$	$(2.2 \pm 0.6) \times 10^{-4}$	S=1.4
$\Gamma_{51}$	$K^+ K^- \pi^+\pi^-\pi^0$	$(1.24 \pm 0.10) \times 10^{-3}$	
$\Gamma_{52}$	$\omega f_0(1710) \rightarrow \omega K^+ K^-$	$(5.9 \pm 2.2) \times 10^{-5}$	
$\Gamma_{53}$	$K^*(892)^0 K^- \pi^+\pi^0 + \text{c.c.}$	$(8.6 \pm 2.2) \times 10^{-4}$	
$\Gamma_{54}$	$K^*(892)^+ K^- \pi^+\pi^- + \text{c.c.}$	$(9.6 \pm 2.8) \times 10^{-4}$	
$\Gamma_{55}$	$K^*(892)^+ K^- \rho^0 + \text{c.c.}$	$(7.3 \pm 2.6) \times 10^{-4}$	

$\Gamma_{56}$	$K^*(892)^0 K^- \rho^+ + \text{c.c.}$	$( 6.1 \pm 1.8 ) \times 10^{-4}$	
$\Gamma_{57}$	$\eta K^+ K^-$	$< 1.3 \times 10^{-4}$	CL=90%
$\Gamma_{58}$	$\omega K^+ K^-$	$( 1.85 \pm 0.25 ) \times 10^{-4}$	S=1.1
$\Gamma_{59}$	$3(\pi^+ \pi^-)$	$( 3.5 \pm 2.0 ) \times 10^{-4}$	S=2.8
$\Gamma_{60}$	$p\bar{p}\pi^+\pi^-\pi^0$	$( 7.3 \pm 0.7 ) \times 10^{-4}$	
$\Gamma_{61}$	$K^+ K^-$	$( 6.3 \pm 0.7 ) \times 10^{-5}$	
$\Gamma_{62}$	$K_S^0 K_L^0$	$( 5.4 \pm 0.5 ) \times 10^{-5}$	
$\Gamma_{63}$	$\pi^+ \pi^- \pi^0$	$( 1.68 \pm 0.26 ) \times 10^{-4}$	S=1.4
$\Gamma_{64}$	$\rho(2150)\pi \rightarrow \pi^+ \pi^- \pi^0$	$( 1.9 \begin{smallmatrix} +1.2 \\ -0.4 \end{smallmatrix} ) \times 10^{-4}$	
$\Gamma_{65}$	$\rho(770)\pi \rightarrow \pi^+ \pi^- \pi^0$	$( 3.2 \pm 1.2 ) \times 10^{-5}$	S=1.8
$\Gamma_{66}$	$\pi^+ \pi^-$	$( 8 \pm 5 ) \times 10^{-5}$	
$\Gamma_{67}$	$K_1(1400)^\pm K^\mp$	$< 3.1 \times 10^{-4}$	CL=90%
$\Gamma_{68}$	$K^+ K^- \pi^0$	$< 2.96 \times 10^{-5}$	CL=90%
$\Gamma_{69}$	$K^+ \bar{K}^*(892)^- + \text{c.c.}$	$( 1.7 \begin{smallmatrix} +0.8 \\ -0.7 \end{smallmatrix} ) \times 10^{-5}$	
$\Gamma_{70}$	$K^*(892)^0 \bar{K}^0 + \text{c.c.}$	$( 1.09 \pm 0.20 ) \times 10^{-4}$	
$\Gamma_{71}$	$\phi \pi^+ \pi^-$	$( 1.13 \pm 0.29 ) \times 10^{-4}$	S=1.7
$\Gamma_{72}$	$\phi f_0(980) \rightarrow \pi^+ \pi^-$	$( 6.0 \pm 2.2 ) \times 10^{-5}$	
$\Gamma_{73}$	$2(K^+ K^-)$	$( 6.0 \pm 1.4 ) \times 10^{-5}$	
$\Gamma_{74}$	$\phi K^+ K^-$	$( 7.0 \pm 1.6 ) \times 10^{-5}$	
$\Gamma_{75}$	$2(K^+ K^-) \pi^0$	$( 1.10 \pm 0.28 ) \times 10^{-4}$	
$\Gamma_{76}$	$\phi \eta$	$( 2.8 \begin{smallmatrix} +1.0 \\ -0.8 \end{smallmatrix} ) \times 10^{-5}$	
$\Gamma_{77}$	$\phi \eta'$	$( 3.1 \pm 1.6 ) \times 10^{-5}$	
$\Gamma_{78}$	$\omega \eta'$	$( 3.2 \begin{smallmatrix} +2.5 \\ -2.1 \end{smallmatrix} ) \times 10^{-5}$	
$\Gamma_{79}$	$\omega \pi^0$	$( 2.1 \pm 0.6 ) \times 10^{-5}$	
$\Gamma_{80}$	$\rho \eta'$	$( 1.9 \begin{smallmatrix} +1.7 \\ -1.2 \end{smallmatrix} ) \times 10^{-5}$	
$\Gamma_{81}$	$\rho \eta$	$( 2.2 \pm 0.6 ) \times 10^{-5}$	S=1.1
$\Gamma_{82}$	$\omega \eta$	$< 1.1 \times 10^{-5}$	CL=90%
$\Gamma_{83}$	$\phi \pi^0$	$< 4 \times 10^{-6}$	CL=90%
$\Gamma_{84}$	$\eta_c \pi^+ \pi^- \pi^0$	$< 1.0 \times 10^{-3}$	CL=90%
$\Gamma_{85}$	$p\bar{p}K^+K^-$	$( 2.7 \pm 0.7 ) \times 10^{-5}$	
$\Gamma_{86}$	$\Lambda \bar{\Lambda} \pi^+ \pi^-$	$( 2.8 \pm 0.6 ) \times 10^{-4}$	
$\Gamma_{87}$	$\Lambda \bar{p} K^+$	$( 1.00 \pm 0.14 ) \times 10^{-4}$	
$\Gamma_{88}$	$\Lambda \bar{p} K^+ \pi^+ \pi^-$	$( 1.8 \pm 0.4 ) \times 10^{-4}$	
$\Gamma_{89}$	$\phi f_2'(1525)$	$( 4.4 \pm 1.6 ) \times 10^{-5}$	
$\Gamma_{90}$	$\Theta(1540) \bar{\Theta}(1540) \rightarrow K_S^0 p K^- \bar{n} + \text{c.c.}$	$< 8.8 \times 10^{-6}$	CL=90%
$\Gamma_{91}$	$\Theta(1540) K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n}$	$< 1.0 \times 10^{-5}$	CL=90%
$\Gamma_{92}$	$\Theta(1540) K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n$	$< 7.0 \times 10^{-6}$	CL=90%
$\Gamma_{93}$	$\bar{\Theta}(1540) K^+ n \rightarrow K_S^0 \bar{p} K^+ n$	$< 2.6 \times 10^{-5}$	CL=90%
$\Gamma_{94}$	$\bar{\Theta}(1540) K_S^0 p \rightarrow K_S^0 p K^- \bar{n}$	$< 6.0 \times 10^{-6}$	CL=90%
$\Gamma_{95}$	$K_S^0 K_S^0$	$< 4.6 \times 10^{-6}$	

### Radiative decays

$\Gamma_{96}$	$\gamma\chi_{c0}(1P)$	$(9.3 \pm 0.4) \%$	
$\Gamma_{97}$	$\gamma\chi_{c1}(1P)$	$(8.8 \pm 0.4) \%$	
$\Gamma_{98}$	$\gamma\chi_{c2}(1P)$	$(8.1 \pm 0.4) \%$	
$\Gamma_{99}$	$\gamma\eta_c(1S)$	$(3.0 \pm 0.5) \times 10^{-3}$	
$\Gamma_{100}$	$\gamma\eta_c(2S)$	$< 2.0 \times 10^{-3}$	CL=90%
$\Gamma_{101}$	$\gamma\pi^0$	$< 5.4 \times 10^{-3}$	CL=95%
$\Gamma_{102}$	$\gamma\eta'(958)$	$(1.36 \pm 0.24) \times 10^{-4}$	
$\Gamma_{103}$	$\gamma f_2(1270)$	$(2.1 \pm 0.4) \times 10^{-4}$	
$\Gamma_{104}$	$\gamma f_0(1710)$		
$\Gamma_{105}$	$\gamma f_0(1710) \rightarrow \gamma\pi\pi$	$(3.0 \pm 1.3) \times 10^{-5}$	
$\Gamma_{106}$	$\gamma f_0(1710) \rightarrow \gamma K\bar{K}$	$(6.0 \pm 1.6) \times 10^{-5}$	
$\Gamma_{107}$	$\gamma\gamma$	$< 1.3 \times 10^{-4}$	CL=90%
$\Gamma_{108}$	$\gamma\eta$	$< 9 \times 10^{-5}$	CL=90%
$\Gamma_{109}$	$\gamma\eta\pi^+\pi^-$	$(8.7 \pm 2.1) \times 10^{-4}$	
$\Gamma_{110}$	$\gamma\eta(1405)$		
$\Gamma_{111}$	$\gamma\eta(1405) \rightarrow \gamma K\bar{K}\pi$	$< 9 \times 10^{-5}$	CL=90%
$\Gamma_{112}$	$\gamma\eta(1405) \rightarrow \eta\pi^+\pi^-$	$(3.6 \pm 2.5) \times 10^{-5}$	
$\Gamma_{113}$	$\gamma\eta(1475)$		
$\Gamma_{114}$	$\gamma\eta(1475) \rightarrow K\bar{K}\pi$	$< 1.4 \times 10^{-4}$	CL=90%
$\Gamma_{115}$	$\gamma\eta(1475) \rightarrow \eta\pi^+\pi^-$	$< 8.8 \times 10^{-5}$	CL=90%

### $\psi(2S)$ PARTIAL WIDTHS

#### $\Gamma(\text{hadrons})$

$\Gamma_1$

VALUE (keV)                      DOCUMENT ID    TECN    COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

$258 \pm 26$	BAI	02B	BES2	$e^+e^-$
$224 \pm 56$	LUTH	75	MRK1	$e^+e^-$

#### $\Gamma(e^+e^-)$

$\Gamma_4$

VALUE (keV)                      DOCUMENT ID    TECN    COMMENT

**2.43  $\pm$  0.05 OUR FIT**

**2.29  $\pm$  0.10 OUR AVERAGE**

$2.330 \pm 0.036 \pm 0.110$	ABLIKIM	06L	BES2	$e^+e^- \rightarrow \text{hadrons}$
$2.14 \pm 0.21$	ALEXANDER	89	RVUE	See $\Upsilon$ mini-review

• • • We do not use the following data for averages, fits, limits, etc. • • •

$2.44 \pm 0.21$	<sup>7</sup> BAI	02B	BES2	$e^+e^-$
$2.0 \pm 0.3$	BRANDELIK	79C	DASP	$e^+e^-$
$2.1 \pm 0.3$	<sup>8</sup> LUTH	75	MRK1	$e^+e^-$

<sup>7</sup>From a simultaneous fit to  $e^+e^-$ ,  $\mu^+\mu^-$ , and hadronic channel, assuming  $\Gamma_e = \Gamma_\mu = \Gamma_\tau/0.38847$ .

<sup>8</sup>From a simultaneous fit to  $e^+e^-$ ,  $\mu^+\mu^-$ , and hadronic channels assuming  $\Gamma(e^+e^-) = \Gamma(\mu^+\mu^-)$ .

$\Gamma(\gamma\gamma)$					$\Gamma_{107}$
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT	
<43	90	BRANDELIK	79C DASP	$e^+e^-$	

### $\psi(2S) \Gamma(i)\Gamma(e^+e^-)/\Gamma(\text{total})$

This combination of a partial width with the partial width into  $e^+e^-$  and with the total width is obtained from the integrated cross section into channel  $i$  in the  $e^+e^-$  annihilation. We list only data that have not been used to determine the partial width  $\Gamma(i)$  or the branching ratio  $\Gamma(i)/\text{total}$ .

$\Gamma(\text{hadrons}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$					$\Gamma_1\Gamma_4/\Gamma$
VALUE (keV)		DOCUMENT ID	TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$2.2 \pm 0.4$		ABRAMS	75 MRK1	$e^+e^-$	


$\Gamma(\tau^+\tau^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$					$\Gamma_6\Gamma_4/\Gamma$
VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$9.0 \pm 2.6$	79	<sup>9</sup> ANASHIN	07 KEDR	$e^+e^- \rightarrow \psi(2S) \rightarrow \tau^+\tau^-$	
<sup>9</sup> Using $\psi(2S)$ total width of $337 \pm 13$ keV. Systematic errors not evaluated.					

$\Gamma(J/\psi(1S)\pi^+\pi^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$					$\Gamma_9\Gamma_4/\Gamma$
VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT	
<b>0.785 ± 0.017 OUR FIT</b>					
<b>0.82 ± 0.04 OUR AVERAGE</b> Error includes scale factor of 1.6. See the ideogram below.					
$0.852 \pm 0.010 \pm 0.026$	$19.5k \pm 243$	ADAM	06 CLEO	$3.773 e^+e^- \rightarrow \gamma\psi(2S)$	
$0.76 \pm 0.05 \pm 0.01$	544	<sup>10</sup> AUBERT	05D BABR	$10.6 e^+e^- \rightarrow \pi^+\pi^-\mu^+\mu^-\gamma$	
$0.68 \pm 0.09$		<sup>11</sup> BAI	98E BES	$e^+e^-$	

<sup>10</sup> AUBERT 05D reports  $[\Gamma(\psi(2S) \rightarrow e^+e^-) B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-)] \times B(J/\psi \rightarrow \mu^+\mu^-) = (0.0450 \pm 0.0018 \pm 0.0022)$  keV. We divide by our best value  $B(J/\psi \rightarrow \mu^+\mu^-) = (5.93 \pm 0.06) \times 10^{-2}$ . Our first error is the total experiment's error and our second error is the systematic error from using our best value.

<sup>11</sup> The value of  $\Gamma(e^+e^-)$  quoted in BAI 98E is derived using  $B(\psi(2S) \rightarrow J/\psi(1S)\pi^+\pi^-) = (32.4 \pm 2.6) \times 10^{-2}$  and  $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1203 \pm 0.0038$ . Recalculated by us using  $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1181 \pm 0.0020$ .

WEIGHTED AVERAGE  
 $0.82 \pm 0.04$  (Error scaled by 1.6)



$$\Gamma(J/\psi(1S)\pi^+\pi^-) \times \Gamma(e^+e^-) / \Gamma_{\text{total}} \quad \Gamma_9 \Gamma_4 / \Gamma$$

$$\Gamma(J/\psi(1S)\pi^0\pi^0) \times \Gamma(e^+e^-) / \Gamma_{\text{total}} \quad \Gamma_{10} \Gamma_4 / \Gamma$$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.405 ± 0.010 OUR FIT</b>				
<b>0.411 ± 0.008 ± 0.018</b>	3.6k ± 96	ADAM	06	CLEO 3.773 e <sup>+</sup> e <sup>-</sup> → γψ(2S)

$$\Gamma(J/\psi(1S)\eta) \times \Gamma(e^+e^-) / \Gamma_{\text{total}} \quad \Gamma_{11} \Gamma_4 / \Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>76.1 ± 2.2 OUR FIT</b>				
<b>88 ± 6 ± 7</b>	291 ± 24	ADAM	06	CLEO 3.773 e <sup>+</sup> e <sup>-</sup> → γψ(2S)

$$\Gamma(J/\psi(1S)\pi^0) \times \Gamma(e^+e^-) / \Gamma_{\text{total}} \quad \Gamma_{12} \Gamma_4 / \Gamma$$

VALUE (eV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>&lt; 8</b>	90	< 37	ADAM	06	CLEO 3.773 e <sup>+</sup> e <sup>-</sup> → γψ(2S)

$$\Gamma(p\bar{p}) \times \Gamma(e^+e^-) / \Gamma_{\text{total}} \quad \Gamma_{16} \Gamma_4 / \Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	COMMENT
<b>0.70 ± 0.17 ± 0.03</b>	22	AUBERT	06B e <sup>+</sup> e <sup>-</sup> → p $\bar{p}$ γ

$$\Gamma(2(\pi^+\pi^-\pi^0)) \times \Gamma(e^+e^-) / \Gamma_{\text{total}} \quad \Gamma_{33} \Gamma_4 / \Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>11.2 ± 3.3 ± 1.3</b>	43	AUBERT	06D BABR	10.6 e <sup>+</sup> e <sup>-</sup> → 2(π <sup>+</sup> π <sup>-</sup> π <sup>0</sup> )γ

$$\Gamma(K^+K^-2(\pi^+\pi^-)) \times \Gamma(e^+e^-) / \Gamma_{\text{total}} \quad \Gamma_{44} \Gamma_4 / \Gamma$$

VALUE (eV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>4.4 ± 2.1 ± 0.3</b>	26	AUBERT	06D BABR	10.6 e <sup>+</sup> e <sup>-</sup> → K <sup>+</sup> K <sup>-</sup> 2(π <sup>+</sup> π <sup>-</sup> )γ

$\Gamma(\phi\pi^+\pi^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}}$   $\Gamma_{71}\Gamma_4/\Gamma$

VALUE (eV)      EVTS      DOCUMENT ID      TECN      COMMENT

**0.57±0.23±0.01**    10    12    AUBERT,BE    06D    BABR    10.6  $e^+e^- \rightarrow K^+K^-\pi^+\pi^-\gamma$

<sup>12</sup> AUBERT,BE 06D reports  $[B(\psi(2S) \rightarrow e^+e^- + \psi(2S) \rightarrow \phi\pi^+\pi^-) \times B(\phi(1020) \rightarrow K^+K^-)] = 0.28 \pm 0.11 \pm 0.02$ . We divide by our best value  $B(\phi(1020) \rightarrow K^+K^-) = (49.3 \pm 0.6) \times 10^{-2}$ . Our first error is their experiment's error and our second error is the systematic error from using our best value.

**$\psi(2S)$  BRANCHING RATIOS**

$\Gamma(\text{hadrons})/\Gamma_{\text{total}}$   $\Gamma_1/\Gamma$

VALUE      DOCUMENT ID      TECN      COMMENT

**0.9785±0.0013 OUR AVERAGE**

0.9779±0.0015      <sup>13</sup> BAI      02B    BES2     $e^+e^-$

0.981 ±0.003      <sup>13</sup> LUTH      75    MRK1     $e^+e^-$

<sup>13</sup> Includes cascade decay into  $J/\psi(1S)$ .

$\Gamma(\text{virtual } \gamma \rightarrow \text{hadrons})/\Gamma_{\text{total}}$   $\Gamma_2/\Gamma$

VALUE      DOCUMENT ID      TECN      COMMENT

**0.0173±0.0014 OUR AVERAGE**    Error includes scale factor of 1.5.

0.0166±0.0010      <sup>14,15</sup> SETH      04    RVUE     $e^+e^-$

0.0199±0.0019      <sup>14</sup> BAI      02B    BES2     $e^+e^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.029 ±0.004      <sup>14</sup> LUTH      75    MRK1     $e^+e^-$

<sup>14</sup> Included in  $\Gamma(\text{hadrons})/\Gamma_{\text{total}}$ .

<sup>15</sup> Using  $B(\psi(2S) \rightarrow \ell^+\ell^-) = (0.73 \pm 0.04)\%$  from RPP-2002 and  $R = 2.28 \pm 0.04$  determined by a fit to data from BAI 00 and BAI 02C.

$\Gamma(\text{light hadrons})/\Gamma_{\text{total}}$   $\Gamma_3/\Gamma$

VALUE      DOCUMENT ID      TECN      COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.169±0.026      <sup>16</sup> ADAM      05A    CLEO     $e^+e^- \rightarrow \psi(2S)$

<sup>16</sup> Uses  $B(J/\psi X)$  from ADAM 05A,  $B(\chi_{cJ}\gamma)$ ,  $B(\eta_c\gamma)$  from ATHAR 04 and  $B(\ell^+\ell^-)$  from PDG 04.

$\Gamma(e^+e^-)/\Gamma_{\text{total}}$   $\Gamma_4/\Gamma$

VALUE (units  $10^{-4}$ )      DOCUMENT ID      TECN      COMMENT

**74.3± 1.8 OUR FIT**

• • • We do not use the following data for averages, fits, limits, etc. • • •

88 ±13      <sup>17</sup> FELDMAN      77    RVUE     $e^+e^-$

<sup>17</sup> From an overall fit assuming equal partial widths for  $e^+e^-$  and  $\mu^+\mu^-$ . For a measurement of the ratio see the entry  $\Gamma(\mu^+\mu^-)/\Gamma(e^+e^-)$  below. Includes LUTH 75, HILGER 75, BURMESTER 77.

$\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$   $\Gamma_5/\Gamma$

VALUE (units  $10^{-4}$ )      DOCUMENT ID

**74±8 OUR FIT**



$\Gamma(\mu^+ \mu^-)/\Gamma(e^+ e^-)$   $\Gamma_5/\Gamma_4$

VALUE DOCUMENT ID TECN COMMENT

**1.00 ± 0.11 OUR FIT**

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.89 ± 0.16 BOYARSKI 75C MRK1  $e^+ e^-$

$\Gamma(\tau^+ \tau^-)/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma$

VALUE (units  $10^{-4}$ ) DOCUMENT ID TECN COMMENT

**30 ± 4 OUR FIT**

**30.8 ± 2.1 ± 3.8** <sup>18</sup> ABLIKIM 06W BES  $e^+ e^- \rightarrow \psi(2S)$

<sup>18</sup> Computed using PDG 02 value of  $B(\psi(2S) \rightarrow \text{hadrons}) = 0.9810 \pm 0.0030$  to estimate the total number of  $\psi(2S)$  events.

————— **DECAYS INTO  $J/\psi(1S)$  AND ANYTHING** —————

$\Gamma(J/\psi(1S)\text{anything})/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$

VALUE EVTS DOCUMENT ID TECN COMMENT

**0.569 ± 0.009 OUR FIT**

**0.592 ± 0.018 OUR AVERAGE**

0.5950 ± 0.0015 ± 0.0190 151k ADAM 05A CLEO  $e^+ e^- \rightarrow \psi(2S)$

0.51 ± 0.12 BRANDELIK 79C DASP  $e^+ e^- \rightarrow \mu^+ \mu^- X$

0.57 ± 0.08 ABRAMS 75B MRK1  $e^+ e^- \rightarrow \mu^+ \mu^- X$

$\Gamma(e^+ e^-)/\Gamma(J/\psi(1S)\text{anything})$   $\Gamma_4/\Gamma_7$

VALUE (units  $10^{-2}$ ) EVTS DOCUMENT ID TECN COMMENT

**1.305 ± 0.026 OUR FIT**


**1.28 ± 0.04 OUR AVERAGE** Error includes scale factor of 1.6. See the ideogram below.

1.22 ± 0.02 ± 0.05 5097 ± 73 <sup>19</sup> ANDREOTTI 05 E835  $\rho \bar{p} \rightarrow \psi(2S) \rightarrow e^+ e^-$

1.28 ± 0.03 ± 0.02 <sup>19</sup> AMBROGIANI 00A E835  $\rho \bar{p} \rightarrow \psi(2S)$

1.44 ± 0.08 ± 0.02 <sup>19</sup> ARMSTRONG 97 E760  $\bar{p} p \rightarrow \psi(2S)$

<sup>19</sup> Using  $B(J/\psi(1S) \rightarrow e^+ e^-) = 0.0593 \pm 0.0010$ .



$\Gamma(e^+e^-)/\Gamma(J/\psi(1S)\text{anything})$   $\Gamma_4/\Gamma_7$

**$\Gamma(\mu^+\mu^-)/\Gamma(J/\psi(1S)\text{anything})$**   **$\Gamma_5/\Gamma_7$**

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.0130±0.0014 OUR FIT</b>			
<b>0.014 ±0.003</b>	HILGER	75	SPEC $e^+e^-$

**$\Gamma(J/\psi(1S)\text{neutrals})/\Gamma_{\text{total}}$**   **$\Gamma_8/\Gamma$**

VALUE	DOCUMENT ID
<b>0.233±0.004 OUR FIT</b>	

**$\Gamma(J/\psi(1S)\pi^+\pi^-)/\Gamma_{\text{total}}$**   **$\Gamma_9/\Gamma$**

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.323 ±0.005 OUR FIT</b>				
<b>0.323 ±0.013 OUR AVERAGE</b>				
0.323 ±0.014		BAI	02B BES2	$e^+e^-$
0.32 ±0.04		ABRAMS	75B MRK1	$e^+e^- \rightarrow J/\psi\pi^+\pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.3354±0.0014±0.0110 60k <sup>20</sup> ADAM 05A CLEO  $e^+e^- \rightarrow \psi(2S)$

<sup>20</sup> Not independent from other values reported by ADAM 05A.

**$\Gamma(e^+e^-)/\Gamma(J/\psi(1S)\pi^+\pi^-)$**   **$\Gamma_4/\Gamma_9$**

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.0230±0.0008 OUR FIT</b>			
<b>0.0252±0.0028±0.0011</b>	<sup>21</sup> AUBERT	02B BABR	$e^+e^-$

<sup>21</sup> Using  $B(J/\psi(1S) \rightarrow e^+e^-) = 0.0593 \pm 0.0010$ .



$\Gamma(J/\psi(1S)\text{neutrals})/\Gamma(J/\psi(1S)\pi^+\pi^-)$   $\Gamma_8/\Gamma_9$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.721±0.008 OUR FIT</b>			
<b>0.73 ±0.09</b>	TANENBAUM 76	MRK1	$e^+e^-$

$\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma_{\text{total}}$   $\Gamma_{10}/\Gamma$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.1668±0.0034 OUR FIT</b>				

• • • We do not use the following data for averages, fits, limits, etc. • • •


0.1652±0.0014±0.0058 13.4k <sup>25</sup> ADAM 05A CLEO  $e^+e^- \rightarrow \psi(2S)$   
<sup>25</sup> Not independent from other values reported by ADAM 05A.

$\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma(J/\psi(1S)\text{anything})$   $\Gamma_{10}/\Gamma_7$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.2931±0.0032 OUR FIT</b>				

**0.284 ±0.010 OUR AVERAGE** Error includes scale factor of 2.3. See the ideogram below.

0.2776±0.0025±0.0043	13.4k	ADAM	05A CLEO	$e^+e^- \rightarrow \psi(2S)$
0.300 ±0.008 ±0.022	1655 ± 44	ANDREOTTI	05 E835	$\psi(2S) \rightarrow J/\psi X$
0.328 ±0.013 ±0.008		AMBROGIANI	00A E835	$p\bar{p} \rightarrow \psi(2S)$
0.323 ±0.033		ARMSTRONG	97 E760	$p\bar{p} \rightarrow \psi(2S)$



$\Gamma(J/\psi(1S)\pi^0\pi^0)/\Gamma(J/\psi(1S)\pi^+\pi^-)$   $\Gamma_{10}/\Gamma_9$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.516 ± 0.017 OUR FIT</b>				
<b>0.570 ± 0.009 ± 0.026</b>	14k	<sup>26</sup> ABLIKIM	04B BES	$\psi(2S) \rightarrow J/\psi X$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.4924 ± 0.0047 ± 0.0086	73k	<sup>27,28</sup> ADAM	05A CLEO	$e^+e^- \rightarrow \psi(2S)$
0.571 ± 0.018 ± 0.044		<sup>29</sup> ANDREOTTI	05 E835	$\psi(2S) \rightarrow J/\psi X$
0.53 ± 0.06		TANENBAUM	76 MRK1	$e^+e^-$
0.64 ± 0.15		<sup>30</sup> HILGER	75 SPEC	$e^+e^-$

<sup>26</sup> From a fit to the  $J/\psi$  recoil mass spectra.

<sup>27</sup> Not independent from other values reported by ADAM 05A.

<sup>28</sup> Using 13,217  $J/\psi\pi^0\pi^0$  and 60,010  $J/\psi\pi^+\pi^-$  events.

<sup>29</sup> Not independent from other values reported by ANDREOTTI 05.

<sup>30</sup> Ignoring the  $J/\psi(1S)\eta$  and  $J/\psi(1S)\gamma\gamma$  decays.


$\Gamma(J/\psi(1S)\eta)/\Gamma_{\text{total}}$   $\Gamma_{11}/\Gamma$

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.0313 ± 0.0008 OUR FIT</b>				
<b>0.0296 ± 0.0031 OUR AVERAGE</b>	Error includes scale factor of 1.8. See the ideogram below.			
0.0298 ± 0.0009 ± 0.0023	5.7k	BAI	04I BES2	$\psi(2S) \rightarrow J/\psi\gamma\gamma$
0.0255 ± 0.0029	386	<sup>31</sup> OREGLIA	80 CBAL	$e^+e^- \rightarrow J/\psi 2\gamma$
0.045 ± 0.012	17	<sup>32</sup> BRANDELIK	79B DASP	$e^+e^- \rightarrow J/\psi 2\gamma$
0.042 ± 0.006	164	<sup>32</sup> BARTEL	78B CNTR	$e^+e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.0325 ± 0.0006 ± 0.0011	2.8k	<sup>33</sup> ADAM	05A CLEO	$e^+e^- \rightarrow \psi(2S)$
0.043 ± 0.008	44	TANENBAUM	76 MRK1	$e^+e^-$

<sup>31</sup> Recalculated by us using  $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.1181 \pm 0.0020$ .

<sup>32</sup> Recalculated by us using  $B(J/\psi(1S) \rightarrow \mu^+\mu^-) = 0.0588 \pm 0.0010$ .

<sup>33</sup> Not independent from other values reported by ADAM 05A.



$\Gamma(J/\psi(1S)\eta)/\Gamma(J/\psi(1S)\text{anything})$

$\Gamma_{11}/\Gamma_7$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>0.0550 \pm 0.0011</math></b>				<b>OUR FIT</b>
<b><math>0.0548 \pm 0.0012</math></b>				<b>OUR AVERAGE</b>
$0.0546 \pm 0.0010 \pm 0.0007$	2.8k	ADAM	05A CLEO	$e^+e^- \rightarrow \psi(2S)$
$0.050 \pm 0.006 \pm 0.003$	$298 \pm 20$	ANDREOTTI	05 E835	$\psi(2S) \rightarrow J/\psi X$
$0.072 \pm 0.009$		AMBROGIANI	00A E835	$p\bar{p} \rightarrow \psi(2S)$
$0.061 \pm 0.015$		ARMSTRONG	97 E760	$\bar{p}p \rightarrow \psi(2S)$

$\Gamma(J/\psi(1S)\eta)/\Gamma(J/\psi(1S)\pi^+\pi^-)$

$\Gamma_{11}/\Gamma_9$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>0.0969 \pm 0.0035</math></b>				<b>OUR FIT</b>
<b><math>0.096 \pm 0.010</math></b>				<b>OUR AVERAGE</b>
$0.098 \pm 0.005 \pm 0.010$	2k	<sup>34</sup> ABLIKIM	04B BES	$\psi(2S) \rightarrow J/\psi X$
$0.091 \pm 0.021$		<sup>35</sup> HIMEL	80 MRK2	$e^+e^- \rightarrow \psi(2S)X$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$0.0968 \pm 0.0019 \pm 0.0013$	2.8k	<sup>36</sup> ADAM	05A CLEO	$e^+e^- \rightarrow \psi(2S)$
$0.095 \pm 0.007 \pm 0.007$		<sup>37</sup> ANDREOTTI	05 E835	$\psi(2S) \rightarrow J/\psi X$

<sup>34</sup> From a fit to the  $J/\psi$  recoil mass spectra.

<sup>35</sup> The value for  $B(\psi(2S) \rightarrow J/\psi(1S)\eta)$  reported in HIMEL 80 is derived using  $B(\psi(2S)) \rightarrow J/\psi(1S)\pi^+\pi^- = (33 \pm 3)\%$  and  $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = 0.138 \pm 0.018$ . Calculated by us using  $B(J/\psi(1S) \rightarrow \ell^+\ell^-) = (0.1181 \pm 0.0020)$ .

<sup>36</sup> Not independent from other values reported by ADAM 05A.

<sup>37</sup> Not independent from other values reported by ANDREOTTI 05.


$\Gamma(J/\psi(1S)\pi^0)/\Gamma_{\text{total}}$

$\Gamma_{12}/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>12.6 ± 1.3 OUR AVERAGE</b>				Error includes scale factor of 1.3. See the ideogram below.
13 ± 1 ± 1	88	ADAM	05A	CLEO $e^+e^- \rightarrow \psi(2S)$
14.3 ± 1.4 ± 1.2	280	BAI	04I	BES2 $\psi(2S) \rightarrow J/\psi\gamma\gamma$
14 ± 6	7	HIMEL	80	MRK2 $e^+e^-$
9 ± 2 ± 1	23	<sup>38</sup> OREGLIA	80	CBAL $\psi(2S) \rightarrow J/\psi 2\gamma$

<sup>38</sup> Recalculated by us using  $B(J/\psi(1S) \rightarrow \ell^+ \ell^-) = 0.1181 \pm 0.0020$ .

WEIGHTED AVERAGE  
12.6 ± 1.3 (Error scaled by 1.3)



$\Gamma(J/\psi(1S)\pi^0)/\Gamma(J/\psi(1S)\text{anything})$

$\Gamma_{12}/\Gamma_7$

VALUE (units $10^{-2}$ )	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.22 ± 0.02 ± 0.01      <sup>39</sup> ADAM      05A CLEO  $e^+e^- \rightarrow \psi(2S) \rightarrow J/\psi\gamma\gamma$

<sup>39</sup> Not independent from other values reported by ADAM 05A.

$\Gamma(J/\psi(1S)\pi^0)/\Gamma(J/\psi(1S)\pi^+\pi^-)$

$\Gamma_{12}/\Gamma_9$

VALUE (units $10^{-2}$ )	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.39 ± 0.04 ± 0.01      <sup>40</sup> ADAM      05A CLEO  $e^+e^- \rightarrow \psi(2S) \rightarrow J/\psi\gamma\gamma$

<sup>40</sup> Not independent from other values reported by ADAM 05A.

————— HADRONIC DECAYS —————

**$\Gamma(3(\pi^+\pi^-\pi^0))/\Gamma_{\text{total}}$**   **$\Gamma_{13}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>35±16</b>	6	FRANKLIN	83	MRK2 $e^+e^- \rightarrow$ hadrons

**$\Gamma(2(\pi^+\pi^-\pi^0))/\Gamma_{\text{total}}$**   **$\Gamma_{14}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>26.6±2.9 OUR AVERAGE</b>				
26.1±0.7±3.0	1702.6	BRIERE	05	CLEO $e^+e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+\pi^-\pi^0)$
30 ±8	42	FRANKLIN	83	MRK2 $e^+e^-$

**$\Gamma(\rho a_2(1320))/\Gamma_{\text{total}}$**   **$\Gamma_{15}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2.55±0.73±0.47</b>	112 ± 31		BAI	04C BES2	$\psi(2S) \rightarrow 2(\pi^+\pi^-\pi^0)$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<2.3	90		BAI	98J BES	$e^+e^-$


**$\Gamma(\rho\bar{\rho})/\Gamma_{\text{total}}$**   **$\Gamma_{16}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>2.85±0.23 OUR AVERAGE</b>	Error	includes scale factor of 1.6. See the ideogram below.			
3.36±0.09±0.25	1618	ABLIKIM	07C	BES $e^+e^- \rightarrow \psi(2S) \rightarrow \rho\bar{\rho}$	
2.87±0.12±0.15	557	PEDLAR	05	CLEO $e^+e^- \rightarrow \psi(2S) \rightarrow \rho\bar{\rho}$	
2.16±0.15±0.36	201	<sup>41</sup> BAI	01	BES $e^+e^- \rightarrow \psi(2S) \rightarrow \rho\bar{\rho}$	
1.4 ±0.8	4	BRANDELIK	79C	DASP $e^+e^- \rightarrow \psi(2S) \rightarrow \rho\bar{\rho}$	
2.3 ±0.7		FELDMAN	77	MRK1 $e^+e^- \rightarrow \psi(2S) \rightarrow \rho\bar{\rho}$	

<sup>41</sup> Estimated using  $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.310 \pm 0.028$ .



WEIGHTED AVERAGE  
 $2.85 \pm 0.23$  (Error scaled by 1.6)



$\Gamma(p\bar{p})/\Gamma_{\text{total}}$

$\Gamma_{16}/\Gamma$

$\Gamma(\Delta^{++}\bar{\Delta}^{--})/\Gamma_{\text{total}}$

$\Gamma_{17}/\Gamma$

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>12.8 \pm 1.0 \pm 3.4</math></b>	157	<sup>42</sup> BAI	01	BES $e^+e^- \rightarrow \psi(2S) \rightarrow$ hadrons

<sup>42</sup> Estimated using  $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.310 \pm 0.028$ .

$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$

$\Gamma_{18}/\Gamma$


VALUE (units $10^{-4}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>2.8 \pm 0.5</math> OUR AVERAGE</b>			Error includes scale factor of 2.6. See the ideogram below.		
$3.39 \pm 0.20 \pm 0.32$		337	ABLIKIM	07C	BES $e^+e^- \rightarrow \psi(2S) \rightarrow$ hadrons
$3.28 \pm 0.23 \pm 0.25$		208	PEDLAR	05	CLEO $e^+e^- \rightarrow \psi(2S) \rightarrow$ hadrons
$1.81 \pm 0.20 \pm 0.27$		80	<sup>43</sup> BAI	01	BES $e^+e^- \rightarrow \psi(2S) \rightarrow$ hadrons

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 4	90	FELDMAN	77	MRK1	$e^+e^- \rightarrow \psi(2S) \rightarrow$ hadrons
-----	----	---------	----	------	---

<sup>43</sup> Estimated using  $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.310 \pm 0.028$ .

WEIGHTED AVERAGE  
 $2.8 \pm 0.5$  (Error scaled by 2.6)



$\Gamma(\Lambda\bar{\Lambda})/\Gamma_{\text{total}}$

$\Gamma_{18}/\Gamma$

$\Gamma(\Sigma^+\bar{\Sigma}^-)/\Gamma_{\text{total}}$

$\Gamma_{19}/\Gamma$

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>25.7 \pm 4.4 \pm 6.8</math></b>	35	PEDLAR	05	CLEO $e^+e^- \rightarrow \psi(2S) \rightarrow$ hadrons


$\Gamma(\Sigma^0\bar{\Sigma}^0)/\Gamma_{\text{total}}$

$\Gamma_{20}/\Gamma$

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>22 \pm 4</math> OUR AVERAGE</b>		Error includes scale factor of 1.5. See the ideogram below.		
$23.5 \pm 3.6 \pm 3.2$	59	ABLIKIM	07C	BES $e^+e^- \rightarrow \psi(2S) \rightarrow$ hadrons
$26.3 \pm 3.5 \pm 2.1$	58	PEDLAR	05	CLEO $e^+e^- \rightarrow \psi(2S) \rightarrow$ hadrons
$12 \pm 4 \pm 4$	8	<sup>44</sup> BAI	01	BES $e^+e^- \rightarrow \psi(2S) \rightarrow$ hadrons

<sup>44</sup> Estimated using  $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$ .

WEIGHTED AVERAGE  
 $22 \pm 4$  (Error scaled by 1.5)



$\Gamma(\Sigma^0 \Sigma^0)/\Gamma_{\text{total}}$

$\Gamma_{20}/\Gamma$

$\Gamma(\Sigma(1385)^+ \Sigma(1385)^-)/\Gamma_{\text{total}}$

$\Gamma_{21}/\Gamma$

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>11 \pm 3 \pm 3</math></b>	14	<sup>45</sup> BAI	01	BES $e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons

<sup>45</sup> Estimated using  $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$ .

$\Gamma(\Xi^- \Xi^+)/\Gamma_{\text{total}}$

$\Gamma_{22}/\Gamma$


VALUE (units $10^{-5}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>18 \pm 6</math></b>			<b>OUR AVERAGE</b> Error includes scale factor of 2.8. See the ideogram below.		
$30.3 \pm 4.0 \pm 3.2$		67	ABLIKIM	07C	BES $e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons
$23.8 \pm 3.0 \pm 2.1$		63	PEDLAR	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons
$9.4 \pm 2.7 \pm 1.5$		12	<sup>46</sup> BAI	01	BES $e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons

• • • We do not use the following data for averages, fits, limits, etc. • • •

<20	90	FELDMAN	77	MRK1	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons
-----	----	---------	----	------	--

<sup>46</sup> Estimated using  $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$ .

WEIGHTED AVERAGE  
 $18 \pm 6$  (Error scaled by 2.8)



$\Gamma(\Xi^- \Xi^+)/\Gamma_{\text{total}}$   $\Gamma_{22}/\Gamma$

$\Gamma(\Xi^0 \Xi^0)/\Gamma_{\text{total}}$   $\Gamma_{23}/\Gamma$

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>27.5 \pm 6.4 \pm 6.1</math></b>	19	PEDLAR 05	CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons

$\Gamma(\Xi(1530)^0 \Xi(1530)^0)/\Gamma_{\text{total}}$   $\Gamma_{24}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt; 8.1</b>	90	<sup>47</sup> BAI 01	BES	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<32	90	PEDLAR 05	CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons

<sup>47</sup> Estimated using  $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$ .

$\Gamma(\Omega^- \bar{\Omega}^+)/\Gamma_{\text{total}}$   $\Gamma_{25}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt; 7.3</b>	90	<sup>48</sup> BAI 01	BES	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<16	90	PEDLAR 05	CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ hadrons

<sup>48</sup> Estimated using  $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.310 \pm 0.028$ .

$\Gamma(\pi^0 p \bar{p})/\Gamma_{\text{total}}$   $\Gamma_{26}/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>1.33 \pm 0.17</math> OUR AVERAGE</b>				
$1.32 \pm 0.10 \pm 0.15$	$256 \pm 18$	<sup>49</sup> ABLIKIM	05E BES2	$e^+ e^- \rightarrow \psi(2S) \rightarrow$ $p \bar{p} \gamma \gamma$
$1.4 \pm 0.5$	9	FRANKLIN	83 MRK2	$e^+ e^-$

<sup>49</sup> Computed using  $B(\pi^0 \rightarrow \gamma\gamma) = (98.80 \pm 0.03)\%$ .

### $\Gamma(\eta\rho\bar{p})/\Gamma_{\text{total}}$ $\Gamma_{27}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.60±0.12 OUR AVERAGE</b>				
0.58±0.11±0.07	44.8 ± 8.5	<sup>50</sup> ABLIKIM	05E BES2	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\gamma\gamma$
0.8 ± 0.3 ± 0.3	9.8	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+\pi^-\pi^0$

<sup>50</sup> Computed using  $B(\eta \rightarrow \gamma\gamma) = (39.43 \pm 0.26)\%$ .

### $\Gamma(\omega\rho\bar{p})/\Gamma_{\text{total}}$ $\Gamma_{28}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.69±0.21 OUR AVERAGE</b>				
0.6 ± 0.2 ± 0.2	21.2	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+\pi^-\pi^0$
0.8 ± 0.3 ± 0.1	14.9 ± 0.1	<sup>51</sup> BAI	03B BES	$\psi(2S) \rightarrow p\bar{p}\pi^+\pi^-\pi^0$

<sup>51</sup> Normalized to  $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$ .

### $\Gamma(\phi\rho\bar{p})/\Gamma_{\text{total}}$ $\Gamma_{29}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;0.24</b>				
	90	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}K^+K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.26	90	<sup>52</sup> BAI	03B BES	$\psi(2S) \rightarrow K^+K^-p\bar{p}$
-------	----	-------------------	---------	---------------------------------------

<sup>52</sup> Normalized to  $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$ .

### $\Gamma(\pi^+\pi^-\rho\bar{p})/\Gamma_{\text{total}}$ $\Gamma_{30}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>6.0±0.4 OUR AVERAGE</b>				
5.9±0.2±0.4	904.5	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+\pi^-$
8 ± 2		<sup>53</sup> TANENBAUM	78 MRK1	$e^+e^-$

<sup>53</sup> Assuming entirely strong decay.

### $\Gamma(\rho\bar{n}\pi^- \text{ or c.c.})/\Gamma_{\text{total}}$ $\Gamma_{31}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2.48±0.17 OUR AVERAGE</b>				
2.45±0.11±0.21	851	ABLIKIM	06I BES2	$e^+e^- \rightarrow p\pi^-X$
2.52±0.12±0.22	849	ABLIKIM	06I BES2	$e^+e^- \rightarrow \bar{p}\pi^+X$

### $\Gamma(\rho\bar{n}\pi^-\pi^0)/\Gamma_{\text{total}}$ $\Gamma_{32}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>3.18±0.50±0.50</b>				
	135 ± 21	ABLIKIM	06I BES2	$e^+e^- \rightarrow p\pi^-\pi^0X$

### $\Gamma(\eta\pi^+\pi^-)/\Gamma_{\text{total}}$ $\Gamma_{34}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;1.6</b>				
	90	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$

**$\Gamma(\eta\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$**   **$\Gamma_{35}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>9.5 \pm 0.7 \pm 1.5</math></b>		<sup>54</sup> BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadr}$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$10.3 \pm 0.8 \pm 1.4$	201.7	<sup>55</sup> BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \eta 3\pi(\eta \rightarrow \gamma\gamma)$
$8.1 \pm 1.4 \pm 1.6$	50.0	<sup>55</sup> BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \eta 3\pi(\eta \rightarrow 3\pi)$

<sup>54</sup> Average of  $\eta \rightarrow \gamma\gamma$  and  $\eta \rightarrow 3\pi$ .

<sup>55</sup> Not independent from other values reported by BRIERE 05.

**$\Gamma(\eta'\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$**   **$\Gamma_{36}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>4.5 \pm 1.6 \pm 1.3</math></b>	12.8	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \text{hadr}$

**$\Gamma(\omega\pi^+\pi^-)/\Gamma_{\text{total}}$**   **$\Gamma_{37}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>6.6 \pm 1.7</math> OUR AVERAGE</b>	Error includes scale factor of 2.7.			
$8.2 \pm 0.5 \pm 0.7$	391	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$
$4.8 \pm 0.6 \pm 0.7$	$100 \pm 22$	<sup>56</sup> BAI	03B BES	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$

<sup>56</sup> Normalized to  $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$ .

**$\Gamma(b_1^\pm\pi^\mp)/\Gamma_{\text{total}}$**   **$\Gamma_{38}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>3.6 \pm 0.6</math> OUR AVERAGE</b>				
$4.18^{+0.43}_{-0.42} \pm 0.92$	170	ADAM	05 CLEO	$e^+e^- \rightarrow \psi(2S)$
$3.2 \pm 0.6 \pm 0.5$	$61 \pm 11$	<sup>57,58</sup> BAI	03B BES	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$5.2 \pm 0.8 \pm 1.0$		<sup>57</sup> BAI	99C BES	Repl. by BAI 03B

<sup>57</sup> Assuming  $B(b_1 \rightarrow \omega\pi) = 1$ .

<sup>58</sup> Normalized to  $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$ .

**$\Gamma(b_1^0\pi^0)/\Gamma_{\text{total}}$**   **$\Gamma_{39}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>2.35^{+0.47}_{-0.42} \pm 0.40</math></b>	45	ADAM	05 CLEO	$e^+e^- \rightarrow \psi(2S)$

**$\Gamma(\omega f_2(1270))/\Gamma_{\text{total}}$**   **$\Gamma_{40}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>2.05 \pm 0.41 \pm 0.38</math></b>		$62 \pm 12$	BAI	04C BES2	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$< 1.5$	90	<sup>59</sup> BAI	03B BES	$\psi(2S) \rightarrow 2(\pi^+\pi^-)\pi^0$	
$< 1.7$	90	BAI	98J BES	Repl. by BAI 03B	

<sup>59</sup> Normalized to  $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$ .

**$\Gamma(\pi^+ \pi^- K^+ K^-)/\Gamma_{\text{total}}$**   **$\Gamma_{41}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>7.2 \pm 0.5</math></b> OUR AVERAGE				
$7.1 \pm 0.3 \pm 0.4$	817.2	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow$ $K^+ K^- \pi^+ \pi^-$
$16 \pm 4$		<sup>60</sup> TANENBAUM	78	MRK1 $e^+ e^-$

<sup>60</sup> Assuming entirely strong decay.

**$\Gamma(\rho^0 K^+ K^-)/\Gamma_{\text{total}}$**   **$\Gamma_{42}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>2.2 \pm 0.2 \pm 0.4</math></b>	223.8	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow$ $K^+ K^- \pi^+ \pi^-$

**$\Gamma(K^*(892)^0 \bar{K}_2^*(1430)^0)/\Gamma_{\text{total}}$**   **$\Gamma_{43}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>1.86 \pm 0.32 \pm 0.43</math></b>	$93 \pm 16$		BAI	04C	$\psi(2S) \rightarrow$ $K^+ K^- \pi^+ \pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$<1.2$	90	BAI	98J	BES	$e^+ e^-$
--------	----	-----	-----	-----	-----------

**$\Gamma(K_1(1270)^\pm K^\mp)/\Gamma_{\text{total}}$**   **$\Gamma_{45}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>10.0 \pm 1.8 \pm 2.1</math></b>	<sup>61</sup> BAI	99C	BES $e^+ e^-$

<sup>61</sup> Assuming  $B(K_1(1270) \rightarrow K \rho) = 0.42 \pm 0.06$

**$\Gamma(K_S^0 K_S^0 \pi^+ \pi^-)/\Gamma_{\text{total}}$**   **$\Gamma_{46}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>2.20 \pm 0.25 \pm 0.37</math></b>	$83 \pm 9$	ABLIKIM	050	BES2 $e^+ e^- \rightarrow \psi(2S)$

**$\Gamma(\rho^0 \rho \bar{\rho})/\Gamma_{\text{total}}$**   **$\Gamma_{47}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>0.5 \pm 0.1 \pm 0.2</math></b>	61.1	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow$ $\rho \bar{\rho} \pi^+ \pi^-$

**$\Gamma(K^+ \bar{K}^*(892)^0 \pi^- + \text{c.c.})/\Gamma_{\text{total}}$**   **$\Gamma_{48}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>6.7 \pm 2.5</math></b>	TANENBAUM	78	MRK1 $e^+ e^-$

**$\Gamma(2(\pi^+ \pi^-))/\Gamma_{\text{total}}$**   **$\Gamma_{49}/\Gamma$**

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>2.4 \pm 0.6</math></b> OUR AVERAGE				Error includes scale factor of 2.2.
$2.2 \pm 0.2 \pm 0.2$	308	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow$ $2(\pi^+ \pi^-)$
$4.5 \pm 1.0$		TANENBAUM	78	MRK1 $e^+ e^-$

$\Gamma(\rho^0 \pi^+ \pi^-)/\Gamma_{\text{total}}$   $\Gamma_{50}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2.2±0.6 OUR AVERAGE</b>				Error includes scale factor of 1.4.
2.0±0.2±0.4	285.5	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow 2(\pi^+ \pi^-)$
4.2±1.5		TANENBAUM	78	MRK1 $e^+ e^-$

$\Gamma(K^+ K^- \pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$   $\Gamma_{51}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>12.4<sup>+1.0</sup><sub>-0.9</sub> OUR AVERAGE</b>				
11.7±1.0±1.5	597	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$
12.7±0.5±1.0	711.6	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

$\Gamma(\omega f_0(1710) \rightarrow \omega K^+ K^-)/\Gamma_{\text{total}}$   $\Gamma_{52}/\Gamma$

<u>VALUE (units <math>10^{-5}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>5.9±2.0±0.9</b>	19	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

$\Gamma(K^*(892)^0 K^- \pi^+ \pi^0 + \text{c.c.})/\Gamma_{\text{total}}$   $\Gamma_{53}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>8.6±1.3±1.8</b>	238	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

$\Gamma(K^*(892)^+ K^- \pi^+ \pi^- + \text{c.c.})/\Gamma_{\text{total}}$   $\Gamma_{54}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>9.6±2.2±1.7</b>	133	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

$\Gamma(K^*(892)^+ K^- \rho^0 + \text{c.c.})/\Gamma_{\text{total}}$   $\Gamma_{55}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>7.3±2.2±1.4</b>	78	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

$\Gamma(K^*(892)^0 K^- \rho^+ + \text{c.c.})/\Gamma_{\text{total}}$   $\Gamma_{56}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>6.1±1.3±1.2</b>	125	ABLIKIM	06G	BES2 $\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

$\Gamma(\eta K^+ K^-)/\Gamma_{\text{total}}$   $\Gamma_{57}/\Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;1.3</b>	90	BRIERE	05	CLEO $e^+ e^- \rightarrow \psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$



$\Gamma(\omega K^+ K^-)/\Gamma_{\text{total}}$   $\Gamma_{58}/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1.85 ± 0.25 OUR AVERAGE</b>				Error includes scale factor of 1.1.
2.38 ± 0.37 ± 0.29	78	ABLIKIM	06G BES2	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$
1.9 ± 0.3 ± 0.3	76.8	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$
1.5 ± 0.3 ± 0.2	23.0 ± 5.2	<sup>62</sup> BAI	03B BES	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

<sup>62</sup> Normalized to  $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$ .

$\Gamma(3(\pi^+ \pi^-))/\Gamma_{\text{total}}$   $\Gamma_{59}/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>3.5 ± 2.0 OUR AVERAGE</b>				Error includes scale factor of 2.8.
5.45 ± 0.42 ± 0.87	671	ABLIKIM	05H BES2	$e^+ e^- \rightarrow \psi(2S) \rightarrow 3(\pi^+ \pi^-)$
1.5 ± 1.0		<sup>63</sup> TANENBAUM	78 MRK1	$e^+ e^-$

<sup>63</sup> Assuming entirely strong decay.

$\Gamma(p\bar{p}\pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$   $\Gamma_{60}/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>7.3 ± 0.4 ± 0.6</b>	434.9	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow p\bar{p}\pi^+ \pi^- \pi^0$

$\Gamma(K^+ K^-)/\Gamma_{\text{total}}$   $\Gamma_{61}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>6.3 ± 0.7 OUR AVERAGE</b>				
6.3 ± 0.6 ± 0.3		DOBBS	06A CLEO	$e^+ e^-$
10 ± 7		BRANDELIK	79C DASP	$e^+ e^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 5	90	FELDMAN	77 MRK1	$e^+ e^-$

$\Gamma(K_S^0 K_L^0)/\Gamma_{\text{total}}$   $\Gamma_{62}/\Gamma$


VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>5.4 ± 0.5 OUR AVERAGE</b>				
5.8 ± 0.8 ± 0.4		DOBBS	06A CLEO	$e^+ e^-$
5.24 ± 0.47 ± 0.48	156 ± 14	<sup>64</sup> BAI	04B BES2	$\psi(2S) \rightarrow K_S^0 K_L^0 \rightarrow \pi^+ \pi^- X$

<sup>64</sup> Using  $B(K_S^0 \rightarrow \pi^+ \pi^-) = 0.6860 \pm 0.0027$ .

$\Gamma(\pi^+ \pi^- \pi^0)/\Gamma_{\text{total}}$   $\Gamma_{63}/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1.68 ± 0.26 OUR AVERAGE</b>				Error includes scale factor of 1.4. See the ideogram below.
1.81 ± 0.18 ± 0.19	260 ± 19	<sup>65</sup> ABLIKIM	05J BES2	$e^+ e^- \rightarrow \psi(2S)$
1.88 <sup>+0.16</sup> <sub>-0.15</sub> ± 0.28	194	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$
0.85 ± 0.46	4	FRANKLIN	83 MRK2	$e^+ e^- \rightarrow \text{hadrons}$

<sup>65</sup> From a PW analysis of  $\psi(2S) \rightarrow \pi^+ \pi^- \pi^0$ .



$\Gamma(\rho(2150)\pi \rightarrow \pi^+ \pi^- \pi^0) / \Gamma_{\text{total}}$   $\Gamma_{64} / \Gamma$

VALUE (units $10^{-4}$ )	DOCUMENT ID	TECN	COMMENT
<b>1.94±0.25<sup>+1.15</sup><sub>-0.34</sub></b>	<sup>66</sup> ABLIKIM	05J BES2	$\psi(2S) \rightarrow \rho(2150)\pi \rightarrow \pi^+ \pi^- \pi^0$

<sup>66</sup> From a PW analysis of  $\psi(2S) \rightarrow \pi^+ \pi^- \pi^0$ .

$\Gamma(\rho(770)\pi \rightarrow \pi^+ \pi^- \pi^0) / \Gamma_{\text{total}}$   $\Gamma_{65} / \Gamma$

VALUE (units $10^{-4}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.32±0.12 OUR AVERAGE</b>			Error includes scale factor of 1.8.		
0.51±0.07±0.11			<sup>67</sup> ABLIKIM	05J BES2	$\psi(2S) \rightarrow \rho(770)\pi \rightarrow \pi^+ \pi^- \pi^0$
0.24 <sup>+0.08</sup> <sub>-0.07</sub> ±0.02		22	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.83	90	1	FRANKLIN	83 MRK2	$e^+ e^-$
<10	90		BARTEL	76 CNTR	$e^+ e^-$
<10	90		<sup>68</sup> ABRAMS	75 MRK1	$e^+ e^-$

<sup>67</sup> From a PW analysis of  $\psi(2S) \rightarrow \pi^+ \pi^- \pi^0$ .

<sup>68</sup> Final state  $\rho^0 \pi^0$ .

**$\Gamma(\pi^+\pi^-)/\Gamma_{\text{total}}$**   **$\Gamma_{66}/\Gamma$**

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b><math>8 \pm 5</math></b>		BRANDELIK	79C	DASP $e^+e^-$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<2.1	90	DOBBS	06A	CLEO $e^+e^- \rightarrow \psi(2S)$
<5	90	FELDMAN	77	MRK1 $e^+e^-$

**$\Gamma(K_1(1400)^\pm K^\mp)/\Gamma_{\text{total}}$**   **$\Gamma_{67}/\Gamma$**

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;3.1</b>	90	<sup>69</sup> BAI	99C	BES $e^+e^-$
<sup>69</sup> Assuming $B(K_1(1400) \rightarrow K^*\pi) = 0.94 \pm 0.06$				

**$\Gamma(K^+K^-\pi^0)/\Gamma_{\text{total}}$**   **$\Gamma_{68}/\Gamma$**

VALUE (units $10^{-5}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>&lt;2.96</b>	90	1	FRANKLIN	83	MRK2 $e^+e^- \rightarrow$ hadrons

**$\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.})/\Gamma_{\text{total}}$**   **$\Gamma_{69}/\Gamma$**

VALUE (units $10^{-5}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>1.7^{+0.8}_{-0.7}</math> OUR AVERAGE</b>					
$2.9^{+1.3}_{-1.7} \pm 0.4$		$9.6 \pm 4.2$	ABLIKIM	05I	BES2 $e^+e^- \rightarrow \psi(2S)$
$1.3^{+1.0}_{-0.7} \pm 0.3$		7	ADAM	05	CLEO $e^+e^- \rightarrow \psi(2S)$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<5.4	90		FRANKLIN	83	MRK2 $e^+e^- \rightarrow$ hadrons

**$\Gamma(K^*(892)^0\bar{K}^0 + \text{c.c.})/\Gamma_{\text{total}}$**   **$\Gamma_{70}/\Gamma$**

VALUE (units $10^{-5}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>10.9 \pm 2.0</math> OUR AVERAGE</b>				
$13.3^{+2.4}_{-2.8} \pm 1.7$	$65.6 \pm 9.0$	ABLIKIM	05I	BES2 $e^+e^- \rightarrow \psi(2S)$
$9.2^{+2.7}_{-2.2} \pm 0.9$	25	ADAM	05	CLEO $e^+e^- \rightarrow \psi(2S)$

**$\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.})/\Gamma(K^*(892)^0\bar{K}^0 + \text{c.c.})$**   **$\Gamma_{69}/\Gamma_{70}$**

VALUE	DOCUMENT ID	TECN	COMMENT
<b><math>0.16 \pm 0.06</math> OUR AVERAGE</b>			
$0.22^{+0.10}_{-0.14}$	ABLIKIM	05I	BES2 $e^+e^- \rightarrow \psi(2S)$
$0.14^{+0.08}_{-0.06}$	ADAM	05	CLEO $e^+e^- \rightarrow \psi(2S)$

**$\Gamma(\phi\pi^+\pi^-)/\Gamma_{\text{total}}$**   **$\Gamma_{71}/\Gamma$**

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>1.13 \pm 0.29</math> OUR AVERAGE</b> Error includes scale factor of 1.7.				
$0.9 \pm 0.2 \pm 0.1$	47.6	BRIERE	05	CLEO $e^+e^- \rightarrow \psi(2S) \rightarrow$ $K^+K^-\pi^+\pi^-$
$1.5 \pm 0.2 \pm 0.2$	$51.5 \pm 8.3$	<sup>70</sup> BAI	03B	BES $\psi(2S) \rightarrow K^+K^-\pi^+\pi^-$
<sup>70</sup> Normalized to $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$ .				

$\Gamma(\phi f_0(980) \rightarrow \pi^+ \pi^-) / \Gamma_{\text{total}}$   $\Gamma_{72} / \Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>0.6 \pm 0.2 \pm 0.1</math></b>	$18.4 \pm 6.4$	<sup>71</sup> BAI	03B BES	$\psi(2S) \rightarrow K^+ K^- \pi^+ \pi^-$

<sup>71</sup> Normalized to  $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$ .

$\Gamma(2(K^+ K^-)) / \Gamma_{\text{total}}$   $\Gamma_{73} / \Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>0.6 \pm 0.1 \pm 0.1</math></b>	59.2	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow 2(K^+ K^-)$

$\Gamma(\phi K^+ K^-) / \Gamma_{\text{total}}$   $\Gamma_{74} / \Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>0.70 \pm 0.16</math> OUR AVERAGE</b>				
$0.8 \pm 0.2 \pm 0.1$	36.8	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow 2(K^+ K^-)$
$0.6 \pm 0.2 \pm 0.1$	$16.1 \pm 5.0$	<sup>72</sup> BAI	03B BES	$\psi(2S) \rightarrow 2(K^+ K^-)$

<sup>72</sup> Normalized to  $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$ .

$\Gamma(2(K^+ K^-) \pi^0) / \Gamma_{\text{total}}$   $\Gamma_{75} / \Gamma$

<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>1.1 \pm 0.2 \pm 0.2</math></b>	44.7	BRIERE	05 CLEO	$e^+ e^- \rightarrow \psi(2S) \rightarrow 2(K^+ K^-) \pi^0$

$\Gamma(\phi \eta) / \Gamma_{\text{total}}$   $\Gamma_{76} / \Gamma$

<u>VALUE (units <math>10^{-5}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>2.8^{+1.0}_{-0.8}</math> OUR AVERAGE</b>				

$2.0^{+1.5}_{-1.1} \pm 0.4$	6	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$
$3.3 \pm 1.1 \pm 0.5$	17	ABLIKIM	04K BES	$e^+ e^- \rightarrow \psi(2S)$

$\Gamma(\phi \eta') / \Gamma_{\text{total}}$   $\Gamma_{77} / \Gamma$

<u>VALUE (units <math>10^{-5}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>3.1 \pm 1.4 \pm 0.7</math></b>	8	<sup>73</sup> ABLIKIM	04K BES	$e^+ e^- \rightarrow \psi(2S)$

<sup>73</sup> Calculated combining  $\eta' \rightarrow \gamma \rho$  and  $\eta \pi^+ \pi^-$  channels.

$\Gamma(\omega \eta') / \Gamma_{\text{total}}$   $\Gamma_{78} / \Gamma$

<u>VALUE (units <math>10^{-5}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>3.2^{+2.4}_{-2.0} \pm 0.7</math></b>	4	<sup>74</sup> ABLIKIM	04K BES	$e^+ e^- \rightarrow \psi(2S)$

<sup>74</sup> Calculated combining  $\eta' \rightarrow \gamma \rho$  and  $\eta \pi^+ \pi^-$  channels.

$\Gamma(\omega \pi^0) / \Gamma_{\text{total}}$   $\Gamma_{79} / \Gamma$

<u>VALUE (units <math>10^{-5}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>2.1 \pm 0.6</math> OUR AVERAGE</b>				
$2.5^{+1.2}_{-1.0} \pm 0.2$	14	ADAM	05 CLEO	$e^+ e^- \rightarrow \psi(2S)$
$1.87^{+0.68}_{-0.62} \pm 0.28$	14	ABLIKIM	04L BES	$e^+ e^- \rightarrow \psi(2S)$

$\Gamma(\rho\eta')/\Gamma_{\text{total}}$					$\Gamma_{80}/\Gamma$
<u>VALUE (units <math>10^{-5}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
$1.87^{+1.64}_{-1.11} \pm 0.33$	2	ABLIKIM	04L BES	$e^+e^- \rightarrow \psi(2S)$	

$\Gamma(\rho\eta)/\Gamma_{\text{total}}$					$\Gamma_{81}/\Gamma$
<u>VALUE (units <math>10^{-5}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>2.2 <math>\pm</math> 0.6 OUR AVERAGE</b>	Error includes scale factor of 1.1.				
$3.0^{+1.1}_{-0.9} \pm 0.2$	18	ADAM	05 CLEO	$e^+e^- \rightarrow \psi(2S)$	
$1.78^{+0.67}_{-0.62} \pm 0.17$	13	ABLIKIM	04L BES	$e^+e^- \rightarrow \psi(2S)$	

$\Gamma(\omega\eta)/\Gamma_{\text{total}}$					$\Gamma_{82}/\Gamma$
<u>VALUE (units <math>10^{-5}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;1.1</b>	90	ADAM	05 CLEO	$e^+e^- \rightarrow \psi(2S)$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<3.1	90	ABLIKIM	04K BES	$e^+e^- \rightarrow \psi(2S)$	

$\Gamma(\phi\pi^0)/\Gamma_{\text{total}}$					$\Gamma_{83}/\Gamma$
<u>VALUE (units <math>10^{-5}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;0.4</b>	90	ABLIKIM	04K BES	$e^+e^- \rightarrow \psi(2S)$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<0.7	90	ADAM	05 CLEO	$e^+e^- \rightarrow \psi(2S)$	

$\Gamma(\eta_c\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$					$\Gamma_{84}/\Gamma$
<u>VALUE (units <math>10^{-3}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>&lt;1.0</b>	90	PEDLAR	07 CLEC	$e^+e^- \rightarrow \psi(2S)$	

$\Gamma(\rho\bar{p}K^+K^-)/\Gamma_{\text{total}}$					$\Gamma_{85}/\Gamma$
<u>VALUE (units <math>10^{-5}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>2.7 <math>\pm</math> 0.6 <math>\pm</math> 0.4</b>	30.1	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \rho\bar{p}K^+K^-$	

$\Gamma(\Lambda\bar{\Lambda}\pi^+\pi^-)/\Gamma_{\text{total}}$					$\Gamma_{86}/\Gamma$
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>2.8 <math>\pm</math> 0.4 <math>\pm</math> 0.5</b>	73.4	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \rho\bar{p}2(\pi^+\pi^-)$	

$\Gamma(\Lambda\bar{p}K^+)/\Gamma_{\text{total}}$					$\Gamma_{87}/\Gamma$
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>1.0 <math>\pm</math> 0.1 <math>\pm</math> 0.1</b>	74.0	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \rho\bar{p}K^+\pi^-$	

$\Gamma(\Lambda\bar{p}K^+\pi^+\pi^-)/\Gamma_{\text{total}}$					$\Gamma_{88}/\Gamma$
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>1.8 <math>\pm</math> 0.3 <math>\pm</math> 0.3</b>	45.8	BRIERE	05 CLEO	$e^+e^- \rightarrow \psi(2S) \rightarrow \rho\bar{p}K^+\pi^+\pi^-\pi^-$	

$\Gamma(\phi f'_2(1525))/\Gamma_{\text{total}}$   $\Gamma_{89}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.44 ± 0.12 ± 0.11</b>		20 ± 6	BAI	04C	$\psi(2S) \rightarrow 2(K^+ K^-)$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.45	90		BAI	98J BES	$e^+ e^- \rightarrow 2(K^+ K^-)$

$\Gamma(\Theta(1540)\bar{\Theta}(1540) \rightarrow K_S^0 p K^- \bar{n} + \text{c.c.})/\Gamma_{\text{total}}$   $\Gamma_{90}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.88</b>	90	BAI	04G BES2	$e^+ e^-$

$\Gamma(\Theta(1540)K^- \bar{n} \rightarrow K_S^0 p K^- \bar{n})/\Gamma_{\text{total}}$   $\Gamma_{91}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;1.0</b>	90	BAI	04G BES2	$e^+ e^-$

$\Gamma(\Theta(1540)K_S^0 \bar{p} \rightarrow K_S^0 \bar{p} K^+ n)/\Gamma_{\text{total}}$   $\Gamma_{92}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.70</b>	90	BAI	04G BES2	$e^+ e^-$

$\Gamma(\bar{\Theta}(1540)K^+ n \rightarrow K_S^0 \bar{p} K^+ n)/\Gamma_{\text{total}}$   $\Gamma_{93}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;2.6</b>	90	BAI	04G BES2	$e^+ e^-$

$\Gamma(\bar{\Theta}(1540)K_S^0 p \rightarrow K_S^0 p K^- \bar{n})/\Gamma_{\text{total}}$   $\Gamma_{94}/\Gamma$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.60</b>	90	BAI	04G BES2	$e^+ e^-$

$\Gamma(K_S^0 K_S^0)/\Gamma_{\text{total}}$   $\Gamma_{95}/\Gamma$

VALUE (units $10^{-4}$ )	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.046</b>	<sup>75</sup> BAI	04D BES	$e^+ e^-$

<sup>75</sup>Forbidden by CP.

————— RADIATIVE DECAYS —————

$\Gamma(\gamma \chi_{c0}(1P))/\Gamma_{\text{total}}$   $\Gamma_{96}/\Gamma$

VALUE (units $10^{-2}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>9.3 ± 0.4 OUR FIT</b>				
<b>9.2 ± 0.4 OUR AVERAGE</b>				
9.22 ± 0.11 ± 0.46	72600	ATHAR	04	CLEO $e^+ e^- \rightarrow \gamma X$
9.9 ± 0.5 ± 0.8		<sup>76</sup> GAISER	86	CBAL $e^+ e^- \rightarrow \gamma X$
7.2 ± 2.3		<sup>76</sup> BIDDICK	77	CNTR $e^+ e^- \rightarrow \gamma X$
7.5 ± 2.6		<sup>76</sup> WHITAKER	76	MRK1 $e^+ e^-$

<sup>76</sup>Angular distribution  $(1 + \cos^2 \theta)$  assumed.

$\Gamma(\gamma\chi_{c1}(1P))/\Gamma_{\text{total}}$   $\Gamma_{97}/\Gamma$

VALUE (units  $10^{-2}$ )    EVTS    DOCUMENT ID    TECN    COMMENT

**8.8  $\pm$  0.4 OUR FIT**

**8.9  $\pm$  0.5 OUR AVERAGE**

9.07 $\pm$ 0.11 $\pm$ 0.54	76700	ATHAR	04	CLEO	$e^+e^- \rightarrow \gamma X$
9.0 $\pm$ 0.5 $\pm$ 0.7		<sup>77</sup> GAISER	86	CBAL	$e^+e^- \rightarrow \gamma X$
7.1 $\pm$ 1.9		<sup>78</sup> BIDDICK	77	CNTR	$e^+e^- \rightarrow \gamma X$

<sup>77</sup> Angular distribution  $(1-0.189 \cos^2\theta)$  assumed.

<sup>78</sup> Valid for isotropic distribution of the photon.

$\Gamma(\gamma\chi_{c2}(1P))/\Gamma_{\text{total}}$   $\Gamma_{98}/\Gamma$

VALUE (units  $10^{-2}$ )    EVTS    DOCUMENT ID    TECN    COMMENT

**8.1  $\pm$  0.4 OUR FIT**

**8.8  $\pm$  0.5 OUR AVERAGE** Error includes scale factor of 1.1.

9.33 $\pm$ 0.14 $\pm$ 0.61	79300	ATHAR	04	CLEO	$e^+e^- \rightarrow \gamma X$
8.0 $\pm$ 0.5 $\pm$ 0.7		<sup>79</sup> GAISER	86	CBAL	$e^+e^- \rightarrow \gamma X$
7.0 $\pm$ 2.0		<sup>80</sup> BIDDICK	77	CNTR	$e^+e^- \rightarrow \gamma X$

<sup>79</sup> Angular distribution  $(1-0.052 \cos^2\theta)$  assumed.

<sup>80</sup> Valid for isotropic distribution of the photon.

$[\Gamma(\gamma\chi_{c0}(1P)) + \Gamma(\gamma\chi_{c1}(1P)) + \Gamma(\gamma\chi_{c2}(1P))]/\Gamma_{\text{total}}$   $(\Gamma_{96} + \Gamma_{97} + \Gamma_{98})/\Gamma$

VALUE    DOCUMENT ID    TECN    COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

27.6 $\pm$ 0.3 $\pm$ 2.0		<sup>81</sup> ATHAR	04	CLEO	$e^+e^- \rightarrow \gamma X$
--------------------------	--	---------------------	----	------	-------------------------------

<sup>81</sup> Not independent from ATHAR 04 measurements of  $B(\gamma\chi_{cJ})$ .

$\Gamma(\gamma\chi_{c0}(1P))/\Gamma(\gamma\chi_{c1}(1P))$   $\Gamma_{96}/\Gamma_{97}$

VALUE    DOCUMENT ID    TECN    COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.02 $\pm$ 0.01 $\pm$ 0.07		<sup>82</sup> ATHAR	04	CLEO	$e^+e^- \rightarrow \gamma X$
----------------------------	--	---------------------	----	------	-------------------------------

<sup>82</sup> Not independent from ATHAR 04 measurements of  $B(\gamma\chi_{cJ})$ .

$\Gamma(\gamma\chi_{c2}(1P))/\Gamma(\gamma\chi_{c1}(1P))$   $\Gamma_{98}/\Gamma_{97}$

VALUE    DOCUMENT ID    TECN    COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.03 $\pm$ 0.02 $\pm$ 0.03		<sup>83</sup> ATHAR	04	CLEO	$e^+e^- \rightarrow \gamma X$
----------------------------	--	---------------------	----	------	-------------------------------

<sup>83</sup> Not independent from ATHAR 04 measurements of  $B(\gamma\chi_{cJ})$ .

$\Gamma(\gamma\chi_{c0}(1P))/\Gamma(\gamma\chi_{c2}(1P))$   $\Gamma_{96}/\Gamma_{98}$

VALUE    DOCUMENT ID    TECN    COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.99 $\pm$ 0.02 $\pm$ 0.08		<sup>84</sup> ATHAR	04	CLEO	$e^+e^- \rightarrow \gamma X$
----------------------------	--	---------------------	----	------	-------------------------------

<sup>84</sup> Not independent from ATHAR 04 measurements of  $B(\gamma\chi_{cJ})$ .

**$\Gamma(\gamma\eta_c(1S))/\Gamma_{\text{total}}$**   **$\Gamma_{99}/\Gamma$**

VALUE (units $10^{-2}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

**0.30±0.05 OUR AVERAGE**

0.32±0.04±0.06	2560	<sup>85</sup> ATHAR	04	CLEO $e^+e^- \rightarrow \gamma X$
0.28±0.06		<sup>86</sup> GAISER	86	CBAL $e^+e^- \rightarrow \gamma X$

<sup>85</sup> ATHAR 04 used  $\Gamma_{\eta_c(1S)} = 24.8 \pm 4.9$  MeV to obtain this result.

<sup>86</sup> GAISER 86 used  $\Gamma_{\eta_c(1S)} = 11.5 \pm 4.5$  MeV to obtain this result.

**$\Gamma(\gamma\eta_c(2S))/\Gamma_{\text{total}}$**   **$\Gamma_{100}/\Gamma$**

VALUE (units $10^{-2}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<b>&lt;0.20</b>	90	ATHAR	04	CLEO $e^+e^- \rightarrow \gamma X$
-----------------	----	-------	----	------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.2 to 1.3	95	EDWARDS	82C	CBAL $e^+e^- \rightarrow \gamma X$
------------	----	---------	-----	------------------------------------

**$\Gamma(\gamma\pi^0)/\Gamma_{\text{total}}$**   **$\Gamma_{101}/\Gamma$**

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<b>&lt; 54</b>	95	<sup>87</sup> LIBERMAN	75	SPEC $e^+e^-$
----------------	----	------------------------	----	---------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<100	90	WIJK	75	DASP $e^+e^-$
------	----	------	----	---------------

<sup>87</sup> Restated by us using  $B(\psi(2S) \rightarrow \mu^+\mu^-) = 0.0077$ .

**$\Gamma(\gamma\eta'(958))/\Gamma_{\text{total}}$**   **$\Gamma_{102}/\Gamma$**

VALUE (units $10^{-4}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

**1.36±0.24 OUR AVERAGE**

1.24±0.27±0.15	23	ABLIKIM	06R	BES2 $e^+e^- \rightarrow \psi(2S)$
1.54±0.31±0.20	~ 43	BAI	98F	BES $\psi(2S) \rightarrow \pi^+\pi^-2\gamma,$ $\pi^+\pi^-3\gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 60	90	<sup>88</sup> BRAUNSCH...	77	DASP $e^+e^-$
------	----	---------------------------	----	---------------

< 11	90	<sup>89</sup> BARTEL	76	CNTR $e^+e^-$
------	----	----------------------	----	---------------

<sup>88</sup> Restated by us using total decay width 228 keV.

<sup>89</sup> The value is normalized to the branching ratio for  $\Gamma(J/\psi(1S)\eta)/\Gamma_{\text{total}}$ .

**$\Gamma(\gamma f_2(1270))/\Gamma_{\text{total}}$**   **$\Gamma_{103}/\Gamma$**

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

<b>2.12±0.19±0.32</b>		<sup>90,91</sup> BAI	03C	BES $\psi(2S) \rightarrow \gamma\pi\pi$
-----------------------	--	----------------------	-----	---

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.08±0.19±0.33	200.6 ± 18.8	<sup>90</sup> BAI	03C	BES $\psi(2S) \rightarrow \gamma\pi^+\pi^-$
----------------	--------------	-------------------	-----	---

2.90±1.08±1.07	29.9 ± 11.1	<sup>90</sup> BAI	03C	BES $\psi(2S) \rightarrow \gamma\pi^0\pi^0$
----------------	-------------	-------------------	-----	---

<sup>90</sup> Normalized to  $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$ .

<sup>91</sup> Combining the results from  $\pi^+\pi^-$  and  $\pi^0\pi^0$  decay modes.

**$\Gamma(\gamma f_0(1710) \rightarrow \gamma\pi\pi)/\Gamma_{\text{total}}$**   **$\Gamma_{105}/\Gamma$**

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

<b>0.301±0.041±0.124</b>	35.6 ± 4.8	<sup>92</sup> BAI	03C	BES $\psi(2S) \rightarrow \gamma\pi^+\pi^-$
--------------------------	------------	-------------------	-----	---

<sup>92</sup> Normalized to  $B(\psi(2S) \rightarrow J/\psi\pi^+\pi^-) = 0.305 \pm 0.016$ .



$\Gamma(\gamma f_0(1710) \rightarrow \gamma K \bar{K})/\Gamma_{\text{total}}$   $\Gamma_{106}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	------	-------------	------	---------

<b>0.604 ± 0.090 ± 0.132</b>	39.6 ± 5.9	<sup>93,94</sup>	BAI	03C BES	$\psi(2S) \rightarrow \gamma K^+ K^-$
------------------------------	------------	------------------	-----	---------	---------------------------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 1.56	90	6.8 ± 3.1	<sup>93,94</sup> BAI	03C BES	$\psi(2S) \rightarrow \gamma K_S^0 K_S^0$
--------	----	-----------	----------------------	---------	---

<sup>93</sup> Includes unknown branching fractions to  $K^+ K^-$  or  $K_S^0 K_S^0$ . We have multiplied the  $K^+ K^-$  result by a factor of 2 and the  $K_S^0 K_S^0$  result by a factor of 4 to obtain the  $K \bar{K}$  result.

<sup>94</sup> Normalized to  $B(\psi(2S) \rightarrow J/\psi \pi^+ \pi^-) = 0.305 \pm 0.016$ .

$\Gamma(\gamma \eta)/\Gamma_{\text{total}}$   $\Gamma_{108}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<b>&lt; 0.9</b>	90	BAI	98F BES	$\psi(2S) \rightarrow \pi^+ \pi^- 3\gamma$
-----------------	----	-----	---------	--

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 2	90	YAMADA	77 DASP	$e^+ e^- \rightarrow 3\gamma$
-----	----	--------	---------	-------------------------------

$\Gamma(\gamma \eta \pi^+ \pi^-)/\Gamma_{\text{total}}$   $\Gamma_{109}/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

<b>8.71 ± 1.25 ± 1.64</b>	418	ABLIKIM	06R BES2	$\psi(2S) \rightarrow \gamma \eta \pi^+ \pi^-$
---------------------------	-----	---------	----------	--

$\Gamma(\gamma \eta(1405) \rightarrow \gamma K \bar{K} \pi)/\Gamma_{\text{total}}$   $\Gamma_{111}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<b>&lt; 0.9</b>	90	ABLIKIM	06R BES2	$\psi(2S) \rightarrow \gamma K_S^0 K^+ \pi^- + \text{c.c.}$
-----------------	----	---------	----------	---

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 1.3	90	ABLIKIM	06R BES2	$\psi(2S) \rightarrow \gamma K^+ K^- \pi^0$
-------	----	---------	----------	---

< 1.2	90	<sup>95</sup> SCHARRE	80 MRK1	$e^+ e^-$
-------	----	-----------------------	---------	-----------

<sup>95</sup> Includes unknown branching fraction  $\eta(1405) \rightarrow K \bar{K} \pi$ .

$\Gamma(\gamma \eta(1405) \rightarrow \eta \pi^+ \pi^-)/\Gamma_{\text{total}}$   $\Gamma_{112}/\Gamma$

VALUE (units $10^{-4}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

<b>0.36 ± 0.25 ± 0.05</b>	10	ABLIKIM	06R BES2	$\psi(2S) \rightarrow \gamma \eta \pi^+ \pi^-$
---------------------------	----	---------	----------	--

$\Gamma(\gamma \eta(1475) \rightarrow K \bar{K} \pi)/\Gamma_{\text{total}}$   $\Gamma_{114}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<b>&lt; 1.4</b>	90	ABLIKIM	06R BES2	$\psi(2S) \rightarrow \gamma K^+ K^- \pi^0$
-----------------	----	---------	----------	---

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 1.5	90	ABLIKIM	06R BES2	$\psi(2S) \rightarrow \gamma K_S^0 K^+ \pi^- + \text{c.c.}$
-------	----	---------	----------	---

$\Gamma(\gamma \eta(1475) \rightarrow \eta \pi^+ \pi^-)/\Gamma_{\text{total}}$   $\Gamma_{115}/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<b>&lt; 0.88</b>	90	ABLIKIM	06R BES2	$\psi(2S) \rightarrow \gamma \eta \pi^+ \pi^-$
------------------	----	---------	----------	--

**$\psi(2S)$  CROSS-PARTICLE BRANCHING RATIOS**

For measurements involving  $B(\psi(2S) \rightarrow \gamma \chi_{cJ}(1P)) \times B(\chi_{cJ}(1P) \rightarrow X)$   
see the corresponding entries in the  $\chi_{cJ}(1P)$  sections.

 **$\psi(2S)$  REFERENCES**

ABLIKIM	07C	PL B648 149	M. Ablikim <i>et al.</i>	(BES Collab.)
ANASHIN	07	JETPL 85 347	V.V. Anashin <i>et al.</i>	(KEDR Collab.)
		Translated from ZETFP 85 429.		
PEDLAR	07	PR D75 011102R	T.K. Pedlar <i>et al.</i>	(CLEO Collab.)
ABLIKIM	06G	PR D73 052004	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	06I	PR D74 012004	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	06L	PRL 97 121801	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	06R	PR D74 072001	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	06W	PR D74 112003	M. Ablikim <i>et al.</i>	(BES Collab.)
ADAM	06	PRL 96 082004	N.E. Adam <i>et al.</i>	(CLEO Collab.)
AUBERT	06B	PR D73 012005	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	06D	PR D73 052003	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT,BE	06D	PR D74 091103R	B. Aubert <i>et al.</i>	(BABAR Collab.)
DOBBS	06A	PR D74 011105R	S. Dobbs <i>et al.</i>	(CLEO Collab.)
ABLIKIM	05E	PR D71 072006	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05H	PR D72 012002	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05I	PL B614 37	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05J	PL B619 247	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	05O	PL B630 21	M. Ablikim <i>et al.</i>	(BES Collab.)
ADAM	05	PRL 94 012005	N.E. Adam <i>et al.</i>	(CLEO Collab.)
ADAM	05A	PRL 94 232002	N.E. Adam <i>et al.</i>	(CLEO Collab.)
ANDREOTTI	05	PR D71 032006	M. Andreotti <i>et al.</i>	(FNAL E835 Collab.)
AUBERT	05D	PR D71 052001	B. Aubert <i>et al.</i>	(BABAR Collab.)
BRIERE	05	PRL 95 062001	R.A. Briere <i>et al.</i>	(CLEO Collab.)
PEDLAR	05	PR D72 051108R	T.K. Pedlar <i>et al.</i>	(CLEO Collab.)
ABLIKIM	04B	PR D70 012003	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	04K	PR D70 112003	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	04L	PR D70 112007	M. Ablikim <i>et al.</i>	(BES Collab.)
ATHAR	04	PR D70 112002	S.B. Athar <i>et al.</i>	(CLEO Collab.)
BAI	04B	PRL 92 052001	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04C	PR D69 072001	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04D	PL B589 7	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04G	PR D70 012004	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	04I	PR D70 012006	J.Z. Bai <i>et al.</i>	(BES Collab.)
PDG	04	PL B592 1	S. Eidelman <i>et al.</i>	
SETH	04	PR D69 097503	K.K. Seth	
AULCHENKO	03	PL B573 63	V.M. Aulchenko <i>et al.</i>	(KEDR Collab.)
BAI	03B	PR D67 052002	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	03C	PR D67 032004	J.Z. Bai <i>et al.</i>	(BES Collab.)
AUBERT	02B	PR D65 031101R	B. Aubert <i>et al.</i>	(BaBar Collab.)
BAI	02	PR D65 052004	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	02B	PL B550 24	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	02C	PRL 88 101802	J.Z. Bai <i>et al.</i>	(BES Collab.)
PDG	02	PR D66 010001	K. Hagiwara <i>et al.</i>	
BAI	01	PR D63 032002	J.Z. Bai <i>et al.</i>	(BES Collab.)
AMBROGIANI	00A	PR D62 032004	M. Ambrogiani <i>et al.</i>	(FNAL E835 Collab.)
ARTAMONOV	00	PL B474 427	A.S. Artamonov <i>et al.</i>	
BAI	00	PRL 84 594	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	99C	PRL 83 1918	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98E	PR D57 3854	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98F	PR D58 097101	J.Z. Bai <i>et al.</i>	(BES Collab.)
BAI	98J	PRL 81 5080	J.Z. Bai <i>et al.</i>	(BES Collab.)
ARMSTRONG	97	PR D55 1153	T.A. Armstrong <i>et al.</i>	(E760 Collab.)
GRIBUSHIN	96	PR D53 4723	A. Gribushin <i>et al.</i>	(E672 Collab., E706 Collab.)
ARMSTRONG	93B	PR D47 772	T.A. Armstrong <i>et al.</i>	(FNAL E760 Collab.)
ALEXANDER	89	NP B320 45	J.P. Alexander <i>et al.</i>	(LBL, MICH, SLAC)
COHEN	87	RMP 59 1121	E.R. Cohen, B.N. Taylor	(RISC, NBS)
GAISER	86	PR D34 711	J. Gaiser <i>et al.</i>	(Crystal Ball Collab.)
KURAEV	85	SJNP 41 466	E.A. Kuraev, V.S. Fadin	(NOVO)
		Translated from YAF 41 733.		

FRANKLIN	83	PRL 51 963	M.E.B. Franklin <i>et al.</i>	(LBL, SLAC)
EDWARDS	82C	PRL 48 70	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
LEMOIGNE	82	PL 113B 509	Y. Lemoigne <i>et al.</i>	(SACL, LOIC, SHMP+)
HIMEL	80	PRL 44 920	T. Himel <i>et al.</i>	(LBL, SLAC)
OREGLIA	80	PRL 45 959	M.J. Oreglia <i>et al.</i>	(SLAC, CIT, HARV+)
SCHARRE	80	PL 97B 329	D.L. Scharre <i>et al.</i>	(SLAC, LBL)
ZHOLENTZ	80	PL 96B 214	A.A. Zholents <i>et al.</i>	(NOVO)
Also		SJNP 34 814	A.A. Zholents <i>et al.</i>	(NOVO)
		Translated from YAF 34 1471.		
BRANDELIK	79B	NP B160 426	R. Brandelik <i>et al.</i>	(DASP Collab.)
BRANDELIK	79C	ZPHY C1 233	R. Brandelik <i>et al.</i>	(DASP Collab.)
BARTEL	78B	PL 79B 492	W. Bartel <i>et al.</i>	(DESY, HEIDP)
TANENBAUM	78	PR D17 1731	W.M. Tanenbaum <i>et al.</i>	(SLAC, LBL)
BIDDICK	77	PRL 38 1324	C.J. Biddick <i>et al.</i>	(UCSD, UMD, PAVI+)
BRAUNSCH...	77	PL 67B 249	W. Braunschweig <i>et al.</i>	(DASP Collab.)
BURMESTER	77	PL 66B 395	J. Burmester <i>et al.</i>	(DESY, HAMB, SIEG+)
FELDMAN	77	PRPL 33C 285	G.J. Feldman, M.L. Perl	(LBL, SLAC)
YAMADA	77	Hamburg Conf. 69	S. Yamada	(DASP Collab.)
BARTEL	76	PL 64B 483	W. Bartel <i>et al.</i>	(DESY, HEIDP)
TANENBAUM	76	PRL 36 402	W.M. Tanenbaum <i>et al.</i>	(SLAC, LBL) IG
WHITAKER	76	PRL 37 1596	J.S. Whitaker <i>et al.</i>	(SLAC, LBL)
ABRAMS	75	Stanford Symp. 25	G.S. Abrams	(LBL)
ABRAMS	75B	PRL 34 1181	G.S. Abrams <i>et al.</i>	(LBL, SLAC)
BOYARSKI	75C	Palermo Conf. 54	A.M. Boyarski <i>et al.</i>	(SLAC, LBL)
HILGER	75	PRL 35 625	E. Hilger <i>et al.</i>	(STAN, PENN)
LIBERMAN	75	Stanford Symp. 55	A.D. Liberman	(STAN)
LUTH	75	PRL 35 1124	V. Luth <i>et al.</i>	(SLAC, LBL) JPC
WIJK	75	Stanford Symp. 69	B.H. Wiik	(DESY)

### OTHER RELATED PAPERS

AUBERT,BE	06F	PR D74 111103R	B. Aubert <i>et al.</i>	(BABAR Collab.)
AMBROGIANI	05	PL B610 177	M. Ambrogiani <i>et al.</i>	(FNAL E853 Collab.)
GUO	05	NP A761 269	F.-K. Guo <i>et al.</i>	
VOLOSHIN	05	PR D71 114003	M.B. Voloshin	
ABLIKIM	04I	PR D70 092004	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM	04J	PRL 93 112002	M. Ablikim <i>et al.</i>	(BES Collab.)
LIU	04B	PR D70 094001	K.-Y. Liu, K.-T. Chao	
WANG	04C	PR D70 077505	P. Wang, X.H. Mo, C.Z. Yuan	
BAI	00E	PR D62 032002	J. Bai <i>et al.</i>	(BES Collab.)
CHEN	98	PRL 80 5060	Y.Q. Chen, E. Braaten	
SUZUKI	98	PR D57 5717	M. Suzuki	
BARATE	83	PL 121B 449	R. Barate <i>et al.</i>	(SACL, LOIC, SHMP, IND)
AUBERT	75B	PRL 33 1624	J.J. Aubert <i>et al.</i>	(MIT, BNL)
BRAUNSCH...	75B	PL 57B 407	W. Braunschweig <i>et al.</i>	(DASP Collab.)
CAMERINI	75	PRL 35 483	U. Camerini <i>et al.</i>	(WISC, SLAC)
FELDMAN	75B	PRL 35 821	G.J. Feldman <i>et al.</i>	(LBL, SLAC)
GRECO	75	PL 56B 367	M. Greco, G. Pancheri-Srivastava, Y. Srivastava	
JACKSON	75	NIM 128 13	J.D. Jackson, D.L. Scharre	(LBL)
SIMPSON	75	PRL 35 699	J.W. Simpson <i>et al.</i>	(STAN, PENN)
ABRAMS	74	PRL 33 1453	G.S. Abrams <i>et al.</i>	(LBL, SLAC)