

a₁(1260)

$$I^G(J^{PC}) = 1^-(1^{++})$$

a₁(1260) MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
1230±40 OUR ESTIMATE					
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
1243±12±20		¹ AUBERT	07AU BABR		10.6 e ⁺ e ⁻ → ρ ⁰ ρ [±] π [∓] γ
1230-1270	6360	² LINK	07A FOCUS		D ⁰ → π ⁻ π ⁺ π ⁻ π ⁺
1203± 3		³ GOMEZ-DUMM ⁰⁴	RVUE		τ ⁺ → π ⁺ π ⁺ π ⁻ ν _τ
1331±10± 3	37k	⁴ ASNER	00 CLE2		10.6 e ⁺ e ⁻ → τ ⁺ τ ⁻ , τ ⁻ → π ⁻ π ⁰ π ⁰ ν _τ
1255± 7± 6	5904	⁵ ABREU	98G DLPH		e ⁺ e ⁻
1207± 5± 8	5904	⁶ ABREU	98G DLPH		e ⁺ e ⁻
1196± 4± 5	5904	^{7,8} ABREU	98G DLPH		e ⁺ e ⁻
1240±10		BARBERIS	98B		450 pp → ρ _f π ⁺ π ⁻ π ⁰ ρ _s
1262± 9± 7		^{5,9} ACKERSTAFF	97R OPAL		E ^{ee} _{cm} = 88-94, τ → 3πν
1210± 7± 2		^{6,9} ACKERSTAFF	97R OPAL		E ^{ee} _{cm} = 88-94, τ → 3πν
1211± 7 ⁺⁵⁰ ₋₀		⁶ ALBRECHT	93C ARG		τ ⁺ → π ⁺ π ⁺ π ⁻ ν
1121± 8		¹⁰ ANDO	92 SPEC		8 π ⁻ p → π ⁺ π ⁻ π ⁰ n
1242±37		¹¹ IVANOV	91 RVUE		τ → π ⁺ π ⁺ π ⁻ ν
1260±14		¹² IVANOV	91 RVUE		τ → π ⁺ π ⁺ π ⁻ ν
1250± 9		¹³ IVANOV	91 RVUE		τ → π ⁺ π ⁺ π ⁻ ν
1208±15		ARMSTRONG	90 OMEG 0		300.0pp → ppπ ⁺ π ⁻ π ⁰
1220±15		¹⁴ ISGUR	89 RVUE		τ ⁺ → π ⁺ π ⁺ π ⁻ ν
1260±25		¹⁵ BOWLER	88 RVUE		
1166±18±11		BAND	87 MAC		τ ⁺ → π ⁺ π ⁺ π ⁻ ν
1164±41±23		BAND	87 MAC		τ ⁺ → π ⁺ π ⁰ π ⁰ ν
1250±40		¹⁴ TORNQVIST	87 RVUE		
1046±11		ALBRECHT	86B ARG		τ ⁺ → π ⁺ π ⁺ π ⁻ ν
1056±20±15		RUCKSTUHL	86 DLCO		τ ⁺ → π ⁺ π ⁺ π ⁻ ν
1194±14±10		SCHMIDKE	86 MRK2		τ ⁺ → π ⁺ π ⁺ π ⁻ ν
1255±23		BELLINI	85 SPEC		40 π ⁻ A → π ⁻ π ⁺ π ⁻ A
1240±80		¹⁶ DANKOWY...	81 SPEC 0		8.45 π ⁻ p → n3π
1280±30		¹⁶ DAUM	81B CNTR		63,94 π ⁻ p → p3π
1041±13		¹⁷ GAVILLET	77 HBC +		4.2 K ⁻ p → Σ3π

¹ The ρ[±]π[∓] state can be also due to the π(1300).
² Using the Breit-Wigner parameterization; strong correlation between mass and width.
³ Using the data of BARATE 98R.
⁴ From a fit to the 3π mass spectrum including the K⁰* (892) threshold.
⁵ Uses the model of KUHN 90.
⁶ Uses the model of ISGUR 89.
⁷ Includes the effect of a possible a₁' state.
⁸ Uses the model of FEINDT 90.

- ⁹ Supersedes AKERS 95P.
- ¹⁰ Average and spread of values using 2 variants of the model of BOWLER 75.
- ¹¹ Reanalysis of RUCKSTUHL 86.
- ¹² Reanalysis of SCHMIDKE 86.
- ¹³ Reanalysis of ALBRECHT 86B.
- ¹⁴ From a combined reanalysis of ALBRECHT 86B, SCHMIDKE 86, and RUCKSTUHL 86.
- ¹⁵ From a combined reanalysis of ALBRECHT 86B and DAUM 81B.
- ¹⁶ Uses the model of BOWLER 75.
- ¹⁷ Produced in K^- backward scattering.

$a_1(1260)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
250 to 600 OUR ESTIMATE					
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
$410 \pm 31 \pm 30$		¹⁸ AUBERT	07AU BABR		$10.6 e^+ e^- \rightarrow \rho^0 \rho^\pm \pi^\mp \gamma$
520–680	6360	¹⁹ LINK	07A FOCS		$D^0 \rightarrow \pi^- \pi^+ \pi^- \pi^+$
480 ± 20		²⁰ GOMEZ-DUMM04	RVUE		$\tau^+ \rightarrow \pi^+ \pi^+ \pi^- \nu_\tau$
460 ± 85	205	²¹ DRUTSKOY	02 BELL		$B \rightarrow D^{(*)} K^- K^{*0}$
$814 \pm 36 \pm 13$	37k	²² ASNER	00 CLE2		$10.6 e^+ e^- \rightarrow \tau^+ \tau^-$, $\tau^- \rightarrow \pi^- \pi^0 \pi^0 \nu_\tau$
450 ± 50	22k	²³ AKHMETSHIN 99E	CMD2		$1.05\text{--}1.38 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 \pi^0$
570 ± 10		²⁴ BONDAR	99 RVUE		$e^+ e^- \rightarrow 4\pi, \tau \rightarrow 3\pi \nu_\tau$
$587 \pm 27 \pm 21$	5904	²⁵ ABREU	98G DLPH		$e^+ e^-$
$478 \pm 3 \pm 15$	5904	²⁶ ABREU	98G DLPH		$e^+ e^-$
$425 \pm 14 \pm 8$	5904	^{27,28} ABREU	98G DLPH		$e^+ e^-$
400 ± 35		BARBERIS	98B		$450 pp \rightarrow p_f \pi^+ \pi^- \pi^0 p_s$
$621 \pm 32 \pm 58$		^{25,29} ACKERSTAFF	97R OPAL		$E_{\text{cm}}^{ee} = 88\text{--}94, \tau \rightarrow 3\pi \nu$
$457 \pm 15 \pm 17$		^{26,29} ACKERSTAFF	97R OPAL		$E_{\text{cm}}^{ee} = 88\text{--}94, \tau \rightarrow 3\pi \nu$
$446 \pm 21 \pm_{-0}^{140}$		²⁶ ALBRECHT	93C ARG		$\tau^+ \rightarrow \pi^+ \pi^+ \pi^- \nu$
239 ± 11		ANDO	92 SPEC		$8 \pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
$266 \pm 13 \pm 4$		³⁰ ANDO	92 SPEC		$8 \pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
$465 \pm_{-143}^{228}$		³¹ IVANOV	91 RVUE		$\tau \rightarrow \pi^+ \pi^+ \pi^- \nu$
$298 \pm_{-34}^{40}$		³² IVANOV	91 RVUE		$\tau \rightarrow \pi^+ \pi^+ \pi^- \nu$
488 ± 32		³³ IVANOV	91 RVUE		$\tau \rightarrow \pi^+ \pi^+ \pi^- \nu$
430 ± 50		ARMSTRONG	90 OMEG 0		$300.0 pp \rightarrow p p \pi^+ \pi^- \pi^0$
420 ± 40		³⁴ ISGUR	89 RVUE		$\tau^+ \rightarrow \pi^+ \pi^+ \pi^- \nu$
396 ± 43		³⁵ BOWLER	88 RVUE		
$405 \pm 75 \pm 25$		BAND	87 MAC		$\tau^+ \rightarrow \pi^+ \pi^+ \pi^- \nu$
$419 \pm 108 \pm 57$		BAND	87 MAC		$\tau^+ \rightarrow \pi^+ \pi^0 \pi^0 \nu$
521 ± 27		ALBRECHT	86B ARG		$\tau^+ \rightarrow \pi^+ \pi^+ \pi^- \nu$
$476 \pm_{-120}^{132}$	54	RUCKSTUHL	86 DLCO		$\tau^+ \rightarrow \pi^+ \pi^+ \pi^- \nu$

462 ± 56 ± 30	SCHMIDKE	86	MRK2	$\tau^+ \rightarrow \pi^+ \pi^+ \pi^- \nu$
292 ± 40	BELLINI	85	SPEC	40 $\pi^- A \rightarrow \pi^- \pi^+ \pi^- A$
380 ± 100	³⁶ DANKOWY...	81	SPEC 0	8.45 $\pi^- p \rightarrow n 3\pi$
300 ± 50	³⁶ DAUM	81B	CNTR	63.94 $\pi^- p \rightarrow p 3\pi$
230 ± 50	³⁷ GAVILLET	77	HBC +	4.2 $K^- p \rightarrow \Sigma 3\pi$

¹⁸ The $\rho^\pm \pi^\mp$ state can be also due to the $\pi(1300)$.

¹⁹ Using the Breit-Wigner parameterization; strong correlation between mass and width.

²⁰ Using the data of BARATE 98R.

²¹ From a fit of the $K^- K^{*0}$ distribution assuming $m_{a_1} = 1230$ MeV and purely resonant production of the $K^- K^{*0}$ system.

²² From a fit to the 3π mass spectrum including the $K \bar{K}^*(892)$ threshold.

²³ Using the $a_1(1260)$ mass of 1230 MeV.

²⁴ From AKHMETSHIN 99E and ASNER 00 data using the $a_1(1260)$ mass of 1230 MeV.

²⁵ Uses the model of KUHN 90.

²⁶ Uses the model of ISGUR 89.

²⁷ Includes the effect of a possible a_1' state.

²⁸ Uses the model of FEINDT 90.

²⁹ Supersedes AKERS 95P.

³⁰ Average and spread of values using 2 variants of the model of BOWLER 75.

³¹ Reanalysis of RUCKSTUHL 86.

³² Reanalysis of SCHMIDKE 86.

³³ Reanalysis of ALBRECHT 86B.

³⁴ From a combined reanalysis of ALBRECHT 86B, SCHMIDKE 86, and RUCKSTUHL 86.

³⁵ From a combined reanalysis of ALBRECHT 86B and DAUM 81B.

³⁶ Uses the model of BOWLER 75.

³⁷ Produced in K^- backward scattering.

$a_1(1260)$ DECAY MODES

	Mode	Fraction (Γ_i/Γ)
Γ_1	$\pi^+ \pi^- \pi^0$	
Γ_2	$\pi^0 \pi^0 \pi^0$	
Γ_3	$(\rho\pi)_{S\text{-wave}}$	seen
Γ_4	$(\rho\pi)_{D\text{-wave}}$	seen
Γ_5	$(\rho(1450)\pi)_{S\text{-wave}}$	seen
Γ_6	$(\rho(1450)\pi)_{D\text{-wave}}$	seen
Γ_7	$\sigma\pi$	seen
Γ_8	$f_0(980)\pi$	not seen
Γ_9	$f_0(1370)\pi$	seen
Γ_{10}	$f_2(1270)\pi$	seen
Γ_{11}	$K \bar{K}^*(892) + \text{c.c.}$	seen
Γ_{12}	$\pi\gamma$	seen

$a_1(1260)$ PARTIAL WIDTHS

$\Gamma(\pi\gamma)$


Γ_{12}

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
640 ± 246	ZIELINSKI	84C	SPEC 200 $\pi^+ Z \rightarrow Z 3\pi$

D-wave/*S*-wave AMPLITUDE RATIO IN DECAY OF $a_1(1260) \rightarrow \rho\pi$

VALUE	DOCUMENT ID	TECN	COMMENT
-0.062 ± 0.020 OUR AVERAGE	Error includes scale factor of 2.3. See the ideogram below.		
-0.043 ± 0.009 ± 0.005	LINK	07A	FOCS $D^0 \rightarrow \pi^- \pi^+ \pi^- \pi^+$
-0.14 ± 0.04 ± 0.07	³⁸ CHUNG	02	B852 $18.3 \pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
-0.10 ± 0.02 ± 0.02	^{39,40} ACKERSTAFF	97R	OPAL $E_{cm}^{ee} = 88-94, \tau \rightarrow 3\pi\nu$
-0.11 ± 0.02	³⁹ ALBRECHT	93C	ARG $\tau^+ \rightarrow \pi^+ \pi^+ \pi^- \nu$

³⁸ Deck-type background not subtracted.
³⁹ Uses the model of ISGUR 89.
⁴⁰ Supersedes AKERS 95P.



D-wave/*S*-wave AMPLITUDE RATIO IN DECAY OF $a_1(1260) \rightarrow \rho\pi$

$a_1(1260)$ BRANCHING RATIOS

$\Gamma((\rho\pi)_{S\text{-wave}})/\Gamma_{\text{total}}$

Γ_3/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
• • •	We do not use the following data for averages, fits, limits, etc. • • •			
60.19	37k	⁴¹ ASNER	00	CLE2 10.6 $e^+ e^- \rightarrow \tau^+ \tau^-$, $\tau^- \rightarrow \pi^- \pi^0 \pi^0 \nu_\tau$

$\Gamma((\rho\pi)_{D\text{-wave}})/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$1.30 \pm 0.60 \pm 0.22$	37k	⁴¹ ASNER	00	CLE2 10.6 $e^+e^- \rightarrow \tau^+\tau^-$, $\tau^- \rightarrow \pi^-\pi^0\pi^0\nu_\tau$

$\Gamma((\rho(1450)\pi)_{S\text{-wave}})/\Gamma_{\text{total}}$ Γ_5/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$0.56 \pm 0.84 \pm 0.32$	37k	^{41,42} ASNER	00	CLE2 10.6 $e^+e^- \rightarrow \tau^+\tau^-$, $\tau^- \rightarrow \pi^-\pi^0\pi^0\nu_\tau$

$\Gamma((\rho(1450)\pi)_{D\text{-wave}})/\Gamma_{\text{total}}$ Γ_6/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$2.04 \pm 1.20 \pm 0.28$	37k	^{41,42} ASNER	00	CLE2 10.6 $e^+e^- \rightarrow \tau^+\tau^-$, $\tau^- \rightarrow \pi^-\pi^0\pi^0\nu_\tau$

$\Gamma(\sigma\pi)/\Gamma_{\text{total}}$ Γ_7/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
seen		CHUNG	02	B852 18.3 $\pi^- p \rightarrow$ $\pi^+\pi^-\pi^- p$
$18.76 \pm 4.29 \pm 1.48$	37k	^{41,43} ASNER	00	CLE2 10.6 $e^+e^- \rightarrow \tau^+\tau^-$, $\tau^- \rightarrow \pi^-\pi^0\pi^0\nu_\tau$

$\Gamma(f_0(980)\pi)/\Gamma_{\text{total}}$ Γ_8/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
not seen	37k	ASNER	00	CLE2 10.6 $e^+e^- \rightarrow \tau^+\tau^-$, $\tau^- \rightarrow \pi^-\pi^0\pi^0\nu_\tau$

$\Gamma(f_0(1370)\pi)/\Gamma_{\text{total}}$ Γ_9/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$7.40 \pm 2.71 \pm 1.26$	37k	^{41,44} ASNER	00	CLE2 10.6 $e^+e^- \rightarrow \tau^+\tau^-$, $\tau^- \rightarrow \pi^-\pi^0\pi^0\nu_\tau$

$\Gamma(f_2(1270)\pi)/\Gamma_{\text{total}}$ Γ_{10}/Γ

<u>VALUE (units 10^{-2})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$1.19 \pm 0.49 \pm 0.17$	37k	^{41,45} ASNER	00	CLE2 10.6 $e^+e^- \rightarrow \tau^+\tau^-$, $\tau^- \rightarrow \pi^-\pi^0\pi^0\nu_\tau$

$\Gamma(K\bar{K}^*(892)+c.c.)/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE (units 10^{-2})	EVTS	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2.2 ± 0.5	2255	46 COAN	04	CLEO $\tau^- \rightarrow K^- \pi^- K^+ \nu_\tau$
8 to 15	205	47 DRUTSKOY	02	BELL $B \rightarrow D^{(*)} K^- K^{*0}$
$3.3 \pm 0.5 \pm 0.1$	37k	48 ASNER	00	CLE2 $10.6 e^+ e^- \rightarrow \tau^+ \tau^-$, $\tau^- \rightarrow \pi^- \pi^0 \pi^0 \nu_\tau$
2.6 ± 0.3		49 BARATE	99R	ALEP $\tau \rightarrow K\bar{K}\pi\nu_\tau$

$\Gamma(\sigma\pi)/\Gamma((\rho\pi)_{S\text{-wave}})$ Γ_7/Γ_3

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
~ 0.3	28k	AKHMETSHIN 99E	CMD2	$1.05\text{--}1.38 e^+ e^- \rightarrow \pi^+ \pi^- \pi^+ \pi^-$
0.003 ± 0.003		50 LONGACRE 82	RVUE	

$\Gamma(\pi^0\pi^0\pi^0)/\Gamma(\pi^+\pi^-\pi^0)$ Γ_2/Γ_1

VALUE	CL%	DOCUMENT ID	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
< 0.008	90	51 BARBERIS 01	450 $pp \rightarrow p_f 3\pi^0 p_s$

- 41 From a fit to the Dalitz plot.
- 42 Assuming for $\rho(1450)$ mass and width of 1370 and 386 MeV respectively.
- 43 Assuming for σ mass and width of 860 and 880 MeV respectively.
- 44 Assuming for $f_0(1370)$ mass and width of 1186 and 350 MeV respectively.
- 45 Assuming for $f_2(1270)$ mass and width of 1275 and 185 MeV respectively.
- 46 Using structure functions from KUHN 92 and DECKER 93A and $B(\tau^- \rightarrow K^- \pi^- K^+ \nu_\tau) = (0.155 \pm 0.006 \pm 0.009)\%$ from BRIERE 03.
- 47 From a comparison to ALAM 94 assuming purely resonant production of the $K^- K^{*0}$ system.
- 48 From a fit to the 3π mass spectrum including the $K\bar{K}^*(892)$ threshold.
- 49 Assuming $a_1(1260)$ dominance and taking $B(\tau \rightarrow a_1(1260)\nu_\tau)$ from BUSKULIC 96.
- 50 Uses multichannel Aitchison-Bowler model (BOWLER 75). Uses data from GAVILLET 77, DAUM 80, and DANKOWYCH 81.
- 51 Inconsistent with observations of $\sigma\pi$, $f_0(1370)\pi$, and $f_2(1270)\pi$ decay modes.

$a_1(1260)$ REFERENCES

AUBERT	07AU	PR D76 092005	B. Aubert <i>et al.</i>	(BABAR Collab.)
LINK	07A	PR D75 052003	J.M. Link <i>et al.</i>	(FNAL FOCUS Collab.)
COAN	04	PRL 92 232001	T.E. Coan <i>et al.</i>	(CLEO Collab.)
GOMEZ-DUMM	04	PR D69 073002	D. Gomez Dumm, A. Pich, J. Portoles	
BRIERE	03	PRL 90 181802	R. A. Briere <i>et al.</i>	(CLEO Collab.)
CHUNG	02	PR D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
DRUTSKOY	02	PL B542 171	A. Drutskoy <i>et al.</i>	(BELLE Collab.)
BARBERIS	01	PL B507 14	D. Barberis <i>et al.</i>	
ASNER	00	PR D61 012002	D.M. Asner <i>et al.</i>	(CLEO Collab.)
AKHMETSHIN	99E	PL B466 392	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
BARATE	99R	EPJ C11 599	R. Barate <i>et al.</i>	(ALEPH Collab.)
BONDAR	99	PL B466 403	A.E. Bondar <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
ABREU	98G	PL B426 411	P. Abreu <i>et al.</i>	(DELPHI Collab.)
BARATE	98R	EPJ C4 409	R. Barate <i>et al.</i>	(ALEPH Collab.)
BARBERIS	98B	PL B422 399	D. Barberis <i>et al.</i>	(WA 102 Collab.)
ACKERSTAFF	97R	ZPHY C75 593	K. Ackerstaff <i>et al.</i>	(OPAL Collab.)
BUSKULIC	96	ZPHY C70 579	D. Buskulic <i>et al.</i>	(ALEPH Collab.)

AKERS	95P	ZPHY C67 45	R. Akers <i>et al.</i>	(OPAL Collab.)
ALAM	94	PR D50 43	M.S. Alam <i>et al.</i>	(CLEO Collab.)
ALBRECHT	93C	ZPHY C58 61	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
DECKER	93A	ZPHY C58 445	R. Decker <i>et al.</i>	
ANDO	92	PL B291 496	A. Ando <i>et al.</i>	(KEK, KYOT, NIRS, SAGA+)
KUHN	92	ZPHY C56 661	J.H. Kuhn, E. Mirkes	
IVANOV	91	ZPHY C49 563	Y.P. Ivanov, A.A. Osipov, M.K. Volkov	(JINR)
ARMSTRONG	90	ZPHY C48 213	T.A. Armstrong, M. Benayoun, W. Beusch	
FEINDT	90	ZPHY C48 681	M. Feindt	(HAMB)
KUHN	90	ZPHY C48 445	J.H. Kuhn <i>et al.</i>	(MPIM)
ISGUR	89	PR D39 1357	N. Isgur, C. Morningstar, C. Reader	(TNTO)
BOWLER	88	PL B209 99	M.G. Bowler	(OXF)
BAND	87	PL B198 297	H.R. Band <i>et al.</i>	(MAC Collab.)
TORNQVIST	87	ZPHY C36 695	N.A. Tornqvist	(HELS)
ALBRECHT	86B	ZPHY C33 7	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
RUCKSTUHL	86	PRL 56 2132	W. Ruckstuhl <i>et al.</i>	(DELCO Collab.)
SCHMIDKE	86	PRL 57 527	W.B. Schmidke <i>et al.</i>	(Mark II Collab.)
BELLINI	85	SJNP 41 781	D. Bellini <i>et al.</i>	
		Translated from YAF 41 1223.		
ZIELINSKI	84C	PRL 52 1195	M. Zielinski <i>et al.</i>	(ROCH, MINN, FNAL)
LONGACRE	82	PR D26 82	R.S. Longacre	(BNL)
DANKOWY...	81	PRL 46 580	J.A. Dankowych <i>et al.</i>	(TNTO, BNL, CARL+)
DAUM	81B	NP B182 269	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)
DAUM	80	PL 89B 281	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+) JP
GAVILLET	77	PL 69B 119	P. Gavillet <i>et al.</i>	(AMST, CERN, NIJM+) JP
BOWLER	75	NP B97 227	M.G. Bowler <i>et al.</i>	(OXFTP, DARE)

OTHER RELATED PAPERS

DZIERBA	06	PR D73 072001	A.R. Dzierba <i>et al.</i>	(BNL E852 Collab.)
BAKER	03	PL B563 140	C.A. Baker <i>et al.</i>	
CHUNG	02	PR D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
FEUILLAT	01	PL B501 37	M. Feuillat, J.L. Lucio, M.J. Pestieau	
MOLCHANOV	01	PL B521 171	V.V. Molchanov <i>et al.</i>	(FNAL SELEX Collab.)
BAKER	99	PL B449 114	C.A. Baker <i>et al.</i>	
ZAIMIDOROGA	99	PAN 30 1	O.A. Zaimidoroga	
		Translated from SJPN 30 5.		
BARNES	97	PR D55 4157	T. Barnes <i>et al.</i>	(ORNL, RAL, MCHS)
AMELIN	95B	PL B356 595	D.V. Amelin <i>et al.</i>	(SERP, TBIL)
BOLONKIN	95	PAN 58 1535	B.V. Bolonkin <i>et al.</i>	(ITEP)
		Translated from YAF 58 1628.		
WINGATE	95	PRL 74 4596	M. Wingate, T. de Grand	(COLO, FSU)
CONDO	93	PR D48 3045	G.T. Condo <i>et al.</i>	(SLAC Hybrid Collab.)
GOUZ	92	Dallas HEP 92, p. 572	Yu.P. Gouz <i>et al.</i>	(VES Collab.)
		Proceedings XXVI Int. Conf. on High Energy Physics		
IIZUKA	89	PR D39 3357	J. Iizuka, H. Koibuchi, F. Masuda	(NAGO, IBAR+)
BOWLER	86	PL B182 400	M.G. Bowler	(OXF)
BASDEVANT	78	PRL 40 994	J.L. Basdevant, E.L. Berger	(FNAL, ANL) JP
BASDEVANT	77	PR D16 657	J.L. Basdevant, E.L. Berger	(FNAL, ANL) JP
ADERHOLZ	64	PL 10 226	M. Aderholz <i>et al.</i>	(AACH3, BERL, BIRM+)
GOLDHABER	64	PRL 12 336	G. Goldhaber <i>et al.</i>	(LRL, UCB)
LANDER	64	PRL 13 346A	R.L. Lander <i>et al.</i>	(UCSD) JP
BELLINI	63	NC 29 896	G. Bellini <i>et al.</i>	(MILA)