

$D_{s1}(2460)^\pm$

$$I(J^P) = 0(1^+)$$

$D_{s1}(2460)^\pm$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
2459.6±0.6 OUR FIT	Error	includes scale factor of 1.1.		
2459.6±0.9 OUR AVERAGE	Error	includes scale factor of 1.3.		
2460.1±0.2±0.8		¹ AUBERT	06P BABR	10.6 e ⁺ e ⁻
2458.0±1.0±1.0	195	AUBERT	04E BABR	10.6 e ⁺ e ⁻
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2459.5±1.2±3.7	920	AUBERT	06P BABR	10.6 e ⁺ e ⁻ → D _s ⁺ γX
2458.6±1.0±2.5	560	AUBERT	06P BABR	10.6 e ⁺ e ⁻ → D _s ⁺ π ⁰ γX
2460.2±0.2±0.8	123	AUBERT	06P BABR	10.6 e ⁺ e ⁻ → D _s ⁺ π ⁺ π ⁻ X
2458.9±1.5	112	² AUBERT,B	04S BABR	B → D _{s1} (2460) ⁺ $\overline{D}^{(*)}$
2461.1±1.6	139	³ AUBERT,B	04S BABR	B → D _{s1} (2460) ⁺ $\overline{D}^{(*)}$
2456.5±1.3±1.3	126	^{4,5} MIKAMI	04 BELL	10.6 e ⁺ e ⁻
2459.5±1.3±2.0	152	^{6,7} MIKAMI	04 BELL	10.6 e ⁺ e ⁻
2459.9±0.9±1.6	60	^{6,7} MIKAMI	04 BELL	10.6 e ⁺ e ⁻
2459.2±1.6±2.0	57	KROKOVNY	03B BELL	10.6 e ⁺ e ⁻

¹ The average of the values obtained from the D_s⁺γ, D_s⁺π⁰γ, D_s⁺π⁺π⁻ final state.

² Systematic errors not evaluated. From the decay to D_s^{*+}π⁰.

³ Systematic errors not evaluated. From the decay to D_s⁺γ.

⁴ Not independent of the corresponding m_{D_{s1}(2460)[±]} - m_{D_s^{*±}}.

⁵ Using m_{D_s^{*+}} = 2112.4 ± 0.7 MeV.


⁶ Not independent of the corresponding m_{D_{s1}(2460)[±]} - m_{D_s[±]}.

⁷ Using m_{D_s⁺} = 1968.5 ± 0.6 MeV.

m_{D_{s1}(2460)[±]} - m_{D_s^{*±}}

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
347.2±0.8 OUR FIT	Error	includes scale factor of 1.2.		
347.1±2.2 OUR AVERAGE	Error	includes scale factor of 1.9. See the ideogram below.		
344.1±1.3±1.1	126	MIKAMI	04 BELL	10.6 e ⁺ e ⁻
351.2±1.7±1.0	41	BESSION	03 CLE2	10.6 e ⁺ e ⁻
346.8±1.6±1.9	57	⁸ KROKOVNY	03B BELL	10.6 e ⁺ e ⁻

⁸ Recalculated by us using $m_{D_s^{*+}} = 2112.4 \pm 0.7$ MeV.



$m_{D_{s1}(2460)^{\pm}} - m_{D_s^{\pm}}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
491.1±0.7 OUR FIT	Error includes scale factor of 1.1.			
491.3±1.4 OUR AVERAGE				
491.0±1.3±1.9	152	⁹ MIKAMI	04 BELL	10.6 e^+e^-
491.4±0.9±1.5	60	¹⁰ MIKAMI	04 BELL	10.6 e^+e^-

⁹ From the decay to $D_s^{\pm}\gamma$.

¹⁰ From the decay to $D_s^{\pm}\pi^+\pi^-$.

$D_{s1}(2460)^{\pm}$ WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
< 3.5	95	123	AUBERT	06P BABR	10.6 $e^+e^- \rightarrow D_s^+\pi^+\pi^- X$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
< 6.3	95	560	AUBERT	06P BABR	10.6 $e^+e^- \rightarrow D_s^+\pi^0\gamma X$
<10		195	AUBERT	04E BABR	10.6 e^+e^-
< 5.5	90	126	MIKAMI	04 BELL	10.6 e^+e^-
< 7	90	41	BESSON	03 CLE2	10.6 e^+e^-

$D_{s1}(2460)^+$ DECAY MODES

$D_{s1}(2460)^-$ modes are charge conjugates of the modes below.

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 $D_s^{*+} \pi^0$	(48 ± 11) %	
Γ_2 $D_s^+ \gamma$	(18 ± 4) %	
Γ_3 $D_s^+ \pi^+ \pi^-$	(4.3 ± 1.3) %	S=1.1
Γ_4 $D_s^{*+} \gamma$	< 8 %	CL=90%
Γ_5 $D_{s0}^*(2317)^+ \gamma$	(3.7 ⁺ _{-2.4}) %	
Γ_6 $D_s^+ \pi^0$		
Γ_7 $D_s^+ \pi^0 \pi^0$		
Γ_8 $D_s^+ \gamma \gamma$		

CONSTRAINED FIT INFORMATION

An overall fit to 7 branching ratios uses 8 measurements and one constraint to determine 5 parameters. The overall fit has a $\chi^2 = 3.4$ for 4 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

x_2	80		
x_3	68	62	
x_5	-3	25	26
	x_1	x_2	x_3

$D_{s1}(2460)^\pm$ BRANCHING RATIOS

$\Gamma(D_s^{*+} \pi^0) / \Gamma_{\text{total}}$ Γ_1 / Γ

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-------	------	-------------	------	---------

0.48 ± 0.11 OUR FIT

0.56 ± 0.13 ± 0.09 ¹¹ AUBERT 06N BABR $B \rightarrow D_{s1}(2460)^- \bar{D}^{(*)}$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

seen 41 BESSON 03 CLE2 10.6 $e^+ e^-$

¹¹ Evaluated in AUBERT 06N including measurements from AUBERT, B 04s. |

$\Gamma(D_s^+ \gamma) / \Gamma_{\text{total}}$ Γ_2 / Γ

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

0.18 ± 0.04 OUR FIT

0.16 ± 0.04 ± 0.03 ¹² AUBERT 06N BABR $B \rightarrow D_{s1}(2460)^- \bar{D}^{(*)}$ |

¹² Evaluated in AUBERT 06N including measurements from AUBERT, B 04s. |

$\Gamma(D_s^+ \gamma)/\Gamma(D_s^{*+} \pi^0)$ Γ_2/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.38 ± 0.05					OUR FIT
0.44 ± 0.09					OUR AVERAGE
0.55 ± 0.13 ± 0.08		152	MIKAMI	04 BELL	10.6 e ⁺ e ⁻
0.38 ± 0.11 ± 0.04		38	KROKOVNY	03B BELL	10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.274 ± 0.045 ± 0.020		251	¹³ AUBERT,B	04s BABR	B → D _{s1} (2460) ⁺ D ^(*)
< 0.49		90	BESSION	03 CLE2	10.6 e ⁺ e ⁻
¹³ Used by AUBERT 06N in their measurement of B(D _s ^{*-} π ⁰) and B(D _s ⁻ γ).					

$\Gamma(D_s^+ \pi^+ \pi^-)/\Gamma(D_s^{*+} \pi^0)$ Γ_3/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.090 ± 0.020					OUR FIT Error includes scale factor of 1.2.
0.14 ± 0.04 ± 0.02		60	MIKAMI	04 BELL	10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 0.08		90	BESSION	03 CLE2	10.6 e ⁺ e ⁻

$\Gamma(D_s^{*+} \gamma)/\Gamma(D_s^{*+} \pi^0)$ Γ_4/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 0.16	90	BESSION	03 CLE2	10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 0.31	90	MIKAMI	04 BELL	10.6 e ⁺ e ⁻

$\Gamma(D_{s0}^*(2317)^+ \gamma)/\Gamma(D_s^{*+} \pi^0)$ Γ_5/Γ_1

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 0.22	95	AUBERT	04E BABR	10.6 e ⁺ e ⁻
• • • We do not use the following data for averages, fits, limits, etc. • • •				
< 0.58	90	BESSION	03 CLE2	10.6 e ⁺ e ⁻

$\Gamma(D_s^{*+} \pi^0)/[\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$ $\Gamma_1/(\Gamma_1 + \Gamma_5)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.93 ± 0.09			OUR FIT
0.97 ± 0.09 ± 0.05	AUBERT	06P BABR	10.6 e ⁺ e ⁻

$\Gamma(D_s^+ \gamma)/[\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$ $\Gamma_2/(\Gamma_1 + \Gamma_5)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.35 ± 0.04			OUR FIT
0.337 ± 0.036 ± 0.038	AUBERT	06P BABR	10.6 e ⁺ e ⁻

$\Gamma(D_s^+ \pi^+ \pi^-)/[\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$ $\Gamma_3/(\Gamma_1 + \Gamma_5)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.083 ± 0.017			OUR FIT Error includes scale factor of 1.2.
0.077 ± 0.013 ± 0.008	AUBERT	06P BABR	10.6 e ⁺ e ⁻

$\Gamma(D_s^{*+} \gamma)/[\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]$ $\Gamma_4/(\Gamma_1 + \Gamma_5)$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 0.24	95	AUBERT	06P BABR	10.6 e ⁺ e ⁻

$$\frac{\Gamma(D_{s0}^*(2317)^+ \gamma)}{[\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]} \quad \Gamma_5/(\Gamma_1+\Gamma_5)$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.25	95	AUBERT	06P BABR	10.6 e ⁺ e ⁻

$$\frac{\Gamma(D_s^+ \pi^0)}{[\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]} \quad \Gamma_6/(\Gamma_1+\Gamma_5)$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.042	95	AUBERT	06P BABR	10.6 e ⁺ e ⁻

$$\frac{\Gamma(D_s^+ \pi^0 \pi^0)}{[\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]} \quad \Gamma_7/(\Gamma_1+\Gamma_5)$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.68	95	AUBERT	06P BABR	10.6 e ⁺ e ⁻

$$\frac{\Gamma(D_s^+ \gamma \gamma)}{[\Gamma(D_s^{*+} \pi^0) + \Gamma(D_{s0}^*(2317)^+ \gamma)]} \quad \Gamma_8/(\Gamma_1+\Gamma_5)$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.33	95	AUBERT	06P BABR	10.6 e ⁺ e ⁻

$D_{s1}(2460)^\pm$ REFERENCES

AUBERT	06N	PR D74 031103R	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	06P	PR D74 032007	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	04E	PR D69 031101R	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT,B	04S	PRL 93 181801	B. Aubert <i>et al.</i>	(BABAR Collab.)
MIKAMI	04	PRL 92 012002	Y. Mikami <i>et al.</i>	(BELLE Collab.)
BESSON	03	PR D68 032002	D. Besson <i>et al.</i>	(CLEO Collab.)
KROKOVNY	03B	PRL 91 262002	P. Krokovny <i>et al.</i>	(BELLE Collab.)

OTHER RELATED PAPERS

FAESSLER	07	PR D76 014003	A. Faessler <i>et al.</i>	
FAESSLER	07B	PR D76 114008	A. Faessler <i>et al.</i>	
GUO	07	PL B647 133	F.-K. Guo <i>et al.</i>	
WANG	07	PR D75 034013	Z.-G. Wang	
COLANGELO	06	PL B642 48	P. Colangelo <i>et al.</i>	
SWANSON	06	PRPL 429 243	E.S. Swanson	(PITT)
VIJANDE	06	PR D73 034002	J. Vijande, F. Fernandez, A. Valcarce	
WEI	06	PR D73 034004	W. Wei, P.-Z. Huang, S.-L. Zhu	
BICUDO	05	NP A748 537	P. Bicudo	
CLOSE	05C	PR D72 094004	F.E. Close, E.S. Swanson	(OXFTP)
COLANGELO	05	PR D72 074004	P. Colangelo, F. De Fazio, A. Ozpineci	
GODFREY	05	PR D72 054029	S. Godfrey	
MAIANI	05	PR D71 014028	L. Maiani <i>et al.</i>	
YAMADA	05	PR C72 065202	Y. Yamada <i>et al.</i>	
ZHANG	05C	PR D72 017902	A. Zhang	
BROWDER	04	PL B578 365	T.E. Browder, S. Pakvasa, A.A. Petrov	
CHEN	04A	PR D69 054002	C.-H. Chen	
CHEN	04C	PRL 93 232001	Y.-Q. Chen, X.-Q. Li	
COHEN	04	PL B578 359	T.D. Cohen <i>et al.</i>	
DMITRASINO...	04	PR D70 096011	V. Dmitrasinovic	
FAYYAZUDDIN	04	PR D69 114008	Fayyazuddin, Riazuddin	
KOLOMEITSEV	04	PL B582 39	E.E. Kolomeitsev, M.F.M. Lutz	
SADZIKOWSKI	04	PL B579 39	M. Sadzikowski	
VANBEVEREN	04B	EPJ C32 493	E. van Beveren, G. Rupp	
AUBERT	03G	PRL 90 242001	B. Aubert <i>et al.</i>	(BaBar Collab.)
BARDEEN	03	PR D68 054024	W.A. Bardeen <i>et al.</i>	
BARNES	03	PR D68 054006	T. Barnes <i>et al.</i>	
CAHN	03	PR D68 037502	R.N. Cahn, J.D. Jackson	
COLANGELO	03B	PL B570 180	P. Colangelo, F. De Fazio	
DATTA	03C	PL B572 164	A. Datta, P.J. O'Donnell	