

# K<sub>1</sub>(1270)

$$I(J^P) = \frac{1}{2}(1^+)$$

## K<sub>1</sub>(1270) MASS

VALUE (MeV)                  DOCUMENT ID  
**1272±7 OUR AVERAGE**   Includes data from the 2 datablocks that follow this one.

### PRODUCED BY K<sup>-</sup>, BACKWARD SCATTERING, HYPERON EXCHANGE

VALUE (MeV)   EVTS            DOCUMENT ID        TECN    CHG    COMMENT  
The data in this block is included in the average printed for a previous datablock.

**1275±10**            700            GAVILLET       78   HBC    +    4.2 K<sup>-</sup> p →  
Ξ<sup>-</sup> (K π π)<sup>+</sup>

### PRODUCED BY K BEAMS

VALUE (MeV)                  DOCUMENT ID            TECN    CHG    COMMENT  
The data in this block is included in the average printed for a previous datablock.

**1270±10**            1 DAUM            81C CNTR -    63 K<sup>-</sup> p → K<sup>-</sup> 2 π p  
••• We do not use the following data for averages, fits, limits, etc. •••

|         |             |          |   |                           |   |                         |
|---------|-------------|----------|---|---------------------------|---|-------------------------|
| ~ 1276  | 2 TORNQVIST | 82B RVUE |   |                           |   |                         |
| ~ 1300  | VERGEEST    | 79 HBC   | - | 4.2 K <sup>-</sup> p      | → | (K̄ π π) <sup>-</sup> p |
| 1289±25 | 3 CARNEGIE  | 77 ASPK  | ± | 13 K <sup>±</sup> p       | → | (K π π) <sup>±</sup> p  |
| ~ 1300  | BRANDENB... | 76 ASPK  | ± | 13 K <sup>±</sup> p       | → | (K π π) <sup>±</sup> p  |
| ~ 1270  | OTTER       | 76 HBC   | - | 10,14,16 K <sup>-</sup> p | → | (K̄ π π) <sup>-</sup> p |
| 1260    | DAVIS       | 72 HBC   | + | 12 K <sup>+</sup>         |   | p                       |
| 1234±12 | FIRESTONE   | 72B DBC  | + | 12 K <sup>+</sup>         |   | d                       |

<sup>1</sup> Well described in the chiral unitary approach of GENG 07 with two poles at 1195 and 1284 MeV and widths of 246 and 146 MeV, respectively.

<sup>2</sup> From a unitarized quark-model calculation.

<sup>3</sup> From a model-dependent fit with Gaussian background to BRANDENBURG 76 data.

### PRODUCED BY BEAMS OTHER THAN K MESONS

VALUE (MeV)   EVTS            DOCUMENT ID        TECN    CHG    COMMENT  
••• We do not use the following data for averages, fits, limits, etc. •••

|                                   |     |           |          |   |  |                                                             |
|-----------------------------------|-----|-----------|----------|---|--|-------------------------------------------------------------|
| 1279±10                           | 25k | 4 ABLIKIM | 06C BES2 |   |  | J/ψ →<br>K*(892) <sup>0</sup> K <sup>+</sup> π <sup>-</sup> |
| 1294±10                           | 310 | RODEBACK  | 81 HBC   |   |  | 4 π <sup>-</sup> p → ΛK 2π                                  |
| 1300                              | 40  | CRENNELL  | 72 HBC   | 0 |  | 4.5 π <sup>-</sup> p → ΛK 2π                                |
| 1242 <sup>+9</sup> <sub>-10</sub> |     | 5 ASTIER  | 69 HBC   | 0 |  | p̄ p                                                        |
| 1300                              | 45  | CRENNELL  | 67 HBC   | 0 |  | 6 π <sup>-</sup> p → ΛK 2π                                  |

<sup>4</sup> Systematic errors not estimated.

<sup>5</sup> This was called the C meson.

### PRODUCED IN τ LEPTON DECAYS

VALUE (MeV)                  EVTS            DOCUMENT ID        TECN    CHG    COMMENT  
**1254±33±34**            7k            ASNER            00B CLEO    ±    τ<sup>-</sup> →  
K<sup>-</sup> π<sup>+</sup> π<sup>-</sup> ν<sub>τ</sub>

## $K_1(1270)$ WIDTH

VALUE (MeV)                      DOCUMENT ID

**90 ± 20 OUR ESTIMATE** This is only an educated guess; the error given is larger than the error on the average of the published values.

**87 ± 7 OUR AVERAGE** Includes data from the 2 datablocks that follow this one.

### PRODUCED BY $K^-$ , BACKWARD SCATTERING, HYPERON EXCHANGE

VALUE (MeV)      EVTS      DOCUMENT ID      TECN      CHG      COMMENT

The data in this block is included in the average printed for a previous datablock.

**75 ± 15**                      700                      GAVILLET      78      HBC      +      4.2  $K^- p \rightarrow \Xi^- K \pi \pi$

### PRODUCED BY $K$ BEAMS

VALUE (MeV)                      DOCUMENT ID                      TECN      CHG      COMMENT

The data in this block is included in the average printed for a previous datablock.

**90 ± 8**                      <sup>6</sup> DAUM                      81C      CNTR      -      63  $K^- p \rightarrow K^- 2\pi p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

~ 150                      VERGEEST      79      HBC      -      4.2  $K^- p \rightarrow (\bar{K} \pi \pi)^- p$

150 ± 71                      <sup>7</sup> CARNEGIE      77      ASPK      ±      13  $K^\pm p \rightarrow (K \pi \pi)^\pm p$

~ 200                      BRANDENB...      76      ASPK      ±      13  $K^\pm p \rightarrow (K \pi \pi)^\pm p$

120                      DAVIS                      72      HBC      +      12  $K^+ p$

188 ± 21                      FIRESTONE      72B      DBC      +      12  $K^+ d$

<sup>6</sup> Well described in the chiral unitary approach of GENG 07 with two poles at 1195 and 1284 MeV and widths of 246 and 146 MeV, respectively.

<sup>7</sup> From a model-dependent fit with Gaussian background to BRANDENBURG 76 data.

### PRODUCED BY BEAMS OTHER THAN $K$ MESONS

VALUE (MeV)      EVTS      DOCUMENT ID      TECN      CHG      COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

131 ± 21                      25k                      <sup>8</sup> ABLIKIM      06C      BES2                       $J/\psi \rightarrow \bar{K}^*(892)^0 K^+ \pi^-$

66 ± 15                      310                      RODEBACK      81      HBC                       $4 \pi^- p \rightarrow \Lambda K 2\pi$

60                      40                      CRENNELL      72      HBC      0                       $4.5 \pi^- p \rightarrow \Lambda K 2\pi$

127 <sup>+7</sup> <sub>-25</sub>                      ASTIER                      69      HBC      0                       $\bar{p} p$

60                      45                      CRENNELL      67      HBC      0                       $6 \pi^- p \rightarrow \Lambda K 2\pi$

<sup>8</sup> Systematic errors not estimated.

### PRODUCED IN $\tau$ LEPTON DECAYS

VALUE (MeV)                      EVTS                      DOCUMENT ID                      TECN      CHG      COMMENT

**260 <sup>+90</sup> <sub>-70</sub> ± 80**                      7k                      ASNER                      00B      CLEO      ±                       $\tau^- \rightarrow K^- \pi^+ \pi^- \nu_\tau$

**$K_1(1270)$  DECAY MODES**

| Mode                        | Fraction ( $\Gamma_i/\Gamma$ ) |
|-----------------------------|--------------------------------|
| $\Gamma_1$ $K\rho$          | (42 $\pm$ 6 ) %                |
| $\Gamma_2$ $K_0^*(1430)\pi$ | (28 $\pm$ 4 ) %                |
| $\Gamma_3$ $K^*(892)\pi$    | (16 $\pm$ 5 ) %                |
| $\Gamma_4$ $K\omega$        | (11.0 $\pm$ 2.0) %             |
| $\Gamma_5$ $Kf_0(1370)$     | ( 3.0 $\pm$ 2.0) %             |
| $\Gamma_6$ $\gamma K^0$     | seen                           |

 **$K_1(1270)$  PARTIAL WIDTHS** **$\Gamma(K\rho)$   $\Gamma_1$** 

| VALUE (MeV) | DOCUMENT ID | TECN | CHG | COMMENT |
|-------------|-------------|------|-----|---------|
|-------------|-------------|------|-----|---------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

|            |              |      |       |                                           |
|------------|--------------|------|-------|-------------------------------------------|
| 57 $\pm$ 5 | MAZZUCATO 79 | HBC  | +     | 4.2 $K^- p \rightarrow \Xi^- (K\pi\pi)^+$ |
| 75 $\pm$ 6 | CARNEGIE 77B | ASPK | $\pm$ | 13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$  |

 **$\Gamma(K_0^*(1430)\pi)$   $\Gamma_2$** 

| VALUE (MeV) | DOCUMENT ID | TECN | CHG | COMMENT |
|-------------|-------------|------|-----|---------|
|-------------|-------------|------|-----|---------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

|            |              |      |       |                                          |
|------------|--------------|------|-------|------------------------------------------|
| 26 $\pm$ 6 | CARNEGIE 77B | ASPK | $\pm$ | 13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$ |
|------------|--------------|------|-------|------------------------------------------|

 **$\Gamma(K^*(892)\pi)$   $\Gamma_3$** 

| VALUE (MeV) | DOCUMENT ID | TECN | CHG | COMMENT |
|-------------|-------------|------|-----|---------|
|-------------|-------------|------|-----|---------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

|             |              |      |       |                                           |
|-------------|--------------|------|-------|-------------------------------------------|
| 14 $\pm$ 11 | MAZZUCATO 79 | HBC  | +     | 4.2 $K^- p \rightarrow \Xi^- (K\pi\pi)^+$ |
| 2 $\pm$ 2   | CARNEGIE 77B | ASPK | $\pm$ | 13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$  |

 **$\Gamma(K\omega)$   $\Gamma_4$** 

| VALUE (MeV) | DOCUMENT ID | TECN | CHG | COMMENT |
|-------------|-------------|------|-----|---------|
|-------------|-------------|------|-----|---------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

|            |              |      |       |                                           |
|------------|--------------|------|-------|-------------------------------------------|
| 4 $\pm$ 4  | MAZZUCATO 79 | HBC  | +     | 4.2 $K^- p \rightarrow \Xi^- (K\pi\pi)^+$ |
| 24 $\pm$ 3 | CARNEGIE 77B | ASPK | $\pm$ | 13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$  |

 **$\Gamma(Kf_0(1370))$   $\Gamma_5$** 

| VALUE (MeV) | DOCUMENT ID | TECN | CHG | COMMENT |
|-------------|-------------|------|-----|---------|
|-------------|-------------|------|-----|---------|

• • • We do not use the following data for averages, fits, limits, etc. • • •

|            |              |      |       |                                          |
|------------|--------------|------|-------|------------------------------------------|
| 22 $\pm$ 5 | CARNEGIE 77B | ASPK | $\pm$ | 13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$ |
|------------|--------------|------|-------|------------------------------------------|

 **$\Gamma(\gamma K^0)$   $\Gamma_6$** 

| VALUE (keV) | DOCUMENT ID | TECN | COMMENT |
|-------------|-------------|------|---------|
|-------------|-------------|------|---------|

|                                                     |                 |      |                             |
|-----------------------------------------------------|-----------------|------|-----------------------------|
| <b>73.2<math>\pm</math> 6.1<math>\pm</math>28.3</b> | ALAVI-HARATI02B | KTEV | $K + A \rightarrow K^* + A$ |
|-----------------------------------------------------|-----------------|------|-----------------------------|

## $K_1(1270)$ BRANCHING RATIOS

### $\Gamma(K\rho)/\Gamma_{\text{total}}$ $\Gamma_1/\Gamma$

| <u>VALUE</u>                                                                  | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                             |
|-------------------------------------------------------------------------------|--------------------|-------------|--------------------------------------------|
| <b>0.42±0.06</b>                                                              | <sup>9</sup> DAUM  | 81C         | CNTR 63 $K^- p \rightarrow K^- 2\pi p$     |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |                    |             |                                            |
| dominant                                                                      | RODEBACK           | 81          | HBC 4 $\pi^- p \rightarrow \Lambda K 2\pi$ |

### $\Gamma(K_0^*(1430)\pi)/\Gamma_{\text{total}}$ $\Gamma_2/\Gamma$

| <u>VALUE</u>     | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                         |
|------------------|--------------------|-------------|----------------------------------------|
| <b>0.28±0.04</b> | <sup>9</sup> DAUM  | 81C         | CNTR 63 $K^- p \rightarrow K^- 2\pi p$ |

### $\Gamma(K^*(892)\pi)/\Gamma_{\text{total}}$ $\Gamma_3/\Gamma$

| <u>VALUE</u>     | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                         |
|------------------|--------------------|-------------|----------------------------------------|
| <b>0.16±0.05</b> | <sup>9</sup> DAUM  | 81C         | CNTR 63 $K^- p \rightarrow K^- 2\pi p$ |

### $\Gamma(K\omega)/\Gamma_{\text{total}}$ $\Gamma_4/\Gamma$

| <u>VALUE</u>     | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                         |
|------------------|--------------------|-------------|----------------------------------------|
| <b>0.11±0.02</b> | <sup>9</sup> DAUM  | 81C         | CNTR 63 $K^- p \rightarrow K^- 2\pi p$ |

### $\Gamma(K\omega)/\Gamma(K\rho)$ $\Gamma_4/\Gamma_1$

| <u>VALUE</u>                                                                  | <u>CL%</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                             |
|-------------------------------------------------------------------------------|------------|--------------------|-------------|--------------------------------------------|
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |            |                    |             |                                            |
| <0.30                                                                         | 95         | RODEBACK           | 81          | HBC 4 $\pi^- p \rightarrow \Lambda K 2\pi$ |

### $\Gamma(K f_0(1370))/\Gamma_{\text{total}}$ $\Gamma_5/\Gamma$

| <u>VALUE</u>     | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                         |
|------------------|--------------------|-------------|----------------------------------------|
| <b>0.03±0.02</b> | <sup>9</sup> DAUM  | 81C         | CNTR 63 $K^- p \rightarrow K^- 2\pi p$ |

### D-wave/S-wave RATIO FOR $K_1(1270) \rightarrow K^*(892)\pi$

| <u>VALUE</u>   | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                         |
|----------------|--------------------|-------------|----------------------------------------|
| <b>1.0±0.7</b> | <sup>9</sup> DAUM  | 81C         | CNTR 63 $K^- p \rightarrow K^- 2\pi p$ |

<sup>9</sup> Average from low and high  $t$  data.

## $K_1(1270)$ REFERENCES

|              |     |               |                                |                               |
|--------------|-----|---------------|--------------------------------|-------------------------------|
| GENG         | 07  | PR D75 014017 | L.S. Geng <i>et al.</i>        |                               |
| ABLIKIM      | 06C | PL B633 681   | M. Ablikim <i>et al.</i>       | (BES Collab.)                 |
| ALAVI-HARATI | 02B | PRL 89 072001 | A. Alavi-Harati <i>et al.</i>  | (FNAL KTeV Collab.)           |
| ASNER        | 00B | PR D62 072006 | D.M. Asner <i>et al.</i>       | (CLEO Collab.)                |
| TORNQVIST    | 82B | NP B203 268   | N.A. Tornqvist                 | (HELS)                        |
| DAUM         | 81C | NP B187 1     | C. Daum <i>et al.</i>          | (AMST, CERN, CRAC, MPIM+)     |
| RODEBACK     | 81  | ZPHY C9 9     | S. Rodeback <i>et al.</i>      | (CERN, CDEF, MADR+)           |
| MAZZUCATO    | 79  | NP B156 532   | M. Mazzucato <i>et al.</i>     | (CERN, ZEEM, NIJM+)           |
| VERGEEST     | 79  | NP B158 265   | J.S.M. Vergeest <i>et al.</i>  | (NIJM, AMST, CERN+)           |
| GAVILLET     | 78  | PL 76B 517    | P. Gavillet <i>et al.</i>      | (AMST, CERN, NIJM+) JP        |
| CARNEGIE     | 77  | NP B127 509   | R.K. Carnegie <i>et al.</i>    | (SLAC)                        |
| CARNEGIE     | 77B | PL 68B 287    | R.K. Carnegie <i>et al.</i>    | (SLAC)                        |
| BRANDENB...  | 76  | PRL 36 703    | G.W. Brandenburg <i>et al.</i> | (SLAC) JP                     |
| OTTER        | 76  | NP B106 77    | G. Otter <i>et al.</i>         | (AACH3, BERL, CERN, LOIC+) JP |
| CRENNELL     | 72  | PR D6 1220    | D.J. Crennell <i>et al.</i>    | (BNL)                         |
| DAVIS        | 72  | PR D5 2688    | P.J. Davis <i>et al.</i>       | (LBL)                         |
| FIRESTONE    | 72B | PR D5 505     | A. Firestone <i>et al.</i>     | (LBL)                         |
| ASTIER       | 69  | NP B10 65     | A. Astier <i>et al.</i>        | (CDEF, CERN, IPNP, LIVP) IJP  |
| CRENNELL     | 67  | PRL 19 44     | D.J. Crennell <i>et al.</i>    | (BNL) I                       |

————— **OTHER RELATED PAPERS** —————

|            |     |               |                             |                        |
|------------|-----|---------------|-----------------------------|------------------------|
| AUBERT     | 07R | PRL 98 211804 | B. Aubert <i>et al.</i>     | (BABAR Collab.)        |
| ABLIKIM    | 05Q | PR D72 092002 | M. Ablikim <i>et al.</i>    | (BES Collab.)          |
| ROCA       | 05  | PR D72 014002 | L. Roca <i>et al.</i>       |                        |
| SUZUKI     | 93  | PR D47 1252   | M. Suzuki                   | (LBL)                  |
| BAUBILLIER | 82B | NP B202 21    | M. Baubillier <i>et al.</i> | (BIRM, CERN, GLAS+)    |
| FERNANDEZ  | 82  | ZPHY C16 95   | C. Fernandez <i>et al.</i>  | (MADR, CERN, CDEF+) JP |
| GAVILLET   | 82  | ZPHY C16 119  | P. Gavillet <i>et al.</i>   | (CERN, CDEF, PADO+)    |
| SHEN       | 66  | PRL 17 726    | B.C. Shen <i>et al.</i>     | (LRL)                  |
| Also       |     | Private Comm. | G. Goldhaber                | (LRL)                  |
| ALMEIDA    | 65  | PL 16 184     | S.P. Almeida <i>et al.</i>  | (CAVE)                 |
| ARMENTEROS | 64  | PL 9 207      | R. Armenteros <i>et al.</i> | (CERN, CDEF)           |
| Also       |     | PR 145 1095   | N. Barash <i>et al.</i>     | (COLU)                 |

---