

**$N(2190) G_{17}$** 

$$I(J^P) = \frac{1}{2}(\frac{7}{2}^-) \text{ Status: } ****$$

Most of the results published before 1975 were last included in our 1982 edition, Physics Letters **111B** 1 (1982). Some further obsolete results published before 1984 were last included in our 2006 edition, Journal of Physics, G **33** 1 (2006).

 **$N(2190)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2100 to 2200 (<math>\approx 2190</math>) OUR ESTIMATE</b>			
2152.4 $\pm$ 1.4	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2127 $\pm$ 9	MANLEY	92	IPWA $\pi N \rightarrow \pi N \ \& \ N\pi\pi$
2200 $\pm$ 70	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2140 $\pm$ 12	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
2140 $\pm$ 40	HENDRY	78	MPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2192.1 $\pm$ 8.7	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
2168 $\pm$ 18	VRANA	00	DPWA Multichannel
2131	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
2198 $\pm$ 68	BATINIC	95	DPWA $\pi N \rightarrow N\pi, N\eta$
2180	SAXON	80	DPWA $\pi^- p \rightarrow \Lambda K^0$

 **$N(2190)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>300 to 700 (<math>\approx 500</math>) OUR ESTIMATE</b>			
484 $\pm$ 13	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
550 $\pm$ 50	MANLEY	92	IPWA $\pi N \rightarrow \pi N \ \& \ N\pi\pi$
500 $\pm$ 150	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
390 $\pm$ 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
270 $\pm$ 50	HENDRY	78	MPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
726 $\pm$ 62	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
453 $\pm$ 101	VRANA	00	DPWA Multichannel
476	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
805 $\pm$ 140	BATINIC	95	DPWA $\pi N \rightarrow N\pi, N\eta$
80	SAXON	80	DPWA $\pi^- p \rightarrow \Lambda K^0$

 **$N(2190)$  POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2050 to 2100 (<math>\approx 2075</math>) OUR ESTIMATE</b>			
2070	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2042	<sup>1</sup> HOEHLER	93	SPED $\pi N \rightarrow \pi N$
2100 $\pm$ 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2076	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
2107	VRANA	00	DPWA	Multichannel
2030	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
2060	ARNDT	91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90

### –2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	--------------------	-------------	----------------

#### 400 to 520 ( $\approx 450$ ) OUR ESTIMATE

520	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
482	<sup>1</sup> HOEHLER	93	SPED	$\pi N \rightarrow \pi N$
400±160	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

502	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
380	VRANA	00	DPWA	Multichannel
460	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
464	ARNDT	91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90

## N(2190) ELASTIC POLE RESIDUE

### MODULUS $|r|$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
72	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
45	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
25±10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

68	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
46	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
54	ARNDT	91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90

### PHASE $\theta$

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
–32	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
–30±50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

–32	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
–23	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
–44	ARNDT	91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90

## N(2190) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	10–20 %
$\Gamma_2$ $N\eta$	(0.0±1.0) %
$\Gamma_3$ $N\omega$	seen
$\Gamma_4$ $\Lambda K$	seen
$\Gamma_5$ $\Sigma K$	

$\Gamma_6$	$N\pi\pi$	seen
$\Gamma_7$	$N\rho$	seen
$\Gamma_8$	$N\rho, S=3/2, D\text{-wave}$	
$\Gamma_9$	$p\gamma, \text{helicity}=1/2$	
$\Gamma_{10}$	$p\gamma, \text{helicity}=3/2$	
$\Gamma_{11}$	$n\gamma, \text{helicity}=1/2$	
$\Gamma_{12}$	$n\gamma, \text{helicity}=3/2$	

### N(2190) BRANCHING RATIOS

#### $\Gamma(N\pi)/\Gamma_{\text{total}}$ $\Gamma_1/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.1 to 0.2 OUR ESTIMATE</b>			
$0.238 \pm 0.001$	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
$0.22 \pm 0.01$	MANLEY	92	IPWA $\pi N \rightarrow \pi N \ \& \ N\pi\pi$
$0.12 \pm 0.06$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$0.14 \pm 0.02$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
$0.16 \pm 0.04$	HENDRY	78	MPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.230 \pm 0.002$	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
$0.20 \pm 0.04$	VRANA	00	DPWA Multichannel
0.23	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
$0.19 \pm 0.05$	BATINIC	95	DPWA $\pi N \rightarrow N\pi, N\eta$

#### $\Gamma(N\eta)/\Gamma_{\text{total}}$ $\Gamma_2/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.00 <math>\pm</math> 0.01</b>	VRANA	00	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.001 \pm 0.003$	BATINIC	95	DPWA $\pi N \rightarrow N\pi, N\eta$

#### $\Gamma(N\omega)/\Gamma_{\text{total}}$ $\Gamma_3/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
seen	WILLIAMS	09	IPWA $\gamma p \rightarrow p\omega$

#### $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(2190) \rightarrow \Lambda K$ $(\Gamma_1\Gamma_4)^{1/2}/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.02	BELL	83	DPWA $\pi^- p \rightarrow \Lambda K^0$
-0.02	SAXON	80	DPWA $\pi^- p \rightarrow \Lambda K^0$

#### $(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(2190) \rightarrow N\rho, S=3/2, D\text{-wave}$ $(\Gamma_1\Gamma_8)^{1/2}/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.25 \pm 0.03$	MANLEY	92	IPWA $\pi N \rightarrow \pi N \ \& \ N\pi\pi$

#### $\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$ $\Gamma_8/\Gamma$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.29 \pm 0.28$	VRANA	00	DPWA Multichannel

## N(2190) PHOTON DECAY AMPLITUDES

Papers on  $\gamma N$  amplitudes predating 1981 may be found in our 2006 edition, Journal of Physics, G **33** 1 (2006).

### N(2190) $\rightarrow p\gamma$ , ratio of helicity amplitudes $A_{3/2}/A_{1/2}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$-0.17 \pm 0.15$	WILLIAMS 09	IPWA	$\gamma p \rightarrow p\omega$

### N(2190) $\gamma p \rightarrow \Lambda K^+$ AMPLITUDES

#### $(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $p\gamma \rightarrow N(2190) \rightarrow \Lambda K^+$ ( $E_{4-}$ amplitude)

<u>VALUE (units <math>10^{-3}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$2.5 \pm 1.0$	WORKMAN 90	DPWA	
2.04	TANABE 89	DPWA	

#### $p\gamma \rightarrow N(2190) \rightarrow \Lambda K^+$ phase angle $\theta$ ( $E_{4-}$ amplitude)

<u>VALUE (degrees)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$-4 \pm 9$	WORKMAN 90	DPWA	
-27.5	TANABE 89	DPWA	

#### $(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $p\gamma \rightarrow N(2190) \rightarrow \Lambda K^+$ ( $M_{4-}$ amplitude)

<u>VALUE (units <math>10^{-3}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$-7.0 \pm 0.7$	WORKMAN 90	DPWA	
-5.78	TANABE 89	DPWA	

### N(2190) FOOTNOTES

<sup>1</sup> See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of  $N$  and  $\Delta$  resonances as determined from Argand diagrams of  $\pi N$  elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.

### N(2190) REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

WILLIAMS 09	PR C80 065209	M. Williams <i>et al.</i>	(CEBAF CLAS Collab.)
ARNDT 06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PDG 06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
ARNDT 04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
VRANA 00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
ARNDT 95	PR C52 2120	R.A. Arndt <i>et al.</i>	(VPI, BRCO)
BATINIC 95	PR C51 2310	M. Batinic <i>et al.</i>	(BOSK, UCLA)
Also	PR C57 1004 (erratum)	M. Batinic <i>et al.</i>	
HOEHLER 93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
MANLEY 92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT) IJP
Also	PR D30 904	D.M. Manley <i>et al.</i>	(VPI)

ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i>	(VPI, TELE) IJP
WORKMAN	90	PR C42 781	R.L. Workman	(VPI)
TANABE	89	PR C39 741	H. Tanabe, M. Kohno, C. Bennhold	(MANZ)
Also		NC 102A 193	M. Kohno, H. Tanabe, C. Bennhold	(MANZ)
BELL	83	NP B222 389	K.W. Bell <i>et al.</i>	(RL) IJP
PDG	82	PL 111B 1	M. Roos <i>et al.</i>	(HELS, CIT, CERN)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
SAXON	80	NP B162 522	D.H. Saxon <i>et al.</i>	(RHEL, BRIS) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
HENDRY	78	PRL 41 222	A.W. Hendry	(IND, LBL) IJP
Also		ANP 136 1	A.W. Hendry	(IND)

---