

**$f_0(2200)$** 

$$I^G(J^{PC}) = 0^+(0^{++})$$

## OMITTED FROM SUMMARY TABLE

Seen in  $K_S^0 K_S^0$  (AUGUSTIN 88),  $K^+ K^-$  (ABLIKIM 05Q) and  $\eta\eta$  (BINON 05) system. Not seen in  $\Upsilon(1S)$  radiative decays (BARU 89).

 **$f_0(2200)$  MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2189±13 OUR AVERAGE</b>			
2170±20 <sup>+10</sup> <sub>-15</sub>	ABLIKIM	05Q	BES2 $\psi(2S) \rightarrow \gamma\pi^+\pi^-K^+K^-$
2210±50	<sup>1</sup> BINON	05	GAMS 33 $\pi^-p \rightarrow \eta\eta n$
2197±17	<sup>2</sup> AUGUSTIN	88	DM2 $J/\psi \rightarrow \gamma K_S^0 K_S^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
~ 2122	HASAN	94	RVUE $\bar{p}p \rightarrow \pi\pi$
~ 2321	HASAN	94	RVUE $\bar{p}p \rightarrow \pi\pi$

<sup>1</sup> First solution, PWA is ambiguous.<sup>2</sup> Cannot determine spin to be 0. **$f_0(2200)$  WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>238±50 OUR AVERAGE</b>	Error includes scale factor of 1.2.		
220±60 <sup>+40</sup> <sub>-45</sub>	ABLIKIM	05Q	BES2 $\psi(2S) \rightarrow \gamma\pi^+\pi^-K^+K^-$
380±90	<sup>3</sup> BINON	05	GAMS 33 $\pi^-p \rightarrow \eta\eta n$
201±51	<sup>4</sup> AUGUSTIN	88	DM2 $J/\psi \rightarrow \gamma K_S^0 K_S^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
~ 273	HASAN	94	RVUE $\bar{p}p \rightarrow \pi\pi$
~ 223	HASAN	94	RVUE $\bar{p}p \rightarrow \pi\pi$

<sup>3</sup> First solution, PWA is ambiguous.<sup>4</sup> Cannot determine spin to be 0. **$f_0(2200)$  REFERENCES**

ABLIKIM	05Q	PR D72 092002	M. Ablikim <i>et al.</i>	(BES Collab.)
BINON	05	PAN 68 960	F. Binon <i>et al.</i>	
		Translated from YAF 68 998.		
HASAN	94	PL B334 215	A. Hasan, D.V. Bugg	(LOQM)
BARU	89	ZPHY C42 505	S.E. Baru <i>et al.</i>	(NOVO)
AUGUSTIN	88	PRL 60 2238	J.E. Augustin <i>et al.</i>	(DM2 Collab.)