

N(2090) S₁₁

$$I(J^P) = \frac{1}{2}(\frac{1}{2}^-) \text{ Status: } *$$

OMITTED FROM SUMMARY TABLE

Any structure in the S₁₁ wave above 1800 MeV is listed here. A few early results that are now obsolete have been omitted.

The latest GWU analysis (ARNDT 06) finds no evidence for this resonance.

N(2090) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
≈ 2090 OUR ESTIMATE			
1928 ± 59	MANLEY	92	IPWA π N → π N & N π π
2180 ± 80	CUTKOSKY	80	IPWA π N → π N
1880 ± 20	HOEHLER	79	IPWA π N → π N
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1812 ± 25	BATINIC	10	DPWA π N → N π, N η
1822 ± 43	VRANA	00	DPWA Multichannel
1897 ± 50 ⁺³⁰ ₋₂	PLOETZKE	98	SPEC γ p → p η' (958)

N(2090) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
414 ± 157	MANLEY	92	IPWA π N → π N & N π π
350 ± 100	CUTKOSKY	80	IPWA π N → π N
95 ± 30	HOEHLER	79	IPWA π N → π N
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
405 ± 40	BATINIC	10	DPWA π N → N π, N η
248 ± 185	VRANA	00	DPWA Multichannel
396 ± 155 ⁺³⁵ ₋₄₅	PLOETZKE	98	SPEC γ p → p η' (958)

N(2090) POLE POSITION

REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2150 ± 70	CUTKOSKY	80	IPWA π N → π N
1937 or 1949	¹ LONGACRE	78	IPWA π N → N π π
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1797 ± 26	BATINIC	10	DPWA π N → N π, N η
1795	VRANA	00	DPWA Multichannel

– 2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
350±100	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
139 or 131	¹ LONGACRE 78	IPWA	$\pi N \rightarrow N\pi\pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
420± 45	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
220	VRANA 00	DPWA	Multichannel

N(2090) ELASTIC POLE RESIDUE

MODULUS $|r|$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
40±20	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
60	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0±90	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
–164	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

N(2090) DECAY MODES

Mode
Γ_1 $N\pi$
Γ_2 $N\eta$
Γ_3 ΛK
Γ_4 $N\pi\pi$
Γ_5 $\Delta\pi$
Γ_6 $\Delta(1232)\pi, D\text{-wave}$
Γ_7 $N\rho$
Γ_8 $N\rho, S=1/2, S\text{-wave}$
Γ_9 $N\rho, S=3/2, D\text{-wave}$
Γ_{10} $N(\pi\pi)_{S\text{-wave}}^{I=0}$
Γ_{11} $N(1440)\pi$

N(2090) BRANCHING RATIOS

<u>$\Gamma(N\pi)/\Gamma_{\text{total}}$</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	<u>Γ_1/Γ</u>
0.10±0.10	MANLEY 92	IPWA	$\pi N \rightarrow \pi N \& N\pi\pi$	
0.18±0.08	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$	
0.09±0.05	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.32±0.06	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$	
0.17±0.03	VRANA 00	DPWA	Multichannel	

$\Gamma(N\eta)/\Gamma_{\text{total}}$				Γ_2/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.41±0.04	VRANA	00	DPWA Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.22±0.10	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$	
$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(2090) \rightarrow \Lambda K$				$(\Gamma_1\Gamma_3)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
not seen	SAXON	80	DPWA $\pi^- p \rightarrow \Lambda K^0$	
$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$				Γ_6/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.01±0.01	VRANA	00	DPWA Multichannel	
$\Gamma(N\rho, S=1/2, S\text{-wave})/\Gamma_{\text{total}}$				Γ_8/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.36±0.01	VRANA	00	DPWA Multichannel	
$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$				Γ_9/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.01±0.01	VRANA	00	DPWA Multichannel	
$\Gamma(N(\pi\pi)_{S\text{-wave}}^{I=0})/\Gamma_{\text{total}}$				Γ_{10}/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.02±0.01	VRANA	00	DPWA Multichannel	
$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$				Γ_{11}/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
0.02±0.01	VRANA	00	DPWA Multichannel	

N(2090) FOOTNOTES

¹ LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.

N(2090) REFERENCES

BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
PLOETZKE	98	PL B444 555	R. Ploetzke <i>et al.</i>	(Bonn SAPHIR Collab.)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
SAXON	80	NP B162 522	D.H. Saxon <i>et al.</i>	(RHEL, BRIS) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i>	(LBL, SLAC)