

Further States

OMITTED FROM SUMMARY TABLE

This section contains states observed by a single group or states poorly established that thus need confirmation.

QUANTUM NUMBERS, MASSES, WIDTHS, AND BRANCHING RATIOS

| X(360) $I^G(J^{PC}) = ?^?(?^?+)$ | | | | | |
|---|--------------------|-------------|---------------------------|-------------|--------------------------------------|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
| $360 \pm 7 \pm 9$ | 64 ± 18 | 2.3k | ¹ ABRAAMYAN 09 | CNTR | 2.75 $dC \rightarrow \gamma\gamma X$ |

¹ Not seen in $pC \rightarrow \gamma\gamma X$ at 5.5 GeV/c.

| X(1070) $I^G(J^{PC}) = ?^?(0^{++})$ | | | | | |
|--|--------------------|------------------------------|----------------|--|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>COMMENT</u> | | |
| 1072 ± 1 | 3.5 ± 0.5 | ² VLADIMIRSK...08 | 40 | $\pi^- p \rightarrow K_S^0 K_S^0 n + m\pi^0$ | |

² Supersedes GRIGOR'EV 05.

| X(1110) $I^G(J^{PC}) = 0^+(\text{even}^{++})$ | | | | | |
|--|--------------------|--------------------|-------------|----------------|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1107 ± 4 | $111 \pm 8 \pm 15$ | DAFTARI | 87 | DBC | 0. $\bar{p}n \rightarrow \rho^- \pi^+ \pi^-$ |

| f₀(1200–1600) $I^G(J^{PC}) = 0^+(0^{++})$ | | | | | |
|---|---------------------|------------------------|-------------|----------------|-------------------------------------|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1323 ± 8 | 237 ± 20 | VLADIMIRSK...06 | SPEC | 40 | $\pi^- p \rightarrow K_S^0 K_S^0 n$ |
| 1480^{+100}_{-150} | 1030^{+80}_{-170} | ³ ANISOVICH | 03 | SPEC | |
| 1530^{+90}_{-250} | 560 ± 40 | ⁴ ANISOVICH | 03 | SPEC | |

³ K-matrix pole from combined analysis of $\pi^- p \rightarrow \pi^0 \pi^0 n$, $\pi^- p \rightarrow K \bar{K} n$, $\pi^+ \pi^- \rightarrow \pi^+ \pi^-$, $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0$, $\pi^0 \eta \eta$, $\pi^0 \pi^0 \eta$, $\pi^+ \pi^- \pi^0$, $K^+ K^- \pi^0$, $K_S^0 K_S^0 \pi^0$, $K^+ K_S^0 \pi^-$ at rest, $\bar{p}n \rightarrow \pi^- \pi^- \pi^+$, $K_S^0 K^- \pi^0$, $K_S^0 K_S^0 \pi^-$ at rest.

⁴ K-matrix pole from combined analysis of $\pi^- p \rightarrow \pi^0 \pi^0 n$, $\pi^- p \rightarrow K \bar{K} n$, $\bar{p}p \rightarrow \pi^0 \pi^0 \pi^0$, $\pi^0 \eta \eta$, $\pi^0 \pi^0 \eta$ at rest.

| X(1420) $I^G(J^{PC}) = 2^+(0^{++})$ | | | | | |
|--|--------------------|--------------------|-------------|----------------|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1420 ± 20 | 160 ± 10 | FILIPPI | 00 | OBLX | 0 $\bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$ |

| X(1545) $I^G(J^{PC}) = ?^?(?^{++})$ | | | | | |
|--|--------------------|------------------------------|----------------|--|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>COMMENT</u> | | |
| 1545 ± 3 | 6.0 ± 2.5 | ⁵ VLADIMIRSK...08 | 40 | $\pi^- p \rightarrow K_S^0 K_S^0 n + m\pi^0$ | |

⁵Supersedes VLADIMIRSKII 00.

| X(1575) | | $I^G(J^{PC}) = ??(1^{--})$ | | | | |
|--|--|----------------------------|-------------|------------------------------------|--|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 1576 ⁺⁴⁹⁺⁹⁸ ₋₅₅₋₉₁ | 818 ⁺²²⁺⁶⁴ ₋₂₃₋₁₃₃ | ⁶ ABLIKIM | 06S BES | $J/\psi \rightarrow K^+ K^- \pi^0$ | | |

⁶ A broad peak observed at $K^+ K^-$ invariant mass. Mass and width above are its pole position. The observed branching ratio is $B(J/\psi \rightarrow X \pi^0) B(X \rightarrow K^+ K^-) = (8.5 \pm 0.6^{+2.7}_{-3.6}) \times 10^{-4}$.

| X(1600) | | $I^G(J^{PC}) = 2^+(2^{++})$ | | | | |
|-------------------|--------------------|-----------------------------|-------------|---|--|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 1600 ± 100 | 400 ± 200 | ⁷ ALBRECHT | 91F ARG | 10.2 $e^+ e^- \rightarrow e^+ e^- 2(\pi^+ \pi^-)$ | | |

⁷ Our estimate.

| X(1650) | | $I^G(J^{PC}) = 0^-(??^-)$ | | | | |
|-------------------|--------------------|---------------------------|--------------------|-------------|---|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1652 ± 7 | <50 | 100 | PROKOSHKIN 96 | GAM2 | 32,38 $\pi p \rightarrow \omega \eta n$ | |

| X(1730) | | $I^G(J^{PC}) = ??(??^+)$ | | | | |
|--------------------|--------------------|--------------------------|--------------------|-------------|--|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1731.0 ± 1.2 ± 2.0 | 3.2 ± 0.8 ± 1.3 | 58 | VLADIMIRSK...07 | SPEC | 40 $\pi^- p \rightarrow K_S^0 K_S^0 X$ | |

| X(1750) | | $I^G(J^{PC}) = ??(1^{--})$ | | | | |
|--------------------|--------------------|----------------------------|-------------|---|--|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | | |
| 1753.5 ± 1.5 ± 2.3 | 122.2 ± 6.2 ± 8.0 | LINK | 02K FOCS | 20–160 $\gamma p \rightarrow K^+ K^- p$ | | |

$B(X(1750) \rightarrow \bar{K}^*(892)^0 K^0 \rightarrow K^\pm \pi^\mp K_S^0) / B(X(1750) \rightarrow K^+ K^-)$

| <u>VALUE</u> | <u>CL%</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|--------------|------------|--------------------|-------------|
| <0.065 | 90 | LINK | 02K FOCS |

$B(X(1750) \rightarrow \bar{K}^*(892)^\pm K^\mp \rightarrow K^\pm \pi^\mp K_S^0) / B(X(1750) \rightarrow K^+ K^-)$

| <u>VALUE</u> | <u>CL%</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|--------------|------------|--------------------|-------------|
| <0.183 | 90 | LINK | 02K FOCS |

| f₂(1750) | | $I^G(J^{PC}) = 0^+(2^{++})$ | | | | |
|----------------------------|--------------------|-----------------------------|-----------------------------|-------------|--|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1755 ± 10 | 67 ± 12 | 870 | ⁸ SCHEGELSKY 06A | RVUE | $\gamma\gamma \rightarrow K_S^0 K_S^0$ | |

$\Gamma(K\bar{K})$

| <u>VALUE (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------------|-------------|-----------------------------|-------------|--|
| 17 ± 5 | 870 | ⁹ SCHEGELSKY 06A | RVUE | $\gamma\gamma \rightarrow K_S^0 K_S^0$ |

$\Gamma(\gamma\gamma)$

| <u>VALUE (keV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------------|-------------|-----------------------------|-------------|--|
| 0.13±0.04 | 870 | ⁹ SCHEGELSKY 06A | RVUE | $\gamma\gamma \rightarrow K_S^0 K_S^0$ |

$\Gamma(\pi\pi)$

| <u>VALUE (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------------|-------------|-----------------------------|-------------|--|
| 1.3±1.0 | 870 | ⁹ SCHEGELSKY 06A | RVUE | $\gamma\gamma \rightarrow K_S^0 K_S^0$ |

$\Gamma(\eta\eta)$

| <u>VALUE (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------------|-------------|-----------------------------|-------------|--|
| 2.0±0.5 | 870 | ⁹ SCHEGELSKY 06A | RVUE | $\gamma\gamma \rightarrow K_S^0 K_S^0$ |

⁸ From analysis of L3 data at 91 and 183–209 GeV.

⁹ From analysis of L3 data at 91 and 183–209 GeV and using SU(3) relations.

X(1775) $I^G(J^{PC}) = 1^-(?^-+)$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|--|
| 1763±20 | 192 ± 60 | CONDO 91 | SHF | $\gamma p \rightarrow (p\pi^+)(\pi^+\pi^-\pi^-)$ |
| 1787±18 | 118 ± 60 | CONDO 91 | SHF | $\gamma p \rightarrow n\pi^+\pi^+\pi^-$ |

X(1855) $I^G(J^{PC}) = ?^?(?^{??})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|---|
| 1856.6±5 | 20 ± 5 | BRIDGES | 86D | SPEC 0. $\bar{p}d \rightarrow \pi\pi N$ |

X(1870) $I^G(J^{PC}) = ?^?(2^{??})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|--|
| 1870±40 | 250 ± 30 | ALDE | 86D | GAM4 100 $\pi^- p \rightarrow 2\eta X$ |

$a_3(1875)$ $I^G(J^{PC}) = 1^-(3^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|---|
| 1874±43±96 | 385 ± 121 ± 114 | CHUNG | 02 | B852 18.3 $\pi^- p \rightarrow \pi^+\pi^-\pi^- p$ |

$B(a_3(1875) \rightarrow f_2(1270)\pi)/B(a_3(1875) \rightarrow \rho\pi)$

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------|------------------------|-------------|--|
| 0.8±0.2 | ¹⁰ CHUNG 02 | B852 | 18.3 $\pi^- p \rightarrow \pi^+\pi^-\pi^- p$ |

¹⁰ Using the observable fractions of 50.0% $\rho\pi$, 56.5% $f_2\pi$, and 11.8% $\rho_3\pi$.

$B(a_3(1875) \rightarrow \rho_3(1690)\pi)/B(a_3(1875) \rightarrow \rho\pi)$

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------|------------------------|-------------|--|
| 0.9±0.3 | ¹¹ CHUNG 02 | B852 | 18.3 $\pi^- p \rightarrow \pi^+\pi^-\pi^- p$ |

¹¹ Using the observable fractions of 50.0% $\rho\pi$, 56.5% $f_2\pi$, and 11.8% $\rho_3\pi$.

| $a_1(1930)$ $I^G(J^{PC}) = 1^-(1^{++})$ | | | | | |
|--|--------------------|--------------------|-------------|--|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1930^{+30}_{-70} | 155 ± 45 | ANISOVICH | 01F SPEC | 2.0 $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$ | |

| $X(1935)$ $I^G(J^{PC}) = 1^+(1^{-?})$ | | | | | |
|--|--------------------|--------------------|-------------|---------------------------------------|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1935 ± 20 | 215 ± 30 | EVANGELIS... | 79 OMEG | 10,16 $\pi^- p \rightarrow \bar{p}pn$ | |

| $\rho_2(1940)$ $I^G(J^{PC}) = 1^+(2^{--})$ | | | | | |
|---|--------------------|-------------------------|-------------|---|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1940 ± 40 | 155 ± 40 | ¹² ANISOVICH | 02 SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$ | |

¹² From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

| $\omega_3(1945)$ $I^G(J^{PC}) = 0^-(3^{--})$ | | | | | |
|---|--------------------|-------------------------|-------------|---|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1945 ± 20 | 115 ± 22 | ¹³ ANISOVICH | 02B SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$ | |

¹³ From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

| $a_2(1950)$ $I^G(J^{PC}) = 1^-(2^{++})$ | | | | | |
|--|--------------------|-------------------------|-------------|----------------------|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1950^{+30}_{-70} | 180^{+30}_{-70} | ¹⁴ ANISOVICH | 01F SPEC | 1.96–2.41 $\bar{p}p$ | |

¹⁴ From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, and ANISOVICH 01F.

| $\omega(1960)$ $I^G(J^{PC}) = 0^-(1^{--})$ | | | | | |
|---|--------------------|-------------------------|-------------|---|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1960 ± 25 | 195 ± 60 | ¹⁵ ANISOVICH | 02B SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$ | |

¹⁵ From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

| $b_1(1960)$ $I^G(J^{PC}) = 1^+(1^{+-})$ | | | | | |
|--|--------------------|-------------------------|-------------|---|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1960 ± 35 | 230 ± 50 | ¹⁶ ANISOVICH | 02 SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$ | |

¹⁶ From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

| $h_1(1965)$ $I^G(J^{PC}) = 0^-(1^+ -)$ | | | | | |
|--|--------------------|-------------------------|-------------|----------------|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1965 ± 45 | 345 ± 75 | ¹⁷ ANISOVICH | 02B | SPEC | 0.6–1.9 $\rho\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$ |

¹⁷ From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

| $f_1(1970)$ $I^G(J^{PC}) = 0^+(1^+ +)$ | | | | | |
|--|--------------------|--------------------|-------------|----------------|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1971 ± 15 | 240 ± 45 | ANISOVICH | 00J | SPEC | |

| $X(1970)$ $I^G(J^{PC}) = ?^?(?^{??})$ | | | | | |
|---|--------------------|--------------------|-------------|----------------|-------------------------------------|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1970 ± 10 | 40 ± 20 | CHLIAPNIK... | 80 | HBC | 32 $K^+p \rightarrow 2K_S^0 2\pi X$ |

| $X(1975)$ $I^G(J^{PC}) = ?^?(?^{??})$ | | | | | |
|---|--------------------|-------------|--------------------|-------------|---|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTs</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
| 1973 ± 15 | 80 | 30 | CASO | 70 | HBC 11.2 $\pi^-p \rightarrow \rho 2\pi$ |

| $\omega_2(1975)$ $I^G(J^{PC}) = 0^-(2^- -)$ | | | | | |
|---|--------------------|-------------------------|-------------|----------------|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 1975 ± 20 | 175 ± 25 | ¹⁸ ANISOVICH | 02B | SPEC | 0.6–1.9 $\rho\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$ |

¹⁸ From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

| $a_2(1990)$ $I^G(J^{PC}) = 1^-(2^+ +)$ | | | | | |
|--|--------------------|-------------|--------------------------|-------------|---|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTs</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
| 2050 ± 10 ± 40 | 190 ± 22 ± 100 | 18k | ¹⁹ SCHEGELSKY | 06 | RVUE $\gamma\gamma \rightarrow \pi^+\pi^-\pi^0$ |
| 2003 ± 10 ± 19 | 249 ± 23 ± 32 | | LU | 05 | B852 $18 \pi^-p \rightarrow \omega\pi^-\pi^0 p$ |

¹⁹ From analysis of L3 data at 183–209 GeV.

| $\Gamma(\gamma\gamma) \Gamma(\pi^+\pi^-\pi^0) / \Gamma(\text{total})$ | | | | | |
|---|-------------|--------------------------|-------------|----------------|--|
| <u>VALUE (keV)</u> | <u>EVTs</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 0.11 ± 0.04 ± 0.05 | 18k | ²⁰ SCHEGELSKY | 06 | RVUE | $\gamma\gamma \rightarrow \pi^+\pi^-\pi^0$ |

²⁰ From analysis of L3 data at 183–209 GeV.

| $\rho(2000)$ $I^G(J^{PC}) = 1^+(1^- -)$ | | | | | |
|---|--------------------|--------------------|-------------|----------------|-------------------------------|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2000 ± 30 | 260 ± 45 | ²¹ BUGG | 04C | RVUE | Compilation |
| ~ 1988 | ~ 244 | HASAN | 94 | RVUE | $\bar{p}p \rightarrow \pi\pi$ |

²¹ From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

$f_2(2000)$ $I^G(J^{PC}) = 0^+(2^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|-------------------------------|
| 2001 ± 10 | 312 ± 32 | ANISOVICH | 00J SPEC | |
| ~ 1996 | ~ 134 | HASAN | 94 RVUE | $\bar{p}p \rightarrow \pi\pi$ |

$X(2000)$ $I^G(J^{PC}) = 1^-(?^{?+})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>CHG</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|------------|---|
| 1964 ± 35 | 225 ± 50 | 22 ARMSTRONG | 93D E760 | | $\bar{p}p \rightarrow 3\pi^0 \rightarrow 6\gamma$ |
| ~ 2100 | ~ 500 | 22 ANTIPOV | 77 CIBS | - | 25 $\pi^- p \rightarrow p\pi^- \rho_3$ |
| 2214 ± 15 | 355 ± 21 | 23 BALTAY | 77 HBC | 0 | 15 $\pi^- p \rightarrow \Delta^{++} 3\pi$ |
| 2080 ± 40 | 340 ± 80 | KALELKAR | 75 HBC | + | 15 $\pi^+ p \rightarrow p\pi^+ \rho_3$ |

²² Cannot determine spin to be 3.

²³ BALTAY 77 favors $J^P = ,3^+$.

$X(2000)$ $I^G(J^{PC}) = ?^?(4^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|---------------------------------------|
| 1998 ± 3 ± 5 | < 15 | VLADIMIRSK..03 | SPEC | $\pi^- p \rightarrow K_S^0 K_S^0 M M$ |

$\pi_2(2005)$ $I^G(J^{PC}) = 1^-(2^{-+})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------|--------------------|-------------|--|
| 1974 ± 14 ± 83 | 341 ± 61 ± 139 | 145k | LU | 05 B852 | 18 $\pi^- p \rightarrow \omega\pi^-\pi^0 p$ |
| 2005 ± 15 | 200 ± 40 | | ANISOVICH | 01F SPEC | 2.0 $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$ |

$\eta(2010)$ $I^G(J^{PC}) = 0^+(0^{-+})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|------------------------------------|--------------------|--------------------|-------------|
| 2010 ⁺³⁵ ₋₆₀ | 270 ± 60 | ANISOVICH | 00J SPEC |

$\pi_1(2015)$ $I^G(J^{PC}) = 1^-(1^{-+})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------|--------------------|-------------|--|
| 2014 ± 20 ± 16 | 230 ± 32 ± 73 | 145k | LU | 05 B852 | 18 $\pi^- p \rightarrow \omega\pi^-\pi^0 p$ |
| 2001 ± 30 ± 92 | 333 ± 52 ± 49 | 69k | KUHN | 04 B852 | 18 $\pi^- p \rightarrow \eta\pi^+\pi^-\pi^- p$ |

$a_0(2020)$ $I^G(J^{PC}) = 1^-(0^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|-------------------|--------------------|--------------------|-------------|
| 2025 ± 30 | 330 ± 75 | ANISOVICH | 99C SPEC |

X(2020) $I^G(J^{PC}) = ??(???)$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|---|
| 2015±3 | 10 ± 4 | FERRER | 99 | RVUE $\pi p \rightarrow p p \bar{p} \pi(\pi)$ |

h₃(2025) $I^G(J^{PC}) = 0^-(3^{+-})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------------------|-------------|--|
| 2025±20 | 145 ± 30 | ²⁴ ANISOVICH | 02B | SPEC 0.6–1.9 $p \bar{p} \rightarrow \omega \eta, \omega \pi^0 \pi^0$ |

²⁴ From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

b₃(2030) $I^G(J^{PC}) = 1^+(3^{+-})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------------------|-------------|---|
| 2032±12 | 117 ± 11 | ²⁵ ANISOVICH | 02 | SPEC 0.6–1.9 $p \bar{p} \rightarrow \omega \pi^0, \omega \eta \pi^0, \pi^+ \pi^-$ |

²⁵ From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

a₂(2030) $I^G(J^{PC}) = 1^-(2^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------------------|-------------|----------------------------|
| 2030±20 | 205 ± 30 | ²⁶ ANISOVICH | 01F | SPEC 1.96–2.41 $\bar{p} p$ |

²⁶ From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, and ANISOVICH 01F.

a₃(2030) $I^G(J^{PC}) = 1^-(3^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------------------|-------------|----------------------------|
| 2031±12 | 150 ± 18 | ²⁷ ANISOVICH | 01F | SPEC 1.96–2.41 $\bar{p} p$ |

²⁷ From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, and ANISOVICH 01F.

η₂(2030) $I^G(J^{PC}) = 0^+(2^{-+})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|-------------------|--------------------|--------------------|-------------|
| 2030±5±15 | 205 ± 10 ± 15 | ANISOVICH | 00E SPEC |

B(a₂π)_{L=0}/B(a₂π)_{L=2}

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------|-------------------------|-------------|---------------------------|
| 0.05±0.03 | ²⁸ ANISOVICH | 11 | SPEC 0.9–1.94 $p \bar{p}$ |

²⁸ Reanalysis of ADOMEIT 96 and ANISOVICH 00E.

B(a₀π)/B(a₂π)_{L=2}

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------|-------------------------|-------------|---------------------------|
| 0.10±0.08 | ²⁹ ANISOVICH | 11 | SPEC 0.9–1.94 $p \bar{p}$ |

²⁹ Reanalysis of ADOMEIT 96 and ANISOVICH 00E.

$B(f_2 \eta)/B(a_2 \pi)_{L=2}$

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-------------------------|-------------|--------------------------|
| 0.13 ± 0.06 | ³⁰ ANISOVICH | 11 | SPEC 0.9–1.94 $p\bar{p}$ |
| ³⁰ Reanalysis of ADOMEIT 96 and ANISOVICH 00E. | | | |

$f_3(2050)$ $I^G(J^{PC}) = 0^+(3^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|--|
| 2048 ± 8 | 213 ± 34 | ANISOVICH | 00J | SPEC $2.0 p\bar{p} \rightarrow \eta \pi^0 \pi^0$ |

$f_0(2060)$ $I^G(J^{PC}) = 0^+(0^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--|--------------------|----------------------|-------------|--|
| ~ 2050 | ~ 120 | ³¹ OAKDEN | 94 | RVUE $0.36\text{--}1.55 p\bar{p} \rightarrow \pi\pi$ |
| ~ 2060 | ~ 50 | ³¹ OAKDEN | 94 | RVUE $0.36\text{--}1.55 p\bar{p} \rightarrow \pi\pi$ |
| ³¹ See SEMENOV 99 and KLOET 96. | | | | |

$\pi(2070)$ $I^G(J^{PC}) = 1^-(0^{-+})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|---|
| 2070 ± 35 | 310^{+100}_{-50} | ANISOVICH | 01F | SPEC $2.0 p\bar{p} \rightarrow 3\pi^0, \pi^0 \eta, \pi^0 \eta'$ |

$X(2075)$ $I^G(J^{PC}) = ??(???)$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-----------------------|-------------|---|
| $2075 \pm 12 \pm 5$ | $90 \pm 35 \pm 9$ | ³² ABLIKIM | 04J | BES2 $J/\psi \rightarrow K^- p \bar{\Lambda}$ |
| ³² From a fit in the region $M_{p\bar{\Lambda}} - M_p - M_{\Lambda} < 150$ MeV. S-wave in the $p\bar{\Lambda}$ system preferred. | | | | |

$X(2080)$ $I^G(J^{PC}) = ??(???)$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|--|
| 2080 ± 10 | 110 ± 20 | KREYMER | 80 | STRC $13 \pi^- d \rightarrow p\bar{p}n(n_s)$ |

$X(2080)$ $I^G(J^{PC}) = ??(3^{-?})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|---|
| 2080 ± 10 | 190 ± 15 | ROZANSKA | 80 | SPRK $18 \pi^- p \rightarrow p\bar{p}n$ |

$a_1(2095)$ $I^G(J^{PC}) = 1^-(1^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------------|---------------------|-------------|--------------------|-------------|--|
| $2096 \pm 17 \pm 121$ | $451 \pm 41 \pm 81$ | 69k | KUHN | 04 | B852 $18 \pi^- p \rightarrow \eta \pi^+ \pi^- \pi^- p$ |

$B(a_1(2095) \rightarrow f_1(1285)\pi) / B(a_1(2095) \rightarrow a_1(1260))$

| <u>VALUE</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------|-------------|--------------------|-------------|---|
| 3.18±0.64 | 69k | KUHN | 04 B852 | 18 $\pi^- p \rightarrow \eta\pi^+\pi^-\pi^-p$ |

$\eta(2100)$ $I^G(J^{PC}) = 0^+(0^-+)$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------|-----------------------|-------------|---------------------------------|
| 2103±50 | 187 ± 75 | 586 | ³³ BISELLO | 89B DM2 | $J/\psi \rightarrow 4\pi\gamma$ |

³³ASTON 81B sees no peak, has 850 events in Ajinenko+Barth bins. ARESTOV 80 sees no peak.

$X(2100)$ $I^G(J^{PC}) = ??(0^{??})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|-----------------------------------|
| 2100±40 | 250 ± 40 | ALDE | 86D GAM4 | 100 $\pi^- p \rightarrow 2\eta X$ |

$X(2110)$ $I^G(J^{PC}) = 1^+(3^{-?})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|---------------------------------------|
| 2110±10 | 330 ± 20 | EVANGELIS... | 79 OMEG | 10,16 $\pi^- p \rightarrow \bar{p}pn$ |

$f_2(2140)$ $I^G(J^{PC}) = 0^+(2^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------|--------------------|-------------|--------------------------|
| 2141±12 | 49 ± 28 | 389 | GREEN | 86 MPSF | 400 $pA \rightarrow 4KX$ |

$X(2150)$ $I^G(J^{PC}) = ??(2^{+?})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|------------------------------------|
| 2150±10 | 260 ± 10 | ROZANSKA | 80 SPRK | 18 $\pi^- p \rightarrow p\bar{p}n$ |

$a_2(2175)$ $I^G(J^{PC}) = 1^-(2^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|-----------------------------------|--------------------|-------------|--|
| 2175±40 | 310 ⁺⁹⁰ ₋₄₅ | ANISOVICH | 01F SPEC | 2.0 $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$ |

$\eta(2190)$ $I^G(J^{PC}) = 0^+(0^-+)$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|-------------------|--------------------|--------------------|-------------|
| 2190±50 | 850 ± 100 | BUGG | 99 BES |

$\omega_2(2195)$ $I^G(J^{PC}) = 0^-(2^{--})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------------------|-------------|---|
| 2195±30 | 225 ± 40 | ³⁴ ANISOVICH | 02B SPEC | 0.6-1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$ |

³⁴ From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

| $\omega(2205)$ $I^G(J^{PC}) = 0^-(1^{--})$ | | | | | |
|---|--------------------|-------------------------|-------------|----------------|---|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2205 ± 30 | 350 ± 90 | ³⁵ ANISOVICH | 02B | SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$ |

³⁵ From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

| $X(2210)$ $I^G(J^{PC}) = ??(?^{??})$ | | | | | |
|---|------------------------------------|--------------------|-------------|----------------|---------------------------------|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2210 ⁺⁷⁹ ₋₂₁ | 203 ⁺⁴³⁷ ₋₈₇ | EVANGELIS... | 79B | OMEG 10 | $\pi^- p \rightarrow K^+ K^- n$ |

| $X(2210)$ $I^G(J^{PC}) = ??(?^{??})$ | | | | | |
|---|--------------------|--------------------|-------------|----------------|----------------|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2207 ± 22 | 130 | CASO | 70 | HBC | 11.2 $\pi^- p$ |

| $h_1(2215)$ $I^G(J^{PC}) = 0^-(1^{+-})$ | | | | | |
|--|--------------------|-------------------------|-------------|----------------|---|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2215 ± 40 | 325 ± 55 | ³⁶ ANISOVICH | 02B | SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$ |

³⁶ From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

| $\rho_2(2225)$ $I^G(J^{PC}) = 1^+(2^{--})$ | | | | | |
|---|------------------------------------|-------------------------|-------------|----------------|---|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2225 ± 35 | 335 ⁺¹⁰⁰ ₋₅₀ | ³⁷ ANISOVICH | 02 | SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$ |

³⁷ From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

| $\rho_4(2230)$ $I^G(J^{PC}) = 1^+(4^{--})$ | | | | | |
|---|--------------------|-------------------------|-------------|----------------|---|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2230 ± 25 | 210 ± 30 | ³⁸ ANISOVICH | 02 | SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$ |

³⁸ From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

| $b_1(2240)$ $I^G(J^{PC}) = 1^+(1^{+-})$ | | | | | |
|--|--------------------|-------------------------|-------------|----------------|---|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2240 ± 35 | 320 ± 85 | ³⁹ ANISOVICH | 02 | SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$ |

³⁹ From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

$f_2(2240)$ $I^G(J^{PC}) = 0^+(2^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-----------------------------|-------------|----------------------|
| 2240 ± 15 | 241 ± 30 | ⁴⁰ ANISOVICH 00J | SPEC | 1.92–2.41 $p\bar{p}$ |

⁴⁰ From the combined analysis of ANISOVICH 99C, ANISOVICH 99F, ANISOVICH 99J, ANISOVICH 99K, and ANISOVICH 00B.

$b_3(2245)$ $I^G(J^{PC}) = 1^+(3^{+-})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|-------------------|--------------------|------------------------|-------------|
| 2245 ± 50 | 320 ± 70 | ⁴¹ BUGG 04C | RVUE |

⁴¹ From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

$\eta_2(2250)$ $I^G(J^{PC}) = 0^+(2^{-+})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|-------------------|--------------------|--------------------|-------------|
| 2248 ± 20 | 280 ± 20 | ANISOVICH 00I | SPEC |
| 2267 ± 14 | 290 ± 50 | ANISOVICH 00J | SPEC |

$\pi_4(2250)$ $I^G(J^{PC}) = 1^-(4^{-+})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|--|
| 2250 ± 15 | 215 ± 25 | ANISOVICH 01F | SPEC | 2.0 $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$ |

$\omega_4(2250)$ $I^G(J^{PC}) = 0^-(4^{--})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-----------------------------|-------------|---|
| 2250 ± 30 | 150 ± 50 | ⁴² ANISOVICH 02B | SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$ |

⁴² From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

$\omega_5(2250)$ $I^G(J^{PC}) = 0^-(5^{--})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|-------------------|--------------------|-----------------------|-------------|
| 2250 ± 70 | 320 ± 95 | ⁴³ BUGG 04 | RVUE |

⁴³ From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

$\omega_3(2255)$ $I^G(J^{PC}) = 0^-(3^{--})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-----------------------------|-------------|---|
| 2255 ± 15 | 175 ± 30 | ⁴⁴ ANISOVICH 02B | SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$ |

⁴⁴ From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

$a_4(2255)$ $I^G(J^{PC}) = 1^-(4^{++})$

| MASS (MeV) | WIDTH (MeV) | DOCUMENT ID | TECN | COMMENT |
|-----------------------------|------------------------------------|-------------------------|----------|--|
| 2237 ± 5 OUR AVERAGE | | | | |
| 2237 ± 5 | 291 ± 12 | UMAN | 06 E835 | 5.2 $\bar{p}p \rightarrow \eta\eta\pi^0$ |
| 2255 ± 40 | 330 ⁺¹¹⁰ ₋₅₀ | ⁴⁵ ANISOVICH | 01F SPEC | 1.96–2.41 $\bar{p}p$ |

⁴⁵ From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, and ANISOVICH 01F.

$a_2(2255)$ $I^G(J^{PC}) = 1^-(2^{++})$

| MASS (MeV) | WIDTH (MeV) | DOCUMENT ID | TECN | COMMENT |
|------------|-------------|-------------------------|----------|----------------------|
| 2255 ± 20 | 230 ± 15 | ⁴⁶ ANISOVICH | 01G SPEC | 1.96–2.41 $\bar{p}p$ |

⁴⁶ From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, ANISOVICH 01F, and ANISOVICH 01G.

$X(2260)$ $I^G(J^{PC}) = 0^+(4^{+?})$

| MASS (MeV) | WIDTH (MeV) | DOCUMENT ID | TECN | COMMENT |
|------------|-------------|--------------|---------|---------------------------------------|
| 2260 ± 20 | 400 ± 100 | EVANGELIS... | 79 OMEG | 10,16 $\pi^- p \rightarrow \bar{p}pn$ |

$\rho(2270)$ $I^G(J^{PC}) = 1^+(1^{--})$

| MASS (MeV) | WIDTH (MeV) | DOCUMENT ID | TECN | COMMENT |
|------------|-------------|-------------------------|---------|---|
| 2265 ± 40 | 325 ± 80 | ⁴⁷ ANISOVICH | 02 SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\pi^0, \omega\eta\pi^0, \pi^+\pi^-$ |
| 2280 ± 50 | 440 ± 110 | ATKINSON | 85 OMEG | 20–70 $\gamma p \rightarrow p\omega\pi^+\pi^-\pi^0$ |

⁴⁷ From the combined analysis of ANISOVICH 00J, ANISOVICH 01D, ANISOVICH 01E, and ANISOVICH 02.

$a_1(2270)$ $I^G(J^{PC}) = 1^-(1^{++})$

| MASS (MeV) | WIDTH (MeV) | DOCUMENT ID | TECN | COMMENT |
|------------------------------------|-----------------------------------|-------------|----------|--|
| 2270 ⁺⁵⁵ ₋₄₀ | 305 ⁺⁷⁰ ₋₄₀ | ANISOVICH | 01F SPEC | 2.0 $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$ |

$h_3(2275)$ $I^G(J^{PC}) = 0^-(3^{+-})$

| MASS (MeV) | WIDTH (MeV) | DOCUMENT ID | TECN | COMMENT |
|------------|-------------|-------------------------|----------|---|
| 2275 ± 25 | 190 ± 45 | ⁴⁸ ANISOVICH | 02B SPEC | 0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$ |

⁴⁸ From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

$a_3(2275)$ $I^G(J^{PC}) = 1^-(3^{++})$

| MASS (MeV) | WIDTH (MeV) | DOCUMENT ID | TECN | COMMENT |
|------------|------------------------------------|-------------------------|----------|----------------------|
| 2275 ± 35 | 350 ⁺¹⁰⁰ ₋₅₀ | ⁴⁹ ANISOVICH | 01G SPEC | 1.96–2.41 $\bar{p}p$ |

⁴⁹ From the combined analysis of ANISOVICH 99C, ANISOVICH 99E, ANISOVICH 01F, and ANISOVICH 01G.

$\pi_2(2285)$ $I^G(J^{PC}) = 1^-(2^-+)$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------------|----------------------|-------------------------|-------------|--------------------------|
| 2285 ± 20 ± 25 | 250 ± 20 ± 25 | ⁵⁰ ANISOVICH | 11 | SPEC 0.9–1.94 $p\bar{p}$ |

⁵⁰ Reanalysis of ADOMEIT 96 and ANISOVICH 00E.

$\omega_3(2285)$ $I^G(J^{PC}) = 0^-(3^{--})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------------------|-------------|--|
| 2278 ± 28 | 224 ± 50 | ⁵¹ BUGG | 04A | RVUE |
| 2285 ± 60 | 230 ± 40 | ⁵² ANISOVICH | 02B | SPEC 0.6–1.9 $p\bar{p} \rightarrow \omega\eta, \omega\pi^0\pi^0$ |

⁵¹ Partial wave analysis of the data on $p\bar{p} \rightarrow \bar{\Lambda}\Lambda$ from BARNES 00.
⁵² From the combined analysis of ANISOVICH 00D, ANISOVICH 01C, and ANISOVICH 02B.

$\omega(2290)$ $I^G(J^{PC}) = 0^-(1^{--})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|----------------|
| 2290 ± 20 | 275 ± 35 | ⁵³ BUGG | 04A | RVUE |

⁵³ Partial wave analysis of the data on $p\bar{p} \rightarrow \bar{\Lambda}\Lambda$ from BARNES 00.

$f_2(2295)$ $I^G(J^{PC}) = 0^+(2^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------------------|-------------|---------------------------|
| 2293 ± 13 | 216 ± 37 | ⁵⁴ ANISOVICH | 00J | SPEC 1.92–2.41 $p\bar{p}$ |

⁵⁴ From the combined analysis of ANISOVICH 99C, ANISOVICH 99F, ANISOVICH 99J, ANISOVICH 99K, and ANISOVICH 00B.

$f_3(2300)$ $I^G(J^{PC}) = 0^+(3^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|----------------|
| 2334 ± 25 | 200 ± 20 | ⁵⁵ BUGG | 04A | RVUE |

⁵⁵ Partial wave analysis of the data on $p\bar{p} \rightarrow \bar{\Lambda}\Lambda$ from BARNES 00.

$f_1(2310)$ $I^G(J^{PC}) = 0^+(1^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|----------------|
| 2310 ± 60 | 255 ± 70 | ANISOVICH | 00J | SPEC |

$\eta(2320)$ $I^G(J^{PC}) = 0^+(0^{-+})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|-------------------------|-------------|----------------|
| 2320 ± 15 | 230 ± 35 | ⁵⁶ ANISOVICH | 00M | SPEC |

⁵⁶ From the combined analysis of $\bar{p}p \rightarrow \eta\eta\eta$ from ANISOVICH 00M and $\bar{p}p \rightarrow \eta\pi^0\pi^0$ from ANISOVICH 00J.

| $\eta_4(2330)$ $I^G(J^{PC}) = 0^+(4^-+)$ | | | | | |
|---|--------------------|--------------------|-------------|----------------|---|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2328 ± 38 | 240 ± 90 | ANISOVICH | 00J | SPEC | 2.0 $p\bar{p} \rightarrow \eta\pi^0\pi^0$ |

| $\omega(2330)$ $I^G(J^{PC}) = 0^-(1^{--})$ | | | | | |
|---|--------------------|--------------------|-------------|----------------|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2330 ± 30 | 435 ± 75 | ATKINSON | 88 | OMEG | 25-50 $\gamma p \rightarrow \rho^\pm \rho^0 \pi^\mp$ |

| $X(2340)$ $I^G(J^{PC}) = ??(?^{??})$ | | | | | |
|---|--------------------|-------------|----------------------|-------------|-------------------------------------|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
| 2340 ± 20 | 180 ± 60 | 126 | ⁵⁷ BALTAY | 75 | HBC 15 $\pi^+ p \rightarrow p 5\pi$ |

⁵⁷ Dominant decay into $\rho^0\rho^0\pi^+$. BALTAY 78 finds confirmation in $2\pi^+\pi^-2\pi^0$ events which contain $\rho^+\rho^0\pi^0$ and $2\rho^+\pi^-$.

| $\pi(2360)$ $I^G(J^{PC}) = 1^-(0^-+)$ | | | | | |
|--|--------------------|--------------------|-------------|----------------|--|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2360 ± 25 | 300^{+100}_{-50} | ANISOVICH | 01F | SPEC | 2.0 $\bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$ |

| $X(2360)$ $I^G(J^{PC}) = ??(4+?)$ | | | | | |
|--|--------------------|--------------------|-------------|----------------|------------------------------------|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2360 ± 10 | 430 ± 30 | ROZANSKA | 80 | SPRK | 18 $\pi^- p \rightarrow p\bar{p}n$ |

| $X(2440)$ $I^G(J^{PC}) = ??(5^{-?})$ | | | | | |
|---|--------------------|--------------------|-------------|----------------|------------------------------------|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2440 ± 10 | 310 ± 20 | ROZANSKA | 80 | SPRK | 18 $\pi^- p \rightarrow p\bar{p}n$ |

| $X(2632)$ $I^G(J^{PC}) = ??(?^{??})$ | | | | | |
|---|--------------------|-------------------------|-------------|----------------|----------------------------------|
| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | |
| 2635.2 ± 3.3 | | ⁵⁸ EVDOKIMOV | 04 | SELX | $X(2632) \rightarrow D_S^+ \eta$ |
| 2631.6 ± 2.1 | < 17 | ⁵⁹ EVDOKIMOV | 04 | SELX | $X(2632) \rightarrow D_S^0 K^+$ |

⁵⁸ From a mass difference to D_S^+ of 666.9 ± 3.3 MeV.

⁵⁹ From a mass difference to D_S^0 of 767.0 ± 2.0 MeV.

$B(X(2632) \rightarrow D^0 K^+)/B(X(2632) \rightarrow D_s^+ \eta)$

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> |
|-----------------|----------------------------|-------------|
| 0.14 ± 0.06 | ⁶⁰ EVDOKIMOV 04 | SELX |

⁶⁰ Possible interpretation of this decay pattern is discussed by YASUI 07.

X(2680) $I^G(J^{PC}) = ?^?(?^{??})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|---|
| 2676 ± 27 | 150 | CASO | 70 HBC | $11.2 \pi^- p \rightarrow \rho^- \pi^+ \pi^- p$ |

X(2710) $I^G(J^{PC}) = ?^?(6^{+?})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|---|
| 2710 ± 20 | 170 ± 40 | ROZANSKA | 80 SPRK | $18 \pi^- p \rightarrow \rho \bar{p} n$ |

X(2750) $I^G(J^{PC}) = ?^?(7^{-?})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|--|
| 2747 ± 32 | 195 ± 75 | DENNEY | 83 LASS | $10 \pi^+ p \rightarrow K^+ K^- \pi^+ p$ |

$f_6(3100)$ $I^G(J^{PC}) = 0^+(6^{++})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-------------------|--------------------|--------------------|-------------|--------------------------------------|
| 3100 ± 100 | 700 ± 130 | BINON | 05 GAMS | $33 \pi^- p \rightarrow \eta \eta n$ |

X(3250) $I^G(J^{PC}) = ?^?(?^{??})$ 3-Body Decays

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---------------------|--------------------|--------------------|-------------|---|
| $3250 \pm 8 \pm 20$ | 45 ± 18 | ALEEV | 93 BIS2 | $X(3250) \rightarrow \Lambda \bar{p} K^+$ |
| $3265 \pm 7 \pm 20$ | 40 ± 18 | ALEEV | 93 BIS2 | $X(3250) \rightarrow \bar{\Lambda} p K^-$ |

X(3250) $I^G(J^{PC}) = ?^?(?^{??})$ 4-Body Decays

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---------------------|--------------------|--------------------|-------------|---|
| $3245 \pm 8 \pm 20$ | 25 ± 11 | ALEEV | 93 BIS2 | $X(3250) \rightarrow \Lambda \bar{p} K^+ \pi^\pm$ |
| $3250 \pm 9 \pm 20$ | 50 ± 20 | ALEEV | 93 BIS2 | $X(3250) \rightarrow \bar{\Lambda} p K^- \pi^\mp$ |
| $3270 \pm 8 \pm 20$ | 25 ± 11 | ALEEV | 93 BIS2 | $X(3250) \rightarrow K_S^0 \rho \bar{p} K^\pm$ |

X(3350) $I^G(J^{PC}) = ?^?(?^{??})$

| <u>MASS (MeV)</u> | <u>WIDTH (MeV)</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---------------------------|-------------------------|-------------|----------------------------|-------------|---|
| $3350_{-20}^{+10} \pm 20$ | $70_{-30}^{+40} \pm 40$ | 50 ± 10 | ⁶¹ GABYSHEV 06A | BELL | $B^- \rightarrow \Lambda_c^+ \bar{p} \pi^-$ |

⁶¹ A similar enhancement in the $\Lambda_c^+ \bar{p}$ final state is also reported by BABAR collaboration in AUBERT 10H.

REFERENCES for Further States

| | | | | |
|---------------|-----|---|-----------------------------------|--------------------------|
| ANISOVICH | 11 | EPJ C71 1511 | A.V. Anisovich <i>et al.</i> | (LOQM, RAL, PNPI) |
| AUBERT | 10H | PR D82 031102R | B. Aubert <i>et al.</i> | (BABAR Collab.) |
| ABRAAMYAN | 09 | PR C80 034001 | Kh.U. Abraamyan <i>et al.</i> | |
| VLADIMIRSK... | 08 | PAN 71 2129 | V.V. Vladimirovsky <i>et al.</i> | (ITEP) |
| VLADIMIRSK... | 07 | Translated from YAF 71 2166. PAN 70 1706 | V. Vladimirovsky <i>et al.</i> | |
| YASUI | 07 | PR D76 034009 | S. Yasui, M. Oka | |
| ABLIKIM | 06S | PRL 97 142002 | M. Ablikim <i>et al.</i> | (BES Collab.) |
| GABYSHEV | 06A | PRL 97 242001 | N. Gabyshev <i>et al.</i> | (BELLE Collab.) |
| SCHEGELSKY | 06 | EPJ A27 199 | V.A. Schegelsky <i>et al.</i> | |
| SCHEGELSKY | 06A | EPJ A27 207 | V.A. Schegelsky <i>et al.</i> | |
| UMAN | 06 | PR D73 052009 | I. Uman <i>et al.</i> | (FNAL E835) |
| VLADIMIRSK... | 06 | PAN 69 493 | V.V. Vladimirovsky <i>et al.</i> | (ITEP, Moscow) |
| BINON | 05 | Translated from YAF 69 515. PAN 68 960 | F. Binon <i>et al.</i> | |
| GRIGOR'EV | 05 | Translated from YAF 68 998. PAN 68 1271 | V.K. Grigor'ev <i>et al.</i> | (ITEP) |
| LU | 05 | Translated from YAF 68 1324. PRL 94 032002 | M. Lu <i>et al.</i> | (BNL E852 Collab.) |
| ABLIKIM | 04J | PRL 93 112002 | M. Ablikim <i>et al.</i> | (BES Collab.) |
| BUGG | 04 | PL B595 556 (erratum) | D.V. Bugg | |
| BUGG | 04A | EPJ C36 161 | D.V. Bugg | |
| BUGG | 04C | PRPL 397 257 | D.V. Bugg | |
| EVDOKIMOV | 04 | PRL 93 242001 | A.V. Evdokimov <i>et al.</i> | (SELEX Collab.) |
| KUHN | 04 | PL B595 109 | J. Kuhn <i>et al.</i> | (BNL E852 Collab.) |
| ANISOVICH | 03 | EPJ A16 229 | V.V. Anisovich <i>et al.</i> | |
| VLADIMIRSK... | 03 | PAN 66 700 | V.V. Vladimirovsky <i>et al.</i> | |
| ANISOVICH | 02 | Translated from YAF 66 729. PL B542 8 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 02B | PL B542 19 | A.V. Anisovich <i>et al.</i> | |
| CHUNG | 02 | PR D65 072001 | S.U. Chung <i>et al.</i> | (BNL E852 Collab.) |
| LINK | 02K | PL B545 50 | J.M. Link <i>et al.</i> | (FNAL FOCUS Collab.) |
| ANISOVICH | 01C | PL B507 23 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 01D | PL B508 6 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 01E | PL B513 281 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 01F | PL B517 261 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 01G | PL B517 273 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 00B | NP A662 319 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 00D | PL B476 15 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 00E | PL B477 19 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 00I | PL B491 40 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 00J | PL B491 47 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 00M | PL B496 145 | A.V. Anisovich <i>et al.</i> | |
| BARNES | 00 | PR C62 055203 | P.D. Barnes <i>et al.</i> | |
| FILIPPI | 00 | PL B495 284 | A. Filippi <i>et al.</i> | (OBELIX Experiment) |
| VLADIMIRSKII | 00 | JETPL 72 486 | V.V. Vladimirovskii <i>et al.</i> | |
| ANISOVICH | 99C | Translated from ZETFP 72 698. PL B452 173 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 99E | PL B452 187 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 99F | NP A651 253 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 99J | PL B471 271 | A.V. Anisovich <i>et al.</i> | |
| ANISOVICH | 99K | PL B468 309 | A.V. Anisovich <i>et al.</i> | |
| BUGG | 99 | PL B458 511 | D.V. Bugg <i>et al.</i> | |
| FERRER | 99 | EPJ C10 249 | A. Ferrer <i>et al.</i> | |
| SEMENOV | 99 | SPU 42 847 | S.V. Semenov | |
| ADOMEIT | 96 | Translated from UFN 42 937. ZPHY C71 227 | J. Adomeit <i>et al.</i> | (Crystal Barrel Collab.) |
| KLOET | 96 | PR D53 6120 | W.M. Kloet, F. Myhrer | (RUTG, NORD) |
| PROKOSHKIN | 96 | SPD 41 247 | Y.D. Prokoshkin, V.D. Samoilenko | (SERP) |
| HASAN | 94 | Translated from DANS 348 481. PL B334 215 | A. Hasan, D.V. Bugg | (LOQM) |
| OAKDEN | 94 | NP A574 731 | M.N. Oakden, M.R. Pennington | (DURH) |
| ALEEV | 93 | PAN 56 1358 | A.N. Aleev <i>et al.</i> | (BIS-2 Collab.) |
| | | Translated from YAF 56 100. | | |

| | | | | |
|--------------|-----|------------------|-------------------------------------|---------------------------|
| ARMSTRONG | 93D | PL B307 399 | T.A. Armstrong <i>et al.</i> | (FNAL, FERR, GENO+) |
| ALBRECHT | 91F | ZPHY C50 1 | H. Albrecht <i>et al.</i> | (ARGUS Collab.) |
| CONDO | 91 | PR D43 2787 | G.T. Condo <i>et al.</i> | (SLAC Hybrid Collab.) |
| BISELLO | 89B | PR D39 701 | G. Busetto <i>et al.</i> | (DM2 Collab.) |
| ATKINSON | 88 | ZPHY C38 535 | M. Atkinson <i>et al.</i> | (BONN, CERN, GLAS+) |
| DAFTARI | 87 | PRL 58 859 | I.K. Daftari <i>et al.</i> | (SYRA) |
| ALDE | 86D | NP B269 485 | D.M. Alde <i>et al.</i> | (BELG, LAPP, SERP, CERN+) |
| BRIDGES | 86D | PL B180 313 | D.L. Bridges <i>et al.</i> | (SYRA, BNL, CASE+) |
| GREEN | 86 | PRL 56 1639 | D.R. Green <i>et al.</i> | (FNAL, ARIZ, FSU+) |
| ATKINSON | 85 | ZPHY C29 333 | M. Atkinson <i>et al.</i> | (BONN, CERN, GLAS+) |
| DENNEY | 83 | PR D28 2726 | D.L. Denney <i>et al.</i> | (IOWA, MICH) |
| ASTON | 81B | NP B189 205 | D. Aston <i>et al.</i> | (BONN, CERN, EPOL, GLAS+) |
| ARESTOV | 80 | IHEP 80-165 | Y.I. Arestov <i>et al.</i> | (SERP) |
| CHLIAPNIK... | 80 | ZPHY C3 285 | P.V. Chliapnikov <i>et al.</i> | (SERP, BRUX, MONS) |
| KREYMER | 80 | PR D22 36 | A.E. Kreymer <i>et al.</i> | (IND, PURD, SLAC+) |
| ROZANSKA | 80 | NP B162 505 | M. Rozanska <i>et al.</i> | (MPIM, CERN) |
| EVANGELIS... | 79 | NP B153 253 | C. Evangelista <i>et al.</i> | (BARI, BONN, CERN+) |
| EVANGELIS... | 79B | NP B154 381 | C. Evangelista <i>et al.</i> | (BARI, BONN, CERN+) |
| BALTAY | 78 | PR D17 52 | C. Baltay <i>et al.</i> | (COLU, BING) |
| ANTIPOV | 77 | NP B119 45 | Y.M. Antipov <i>et al.</i> | (SERP, GEVA) |
| BALTAY | 77 | PRL 39 591 | C. Baltay, C.V. Cautis, M. Kalelkar | (COLU) |
| BALTAY | 75 | PRL 35 891 | C. Baltay <i>et al.</i> | (COLU, BING) |
| KALELKHAR | 75 | Thesis Nevis 207 | M.S. Kalelkar | (COLU) |
| CASO | 70 | LNC 3 707 | C. Caso <i>et al.</i> | (GENO, HAMB, MILA, SACL) |
